

OFFICE OF THE SECRETARY RMRS GOVT. BANGUR HOSPITAL PALI

E-mail - superintendentbhpali@rajasthan.gov.in

Bid Document Form for Printing Work at Govt. Bangur Hospital Pali, Rajasthan.

No.: RMRS/NIT- /2025-26/ 1431

E-TENDER NOTICE No. 2/2025-26 (E-Tender)

E-Tenders are invited for the Printing Work at Govt. Bangur Hospital Pali Rajasthan. The Earnest Money to be deposited with tender is mentioned. The Bid will be valid up to 90 days.

The Tender / Bid shall only be submitted through online tendering system of www.eproc.rajasthan.gov.in The interested bidders shall have to be enrolled / registered with portal of www.eproc.rajasthan.gov.in for participating in the Bidding process.

क्र.स.	कार्य का विवरण	अनुमानित लागत राशि (रु. लाखों में)	बोली प्रतियुक्ति राशि (EMD का DD/BC) (रु. में)	बोली शुल्क (अप्रतिदेय) (रु. में)	प्रोसेसिंग फीस (रु. में)
1	2	3	4	5	6
1.	Printing	25.00 lac	0.50 lac	1500	1000
2.	Security Service	90.00 Lac	1.80 Lac	1500	1000
3.	MNJY Regents	75.00 Lac	1.50 Lac	1500	1000

The Schedule of dates is as follows:-

S.No.	Schedule	Date	Time
1-	Publishing Date	29.05.2025	10.00 AM
2-	Document Download Start date	29.05.2025	10.00 AM
3-	Pre Bid Meeting date	31.05.2025	12.00 Noon
4-	Bid Submission Start Date	29.05.2025	10.00 AM
5-	Document Download End Date	12.06.2025	05.00 PM
6-	DD etc Submission End Date & Time	13.06.2025	12.00 Noon
7-	Technical Bid Opening Date	13.06.2025	01.00 PM
8-	Financial Bid Opening Bid	Will be intimated later to the Technically Qualified bidder.	

Terms & conditions:-

1. The Bid fee & Processing fee is Rs. 1500/- & Rs. 1000/- in favour of Secretary RMRS Bangur Hospital Pali.
2. Financial bid will be opened only for technically acceptable.
3. No physical/offline tender/bid shall be accepted.
4. Bid document fees & processing fees are non-refundable.
5. Rate should be quoted only in INR.
6. In case the bidder withdraws, modifies or changes his offer during the validity period, bid is liable to be rejected and the earnest money shall be forfeited assigning any reason thereof.
7. Conditional bid will be treated as unresponsive and it may be rejected.
8. In case, the schedule dates happen to be Govt. Holiday the next working day shall be treated for the scheduled dates is given above for tender as the case may be.
9. The provisions of RTPP Act. 2012 And Rules 2013 there to shall be applicable for the procurement.
10. In case of any dispute, legal Jurisdiction will be Pali.


(Dr. H.M. Choudhary)
Secretary
RMRS Govt Bangur Hospital
Pali Raj.

CHECK LIST

CHECK LIST

1. Name of Bidder Firm :
2. Status (Proprietor/Partnership Firm/Company) :
3. Authorized Signatory (Name & Designations) :
4. Phone No. Fax No. E. Mail
5. Address (Regd. Office)
6. PAN Card Number :

S.No	Details	Yes/No	Page No.
1	Bid security (EMD) Rs 150000/- D/D No. Date		
2	Tender Fee Rs. 1500/- D. D. No. Date processing fee Rs. 1000/- encl. D. D. No. Date		
3	एस. आर. 11, निविदा प्रपत्र।		
4	विक्रय कर रजिस्ट्रेशन प्रति एवं विक्रय कर चुकता प्रमाण पत्र (नवनीतम वर्ष तक)		
5	GST रजिस्ट्रेशन की प्रति।		
6	निविदादाता फर्म की ड्रग कन्ट्रोल ऑथेरिटी द्वारा जारी लाईसेंस की सत्यापित फोटो प्रति।		
7	Annexure-1 to 4 & 6 whichever is applicable Authorization to be Submitted by principal manufacture in original.		
8	Annexure-5 Annual Turn Over Statement		
9	Letter of acceptance for all Terms and conditions of the Tender along with Annex A to D And all Sr. form.		
10	Technical Bid Enclosed List of Reagents/Kits/Chemical/Glassware/Polyware etc. item		
11	Undertaking of Non Black Listing Certifate Firm/Company etc.		
12	Pan Card Photo Copy		
13	Afidavite regarding compliance to term & conditions of tender (Rs 50 on stamp paper)		
14	Authoriastion Certificates of j.mitra, Transasia,s.d.biosensor,Accurex,B.D.,Meril, and as per tender		
15	निविदा दाता को रीजेन्ट्स के मेक /निर्माता /कम्पनी एवं पैक साइज (निविदा प्रपत्र में लिखे अनुसार) का विवरण आवश्यक रूप से तकनीकी बिड के साथ सल्वान करना होगा इसके अभाव में निविदा निरस्त मानी जायेगी।		
16			

**Bid Invitation for Lab Items of
(Reagent/Kits/Chemicals/Glassware/Polyware etc. item) Schedule of
Dates is as follows:**

1.	Document Download & Upload Date and Time	
2.	Tender Fees, Processing Fees, E.M.D. Submit date & time.	
3.	Technical Bid Opening Date & Venue	

ई-टेण्डरिंग से सम्बन्धित नियम शर्तें एवं सूचना

1. निविदा प्रपत्रों को वेबसाईट <http://www.eproc.rajasthan.gov.in> से डाउनलोड किया जा सकता है। इस निविदाओं में भाग लेने वाले निविदादाता निविदा को इलेक्ट्रॉनिक फारमेट में वेबसाईट <http://www.eproc.rajasthan.gov.in> पर जमा कराना होगा।
2. निविदादाताओं को निविदा प्रपत्र इलेक्ट्रॉनिक फारमेट में उपरोक्त वेबसाईट पर डिजीटल साईन के साथ प्रस्तुत करना होगा। जिनके प्रस्ताव डिजीटल साईन के साथ नहीं होंगे उनके प्रस्ताव स्वीकार नहीं किये जायेंगे। कोई भी प्रस्ताव व्यक्तिगत/भौतिक निविदा प्रपत्र में स्वीकार्य नहीं होगा। इलेक्ट्रॉनिक निविदा में प्रस्तुत दस्तावेज के अतिरिक्त कोई भी दस्तावेज भौतिक रूप से स्वीकार्य नहीं होंगे।
3. निविदादाता को निविदा फार्म का शुल्क रूपये 1500/- Bid security (EMD) Rs 150000/सचिव आरएमआरएस बांगड चिकित्सालय पाली के पक्षमें एवं प्रोसेसिंग फीस रूपये 1,000/- का डिमाण्ड ड्राफ्ट M. D. R. I. S. L. जयपुर के पक्ष में जयपुर में भुगतान योग्य निविदा के साथ प्रस्तुत करना होगा। उक्त ड्राफ्ट की फोटो कॉपी निविदा प्रपत्र के साथ स्केन करके ई-निविदा के साथ अपलोड करनी होगी तथा मूल डिमाण्ड ड्राफ्ट भौतिक रूप से निविदा खुलने की दिनांक से दो दिवस पूर्व कार्यालय अधीक्षक, बांगड चिकित्सालय, पाली में (दिनांक दोपहर बजे तक) प्रस्तुत कर दिये जाने चाहिए अथवा पहुंच जाने चाहिए। अन्यथा इसके अभाव में तकनीकी बिड नहीं खोली जावेगी।
4. निविदा प्रपत्रों हेतु आवेदन/डाउनलोड एवं अपलोड की अवधि दिनांक समय प्रातः बजे से दिनांक को सांय बजे तक होगी।
 - (अ) निविदा प्रपत्रों इलेक्ट्रॉनिक फारमेट में वेबसाईट <http://www.eproc.rajasthan.gov.in> पर दिनांक समय सांय 5.00 बजे तक जमा कराये जा सकते हैं एवं प्राप्त तकनीकी निविदायें इलेक्ट्रॉनिक फारमेट में वेबसाईट <http://www.eproc.rajasthan.gov.in> पर दिनांक को समय दोपहर बजे ऑनलाईन खोली जावेगी।
 - (ब) यदि किसी कारणवश उस दिन अवकाश रहता है तो अगले कार्य दिवस पर निविदाएं खोली जावेंगी।
 - (स) निविदा से सम्बन्धित समस्त प्रक्रिया ऑनलाईन होगी।

5. निविदा प्रपत्रों में निविदादाता के लिए योग्यता सूचना तथा निविदादाता की पात्रता, स्पेसिफिकेशन कार्य की अनुमानित मात्रा का विवरण, नियम शर्तें, निविदा प्रपत्र में यथास्थान पर वर्णित है।
6. किसी भी निविदा को स्वीकार करने एवं बिना कारण बताये निरस्त करने के समस्त अधिकार निविदाकर्ता अधिकारी के पास सुरक्षित है।
7. उद्धृत की गयी अनुमोदित दरें 2year तक के लिए विधिमान्य है। इस अवधि को आवश्यकता होने पर अद्योहस्ताक्षरकर्ता के द्वारा RTPP Act के अनुसार बढ़ाया जा सकेगा जिसे निविदादाता को स्वीकार्य होगी।
8. निविदा प्रपत्र के साथ संलग्न निविदा घोषणा पत्र में दिये गये प्रारूप में घोषणा प्रस्तुत करनी होगी।
9. वाणिज्य कर विभाग द्वारा जारी पंजीकरण प्रमाण पत्र की प्रमाणित प्रति स्कैन कर अपलोड करनी होगी एवं नवीनतम बिक्रीकर शोधन प्रमाण पत्र को स्कैन कर अपलोड करना होगा।
10. GST रजिस्ट्रेशन की प्रति संलग्न करनी होगी एवं निविदा में अंकित प्रत्येक आईटम पर GST दर प्रतिशत अंकित करना आवश्यक होगा।
11. मूल निर्माता/विनिर्माता/अधिकृत विक्रेता ही दे सकते है। अतः मूल निर्माता/विनिर्माता/अधिकृत डीलर का निर्धारित प्रारूप में प्रमाण पत्र संलग्न कर स्कैन करके अपलोड करना होगा।
12. निविदा वे ही निर्माता/विनिर्माता/अधिकृत विक्रेता दे सकते है जिनका गत तीन वर्षों का टर्न ओवर प्रति वर्ष रूपये 75लाख रूपये होगा।
13. गत तीन वर्षों की सनदी लेखाकार (सी.ए.) द्वारा प्रमाणित अन्तिम लेखे स्कैन कर अपलोड करना होगा।
14. यदि निविदा में कोई भी सर्टिफिकेट इत्यादि मांगा गया है तो उसे स्कैन कर अपलोड करना होगा।
15. ऊपर वर्णित दस्तावेज व निविदा फार्म के समस्त कागजात व अनुसूची को मय सील हस्ताक्षर करके स्कैन कर अपलोड करना होगा तथा कागजात की पेजिंग करनी होगी।
16. अनुमोदित फर्म को क्रय आदेश जारी किये जाने पर अंकित आईटमों के एनालाईसिस सर्टिफिकेट/रिपोर्ट बिलों के साथ आवश्यक रूप से संलग्न करनी होगी।
17. यदि कोई दस्तोवज ई-निविदा में प्रस्तुत नहीं किया गया है पर भौतिक रूप से प्रस्तुत निविदा में दिया गया है तो मान्य नहीं होगा।
18. इलेक्ट्रॉनिक निविदा प्रपत्र को जमा/अपलोड करने से पूर्व निविदादाता यह सुनिश्चित कर ले की निविदा प्रपत्रों से संबंधित सभी आवश्यक दस्तावेजों की स्पष्ट पठनीय स्कैन कॉपी निविदा प्रपत्रों के साथ स्कैन करके अपलोड की गई है।
19. ऑनलाईन प्रस्तुत किये गये दस्तावेजों के अतिरिक्त कोई भी दस्तावेज भौतिक रूप से स्वीकार नहीं किये जायेंगे। कोई भी निविदा इलेक्ट्रॉनिकली जमा कराने में किसी कारण से विफल हो जाता है तो विभाग की कोई जिम्मेदारी नहीं होगी।
20. तकनीकी रूप से सफल पाये जाने वाले निविदादाताओं की वित्तीय निविदा खोले जाने का समिति द्वारा निर्णय लिया जायेगा।

21. टेण्डर के प्रपत्रों का आवश्यक रूप से सभी सूचियों को सम्पूर्ण भर कर ऑनलाईन प्रस्तुत किया जाये।
22. असुविधा से बचने के लिए कृपया आवेदन हेतु अंतिम दिनांक की प्रतीक्षा नहीं करें।
23. समस्त निविदा निर्धारित प्रपत्र में ही भरें।
24. ऑनलाईन निविदाएं निर्धारित दिनांक एवं समय के अनुसार खोली जावेगी।
25. सशर्त निविदा स्वीकार नहीं की जायेगी।
26. निविदा में भरे जाने वाले कम्पनी आईटम की दरें एफ.ओ.आर. स्टोर सचिव आरएमआरएस बांगड चिकित्सालय पालीहोगी।
27. किसी भी प्रकार के विवाद की स्थिति में न्यायिक क्षेत्र पाली होगा।
28. आवश्यकता होने पर चिकित्सालय (सचिव आरएमआरएस बांगड चिकित्सालय पाली) एवं मेडिकेयर रिलीफ सोसायटी तथा अन्य मदों में लैब आईटम (केमीकल्स, किट्स, रियेजेन्ट्स एवं ग्लासवेयर इत्यादि आईटम आपूर्ति करना होगा।
29. निविदा अवधि में केन्द्र व राज्य सरकार द्वारा निर्धारित/लागू नवीन करों को लागू/मान्य माना जायेगा। स्ट्रॉत पर नियमानुसार समस्त करों की कटौती की जायेगी।
30. बिडर द्वारा कम्पनी होने की दशा में Certificate of Incorporation, Article of Association, Memorandum of Association आदि जो लागू हो की प्रति प्रस्तुत करनी होगी।
31. बोली की वैधता अवधि सामान्यतः दिनों की होगी।
32. आर टी पी पी नियम 2013 के अनुसार प्रथम अपील प्राधिकारी
..... एवं द्वितीय अपील प्राधिकारी विशेष सचिव, चिकित्सा शिक्षा विभाग, जयपुर होंगे।
33. निविदा प्रपत्र के प्रत्येक पृष्ठ पर निविदादाता के हस्ताक्षर होंगे तथा पेजिंग की जायेगी। साथ ही दर संविदा हेतु ऊपर वर्णित सभी उपबंधों के साथ RTPP नियम 2013 सा. वि. एवं लेखा नियम पूर्णतः लागू माने जायेगें।

निविदादाता के हस्ताक्षर

मय सील पूरा पता

:

सचिव,

राजस्थान मेडिकेअर रिलीफ सोसायटी,
राजकीय बांगड चिकित्सालय, पाली

TECHNICAL BID

कार्यालय सचिव, राजस्थान मेडिकेअर रिलीफ सोसायटी, राजकीय बांगड चिकित्सालय, पाली

List of Reagents/Kits/Chemical/Glassware/Polyware etc. Lab & Other Items

Note -: निम्न ITEM में AUTHORISATION CERTIFICATE व अन्य प्रमाण पत्र मूल निर्माता कंपनी का उपलब्ध नहीं हो तो उस ITEM के लिए अपनी वित्तीय बिड प्रस्तुत नहीं करे **|(TECHNICAL BID)**

Name of the Firm/Bidder:-

S. No.	Name of Item& Pack size	Packing	Make	Attached Authorisation Certificate Yes/No	Attached NABL/GMP/ Certificate Yes/No
1	A.P.T.T	3ML	J.Mitra/Arkery/TRANSASIA		
2	A.S.O. Latex With Control	100 Test	Aspen/Arkery/Tulip/Expedia		
3	Absolute Alcohol	500 ML	Rankem/Biolab/B.D.H/C.D.H		
4	Acetotone Test Powder	100 Gr.	Rankem/Biolab/B.D.H/C.D.H		
5	Acid Phosphate kit	8 ML	ACCUREX/ERBA/SEMENS		
6	Adult Weight Machine up to 180 kg	Per pcs	ISI		
7	Albert stain A	500 ml	Rankem/Biolab/B.D.H/C.D.H		
8	Albert Stain B	500 ml	Rankem/Biolab/B.D.H/C.D.H		
9	Albumin kit	5x50 ml	ACCUREX/ERBA/ SEMENS		
10	Alcoholic Swab	Per pcs	ISI		
11	Alk. Phosphate kit	5x20 ml	ACCUREX/ERBA/SEMENS		
12	Amylase liquid stable	6x6 ml	ACCUREX/ERBA/SEMENS		
13	Anti A TubeTiter with A1 cells should be ≥ 1 ; 256 Side titer with A1 cells should be ≥ 1 : 16 High avidity (3-4 secs) and clear cut visible agglutination (grade3+) at 2 mins on slide Detect most weaker subgroup of A Specific, no cross reactivity with B or O groups Should be able to differentiate between A1 and other subgroups of A2 by giving different reaction pattern for both CE certified	10 ml	Tulip/Arkery/Ortho/J. mitra		
14	Anti A1	5 ml	Tulip/Arkery/Ortho/J. mitra		
15	Anti AB	10 ml	Tulip/Arkery/Ortho/J. mitra		
16	Anti B TubeTiter with B cells should be ≥ 1 ; 256 Side titer with B cells should be ≥ 1 : 16 High avidity (3-4 secs) and clear cut visible agglutination (grade3+) at 2 mins on slide Detect most weaker subgroup of B Specific, no cross reactivity with A or O groups Negative with acquired B cells CE Certified	10 ml	Tulip/Arkery/Ortho/J. mitra		
17	Anti D IgM+ IgG TubeTiter with OR 1r cells should be ≥ 1 ; 256 Side titer with OR 1r cells should be ≥ 1 : 16 High avidity (5-6 secs) and clear cut visible agglutination (grade3+) at 2 mins on slide Detect most weak D's, IgM reactivity in slide test and IgG reactivity in the comms phase Non reactive with Rh negative samples. CE certified	10 ml	Tulip/Arkery/Ortho/J. mitra		
18	Anti H	5 ml	Tulip/Arkery/Ortho/J. mitra		
19	Anti Human Globin	10 ml	Tulip/Arkery/Ortho/J. mitra		

20	AQUA 4 Water	1 ltr	ACCUREX/ERBA/SEMENS		
21	A.D.A. With calibrater	1x20/1x10 ml	ACCUREX/ERBA/SEMENS		
21	Barium Chloride 10 %	500 ml	Rankem/Biolab/B.D.H/C.D.H		
22	Beaker Glass 100 ML	Per pcs	BOROSIL/GLASSCO/ DURAM		
23	Beaker Glass 200 ml	Per pcs	BOROSIL/GLASSCO/DURA M		
24	Beaker Glass 500 ml	Per pcs	BOROSIL/GLASSCO/DURA M		
25	Bile pigment rapid	25 ML	Biolab/ Microexpres/ Titan		
26	Billrubin T&D	4x60 ml	Accurex/ Erba/semens/Randox		
27	Bleaching Powder	1 kg	ISI		
28	Blood Bag Quardipal Sagam	Per pcs	MITRA/HLL/PANPOL		
29	Blood Bags 100 ml	Per pcs	MITRA/HLL/PANPOL		
30	Blood bags 350 ml	Per pcs	MITRA/HLL/PANPOL		
31	Blood Bags triple Sagam	Per pcs	MITRA/HLL/PANPOL		
32	Blood bags weighing machine	Per pcs	ISI		
33	Blood Lancet	100 pcs	ISI		
34	Bovin Albumin 10%	10 ml	Tulip/Arkery/Ortho/J. mitra		
35	C.K. MB KIT	2x8/2x2 ml	Accurex/ Erba/semens/Randox		
36	C.K. NAC KIT	2x8/2x2 ml	Accurex/ Erba/semens/Randox		
37	C.R.P. Latex with control	100 test	ARKERY/ASPEN/ACCURE X/EXPEDIA/TULIP		
38	C.R.P. Turbilatex	50 ml	ACCUREX/ERBA/HORIBA		
39	C.S.F. Chloride	2x50 ml	ACCUREX/ERBA/ SEMENS		
40	C.S.f. Protin	2x50 ml	ACCUREX/ERBA/ SEMENS		
41	Calcium kit	2x50 ml	Accurex/ Erba/semens/Randox		
42	Capillary Tube	1x100 pcs	Top tech/ Merinfield/Labtech		
43	Centifuse Machine 16 Tube CE Certified	Per pcs	REMI/ APPENDROP/ ISI		
44	Centifuse Machine 32 TubeCE Certified	Per pcs	REMI/ EPPENDORF/ ISI		
45	Centifuse Machine 8 Tube CEcertified	Per pcs	REMI/ EPPENDORF/ ISI		
46	Chikanguniya Elisa kit	96 test	J.mitra/S.D.Biosensor/Novate ch		
47	Chikguniya Card IgG/IgM	Per card	J.MITRA/S.D./MERIL		
48	Cholestrol kit	5x20 ml	Accurex/ Erba/semens/Randox		
49	Combistix	100 st	SEMENS/ERBA/ACCUREX		
50	Counting Chamber	Per pcs	Top tech/ Merinfield/Labtech		
51	Cover Slip English Glass 18 MM	200 gr	BLUESTAR/BOROSIL/MER INFIELD		
52	Cover Slip English Glass 22 MM	200 gr	BLUESTAR/BOROSIL/MER INFIELD		
53	Creatitine kit	4x60 ml	ACCUREX/ERBA/ SEMENS		
54	Cuppling Jar	Per pcs	Polylab /ABDOS/LABTECH		
55	Deionized Water	5 ltr	Ases/JUPITER/VARDHMAA N		
56	Dengue Duo NS1,IgG,IgM Should have clear differentiation between test band and control band preferably with different colour bands. C-G-M sequence to prevent cross reactivity of IgG and IgM antibodies.detects all 4 serotypes of dengue virus DENV1-2-3-4. IgM DECTION BY MAC Prncipal, IgG Deaction by GAC Principal, NS1 Dection by sandeich principal . should detect dengue infection fever from Day1 of fever.	Per card	J.mitra/S.D. biosensor/ Transasia		
57	Dengue Elisa IgG • The ELISA kit should be designed for qualitative detection of IgG antibodies to	96 test	J.mitra/S.D. biosensor/ Transasia		

	<p>dengue virus antigen of all 4 dengue serotypes in human serum</p> <ul style="list-style-type: none"> • The assay should be based on G - antibody capture method • Microwells should be coated with Anti human IgG • The conjugate should contain recombinant Dengue virus antigens labelled with horseradish peroxidase • All the reagents should be in ready to use form. Except wash buffer • The assay components should include positive and negative controls with each kit. • The time required for performing the test should range between 2-2 ^{1/2} hours • The kit should be able to interpret the results in terms of Pos/Neg, Index Value and in Units • The sensitivity of the kit should be >99% • The specificity of the kit should be >99% • The shelf life of the kit should be 18 months or longer • The pack size of the kits should be 96 tests / kit <p>Adequate documents detailing the principle components, bio-safety methodologies, validity criteria, procedure flowchart, interpretation of results, performance characteristics, storage conditions, limitation of assays, manufacturing & expiry dates should be provided with each kit</p>				
58	<p>Dengue Elisa IgM</p> <ul style="list-style-type: none"> • The ELISA kit should be designed for qualitative detection of IgM antibodies to dengue virus antigen of all 4 dengue serotypes in human serum • The assay should be based on m - antibody capture method • Microwells should be coated with Anti human IgM • The conjugate should contain recombinant Dengue virus antigens labelled with horseradish peroxidase • All the reagents should be in ready to use form. Except wash buffer. • The assay components should include positive and negative controls with each kit. • The time required for performing the test should range between 2-2 ^{1/2} hours • The sensitivity of the kit should be >99% • The specificity of the kit should be >99% • The kit should be able to interpret the results in terms of Pos/Neg, Index Value and in Units • The shelf life of the kit should be 18 months or longer • The pack size of the kits should be 96 tests / kit • Adequate documents detailing the principle components, bio-safety methodologies, validity criteria, 	96 test	J.mitra/S.D. transasia	biosensor/	

	procedure flowchart, interpretation of results, performance characteristics, storage conditions, limitation of assays, manufacturing & expiry dates should be provided with each kit				
59	<p>Dengue Elisa NS1</p> <ul style="list-style-type: none"> The ELISA kit should be designed for qualitative detection of dengue NS1 antigen of all 4 dengue serotypes in human serum The assay should be based on Sandwich method Microwells should be coated with monoclonal antibodies against dengue NS1 The conjugate should contain to Anti-NS1 monoclonal antibody labelled with horseradish peroxidase All the reagents should be in ready to use form. Except wash buffer The assay components should include positive and negative controls with each kit. The time required for performing the test should range between 1-2 hours The ELISA kit for detection of dengue NS1 antigen should have a sensitivity of >99% and a specificity of >99% The kit should be able to interpret the results in terms of Pos/Neg, Index Value and in Units The shelf life of the kit should be 18 months or longer The pack size of the kits should be 96 tests / kit Adequate documents detailing the principle components, bio-safety methodologies, validity criteria, procedure flowchart, interpretation of results, performance characteristics, storage conditions, limitation of assays, manufacturing & expiry dates should be provided with each kit 	96 test	J.mitra/S.D. biosensor/transasia		
60	<p>Dengue IgG/IgM Rapid Card</p> <p>Should have clear differentiation between test band and control band preferably with different colour bands.</p> <p>IgG Deaction by GAC Principal, . should detect dengue infection fever from Day1 of fever.</p>	Per card	J.mitra/S.D. biosensor/transasia		
61	<p>Dengue NS1 Rapid Card</p> <p>Should have clear differentiation between test band and control band preferably with different colour bands.</p> <p>, NS1 Dection by sandeich principal . should detect dengue infection fever from Day1 of fever.</p>	Per card	J.mitra/S.D. biosensor/transasia		
62	Disposable E.S.R. Pippete	Per pcs	LAB TECH/Levram		
63	Disposable Needle	Per pcs	B.D./DISPOVAN/NIPRO		
64	Disposable syringe 3 CC	Per pcs	B.D./DISPOVAN/NIPRO		
65	Disposable Syringe 5 CC	Per pcs	B.D./DISPOVAN/NIPRO		

66	Distal Water	5 ltr	Ases/JUPITER/VARDHMAA N		
67	Drabkin Solution	1 ltr	Ases/JUPITER/VARDHMAA N		
68	Dry Bath Incubater	Per pcs	ISI		
69	E.D.T.A. Solution	500 ml	RANKEM/BIO LAB/B.D.H/C		
70	E.S.R. Felling Vial	Per pcs	Rankem/Biolab/B.D.H/C.D.H		
71	E-10 Stand	Per kit	TOP TECH/LAB TECH/PREMIER PLUS		
72	Eosnophil Counting Fluid	100 ml	Rankem/Biolab/B.D.H/C.D.H		
73	Ethnol absolute	500 ml	Rankem/Biolab/B.D.H/C.D.H		
74	Examination Gloves	100 pcs	HLL/TTK/NULIFE		
75	Face Mask 3 PLY(SIGLE PACK)	Per pcs	NULIFE/MCARE/ROMSON		
76	Field Stain A	500 ml	Rankem/Biolab/B.D.H/C.D.H		
77	Field Stain B	500 ml	Rankem/Biolab/B.D.H/C.D.H		
78	Filter Paper 13.5 CM	100 leavs	WHATMAN/AXIVA/ NO1		
79	Formalline	5 ltr	Rankem/Biolab/B.D.H/C.D.H		
80	Fouchest Reagents	125 ml	Rankem/Biolab/B.D.H/C.D.H		
81	Giemsa Stain	500 ml	Rankem/Biolab/B.D.H/C.D.H		
82	Glucose kit	2x200 ml	ACCUREX/ERBA/ SEMENS		
83	Grams Stain Kit	500 ml	Rankem/Biolab/B.D.H/C.D.H		
84	S.D. Code Free Strips	Per strips	GULCOSIGN		
85	H.A.V. Elisa IgG	96 test	C.T.K/MERIL/J.MITRA/S.D.		
86	H.A.V. IgG Card	Test	C.T.K/MERIL/J.MITRA/S.D.		
87	H.B. Meter Squire	Per pcs	TOPTECH/PREMIERPLUS/ MERINFIELD		
88	H.B. Pipeete	Per pcs	TOPTECH/PREMIERPLUS/ MERINFIELD		
89	H.B. Tube Squire	Per pcs	TOPTECH/PREMIERPLUS/ MERINFIELD		
90	H.C.L. N/10 Solution	500 ml	Rankem/Biolab/B.D.H/C.D.H		
91	H.C.V. Tri Dot Card It Should be 4 th Generation. It Should be based on Flow through technolog. It should must have a long shelf life & only in the form of card not in the form of strips. It should be Approved and Evaluaed By NIB . It should be short interpretation time not more than 3-5 minutes. It should have specificity and sensitivity of 100%	Per card	J.MITRA		
92	H.C.V.Elisa 4 th Gen An ELISA reader based qualitative test. A 4 th generation HCV ELISA based on Indirect method for Ab testing and Sandwich method for Ag testing. Microwells coated with a mixture of recombinant HCV antigens – Core, NS3, NS4, NS5 and Anti HCV antibodies for detection of Core Antigen. The assay detect antibodies to HCV and HCV Core Antigen in human serum/plasma.. Total incubation time only 150 mins. The assay components include positive and negative controls with each kit for both Antigens and Antibodies (Separate) – Ready to Use. The assay have sensitivity of 100% and specificity of 99.8% or more. Adequate documents detailing the principle components, bio-safety methodologies, validity criteria, procedure flowchart, interpretation of results, performance characteristics, storage conditions, limitation of assays, manufacturing & expiry dates provided with each kit. The kit evaluated and approved by National Institute of Biologicals (NIB).	96 test	J.MITRA/MERIL//ERBA/		
93	H.E.V. Elisa IgM	96 test	MERIL/J.MITRA/S.D.		

94	H.E.V. IgM Card	Per card	MERIL/J.MITRA/S.D.		
95	H.I.V. Tri Dot + AG (4 TH GENERATION) It should be 4 th Generation. It should be based on Flow through Technolog with Dual Detections System.(Synthetic Peptide & Recombinant). It should be able for the dection of Hiv 1 and Hiv 2 Separately as per NACO. It should must have a long shelf life & only in the form of card not in the form of strips. It should be short InterPreparation Time 3 to 5 Minutes. It should be Approved and Evaluaed By NIB , NARI and WHO (NACO).	Per card	J.MITRA/ERBA/S.D. BIOSENSOR		
96	H.I.V. Tri Dot Card It should be 3 th Generation. It should be based on Flow through Technolog with Dual Detections System.(Synthetic Peptide & Recombinant). It should be able for the dection of Hiv 1 and Hiv 2 Separately as per NACO. It should must have a long shelf life & only in the form of card not in the form of strips. It should be short InterPreparation Time 3 to 5 Minutes. It should be Approved and Evaluaed By NIB , NARI and WHO (NACO).	Per card	J.MITRA/S.D.BIOSENSOR/		
97	H.I.V. Rapid test It should rapid immunochromatographic test for simultaneous and differential dection of HIV 1 and HIV 2 antibodies. It should have serum,plasma,whole blood It should be Sensitivity>99.50% and Specificity 99.00%. It should also decete HIV 1 fusion group O It should be long shelf life It should use gp36,gp41,gp120,p24 fusion O polypetide Based on DAGS principal	Per card	S.D. BIOSENSOR/ERBA/J.MITR A/ QUALPRO/		
98	H.I.V.Elisa 4 th Gen It should detect HIV-1,HIV-2, andAntigen P24 simultaneously(4 th Gen) Based on Ag+Ab sandwich assay streptavidinBiotin Technology for enhanced sensitivity and Specificity. Should be compatible with automated as wellas manual ELISA. One step procedure with specificity of 99.5% and Sensitivity should be over 99.9% of WHO and NIB panel. Analytical sensitivity of p24 Ag 2 IU/ml or 20 pg/ml. Reagents ready to use, with no reconstitution required. Total incubation time only 120 mins Microwells coated with a mixture of recombinant HIV antigens gp120, gp41 and gp36 & monoclonal antibodies to HIV p24 antigen	96 test	J.MITRA/ERBA/S.D. BIOSENSOR/		
99	Hbsag PICO Elisa kit An ELISA reader based qualitative test. 4th generation HBsAg ELISA. Have polyclonal antibodies coated on the solid phase & monoclonal antibodies in the conjugate to detect all subtypes & mutant strains. Sandwich Elisa. The assay components have negative and positive control with each kit. Have sensitivity of 100% and specificity of 99% or more. Have analytical sensitivity of < 50 pg/ml. Total incubation time not be more than 75 mins. Have sample volume not more than 75 µl. Reagents are ready to use, with no reconstitution required. Adequate documents detailing the principle components, bio-safety methodologies, validity criteria, procedure flowchart, interpretation of results, performance characteristics, storage	96 test	J.MITRA//ERBA/S.D. BIOSENSOR/NOVATECH		

	conditions, limitation of assays, manufacturing & expiry dates provided with each kit. Approved & evaluated by National Institute of Biologicals (NIB).				
100	HBsAG Rapid Card Test Detects all sub types of hbsag Detects all genotypes of HBV Heterophile blocking reagent used to block non specific heterophile antibodies Detection limit : 0.3 ng/ml It should be available in card format			TULIP/J.MITRA/SENSA/ERBA/	
100	Incubator 18x18x18 S.S.	Per pcs		ISI	
101	J.S.B. 11ND Stain	500 ml		Rankem/Biolab/B.D.H/C.D.H	
102	J.S.B. 1 ST STAIN	500 ml		Rankem/Biolab/B.D.H/C.D.H	
103	Ketodiastix	50 strips		SEMENS/ERBA/ACCUREX	
104	L.D.H. KIT			Accurex/Reba/Semens/Rando x	
105	Lancets	Per pcs		PLAZA/TOP TECH/S.D.	
106	Leishmaan Stain Liquefied	500 ml		Rankem/Biolab/B.D.H/C.D.H	
107	Leishmaan Stain Powder	500 gr		Rankem/Biolab/B.D.H/C.D.H	
108	Lipase kit	1x20/1x5 ml		Accurex/Reba/Semens/Rando x	
109	Malaria pf/pv ag test It Should be based on pLDH & HRP antigen detection on plastic cassette(not dipstick). Infection/cases at 50 parasite per ul of blood and higher at higher parasite density. It should be WHO approved. It should have sample volume not more than 5ul. Should have clear differentiation between test band and control band preferably with different colour bands. Adequate documents detailing the principle components, bio-safety methodologies, validity criteria, procedure flowchart, interpretation of results, performance characteristics, storage conditions, limitation of assays, manufacturing & expiry dates provided with each kit.	Each		J.MITRA/S.D. BIO SENSOR//ERBA/	
110	Methanol	5 ltr		Rankem/Biolab/B.D.H/C.D.H	
111	Methylene blue liquid	500 ml		Rankem/Biolab/B.D.H/C.D.H	
112	Micro pipette fix Fully Autoclavable With 3 years warranty	Per pcs		Transasasia/Finepipette/Thermo / Durapet	
113	Micro Pipette variable Fully Autoclavable With 3 year warranty	Per pcs		Transasasia/Finepipette/Thermo / Durapet	
114	Micro protein Kit	50 ml		ACCUREX/ERBA/ SEMENS	
115	Micro Tips up to 1000 ul	500 pcs		GILSON/ LABTECH/A.V.DIS	
116	Micro Tips up to 200 ul	1000 pcs		GILSON/ LABTECH/A.V.DIS	
117	Microglass Slide ISI	50 slide		BLUESTAR/BOROSIL/ALP HACHEM	
118	Microscope Bulb	Per pcs		PHILLIPS/OSRAM/BAJAJ/	
119	Multi Channel Pipette with 3 years warranty	Per pcs		Transasasia/Finepipette/Thermo / Durapet	
120	Multi stix 14 Parameter (Dekphapen)	100 st		SEMENS/TRANSASIA/ACCUREX/DURAI/	
121	N-95 Mask	Per pcs		Romson/3M/Polymed/MRK	
122	Nitral Gloves	100 pcs		Romson/M-Care/Mrk/Polymed	
123	Nitric Acid	500 gr		Rankem/Biolab/B.D.H/C.D.H	
124	Normal Saline	500 ml		Rankem/Biolab/B.D.H/C.D.H	
125	O2 Valve with Humidifier	Per pcs		ISI	
126	Occult Blood in Stool	200 test		TULIP/ACCUREX/BIO LAB	
127	Oil Immersion	100 ml		Rankem/Biolab/B.D.H/C.D.H	
128	Ovan 18x18x18 S.S.	Per pcs		ISI/REMI/	
129	Nebulizer Ultra Sonic	Kit			

130	P.P.E KIT	Per pcs	DRDO Approved		
131	Paper roll 50x20 mtr	Per roll	Erba		
132	Paper Roll 57x10 mtr	Per roll	Horiba		
133	Paper roll 57x20 mtr	Per roll	Erba		
134	Pasture pipeete	Per pcs	Lab Tech/Top Tech/A.V. consumable		
135	Phosphrous kit	2x50 ml	ACCUREX/ERBA/ SEMENS		
136	PIPEETE Stand	Per pcs	Plaza/top tech/expedia/labsystem		
137	PLATLET DILUTING FLUID	500 ml	Rankem/Biolab/B.D.H/C.D.H		
138	PREGNANCY CARD	Per card	Acon/Aspen/Erba/Diagnocure		
139	R.A. TEST KIT With Control	100 test	Acurex/Erba/Spinreact/Arkrey /biolab		
140	R.B.C. DILUTING FLUID	500 ml	Rankem/Biolab/B.D.H/C.D.H		
141	R.F. TURBILATEX	50 ml	Accurex/Erba/human/Arkrey/ Biolal		
142	R.H. VIEW BOX	Per pcs	Remi/ plus/top tech/alpha		
143	R.P.R. TEST	100 test	Tulip/Erba/Acurex/Human/Ar krey		
144	RAPID PAP STAIN	250 simmer	Tulip/Biolab/ Himedia		
145	Recticlusytes count fluid	100 ml	Rankem/Biolab/B.D.H/C.D.H		
146	Ria tube 12x100 mm	100 pcs	LabTech/TopTech/A.V. consumable/polylab		
147	RIA VIAL 12X100 MM	100 pcs	LabTech/TopTech/A.V. consumable/polylab		
148	Room Thermometer	Per pcs	LabTech/TopTech/A.V. consumable/isi		
149	S.G.O.T. Kit	5x20 ml	Accurex/Erba/ Semens/Randox		
150	S.G.P.T. Kit	5x20 ml	Accurex/Erba/ Semens/Randox		
151	Sample Cups From XL300	500 pcs	Erba/ Hitachi/Top Tech		
152	SCREW CAP TUBE 13X100	100 tube	LabTech/polylab/A.V. cons		
153	Scrub Typhus Elisa	96 test	NovaTech/j.mitra/S.D.Biosens or/G.B.C		
154	Seman Diluting Fluid	100 ml	RANKEM/BIO LAB/B.D.H/C .D.H		
155	Slide cage	Per pcs	LabTech/TopTech/A.V.co/K. D		
156	Slide Rack	Per pcs	LabTech/TopTech/A.Vcon/K. D		
157	Slide stand	Per pcs	LabTech/TopTech/A.V.co/K. D		
158	Slide staining Rack	Per pcs	LabTech/TopTech/A.V. /K.D		
159	Sodium Citrate 3.8%	500 ml	Rankem/Biolab/B.D.H/C.D.H		
160	Sodium Hypochloride 8-10 %	5 ltr	Rankem/Biolab/B.D.H/C.D.H		
161	Stain rack	Per pcs	LabTech/TopTech/A.V./K.D		
162	Stethoscope	Per pcs	LITMAN/ISI/		
163	Sulpher Powder	500 gr	Rankem/Biolab/B.D.H/C.D.H		
164	Surgical gloves 6,7,5,7	Pair	M.R.K./CALTEX/HLL/		
165	T.S.H. ELISA	96 test	J.MITRA/ERBA/SUYOG/S.D . BIO		
166	T3 ELISA	96 test	J.MITRA/ERBA/SUYOG/		
167	T4 ELISA	96 test	J.MITRA/ERBA/SUYOG/		
168	Test Tube BOROSIL 12X100 MM With Ring	100 pcs	BOROSILICATE GLASS		
169	Test tube BOROSIL 12X75mm With Ring	100 pcs	BOROSILCATE GLASS		
170	TEST TUBE BRUSH	Per pcs	LabTech/TopTech/A.V. /K.D		
171	Thermoplastin	5 ml	J.MITRA/ERBA/ARKERY		
172	Timmer Watch Digital	Per pcs	K.D./TOP TECH/Amron/ISI		
173	Tincher Iodine	400 ml			

174	Tissue Paper Roll	Per roll			
175	Total Protin kit	5x50 ml	Accurex/Erba/ Semens/Randox		
176	Triglycerdies kit	5x20 ml	Accurex/Erba/ Semens/Randox		
177	Tronicate Rubber	Per pcs			
178	Troponine I	Per card	ALFA/J.MITRA/ ACCUREX/DYGNOVA		
179	Troponine T	Per card	ROCHE/ALFA/DYGNOVA		
180	Tsutsugamuchi card	Per card	J.MITRA/S.D BIOSENSOR/ DYGNOVA/PARAMCARE		
181	Typhoid card IgG/IgM	Per card	J.MITRA/DYGNOVA/S.D. BIOSENSOR/ PARAMCARE		
182	Urea Bertlot kit	2x100 det	ACCUREX/ERBA/SEMENS/ RANDOX		
183	Urea Bun	5x20 ml	ACCUREX/ERBA/ SEMENS		
184	Uric Acid Kit	5x20 ml	ACCUREX/ERBA/ SEMENS		
185	Urine Continer 50 ML with Sticker Individually packed	Per pcs	LABTECH/A.V/ TOP TECH		
186	Uristix GLU/KETONE/PRO	100 st	SEMENS/ACCUREX/ERBA/ TRANSASIA		
187	V.D.R.L. Card Assay for qualitative detection of all isotypeOfantibodies(IgM,IgG & IgA) against Treponema Pallidium. It should must have a long shelf life & only inthe form of card not in the form of strips. Rapid card test in individual pack. It should be NIB,NACO,NARI Approved	Per card	/S.D. Biosensor/Accurex/DYGNOV A/ PARAMCARE/OZONE		
188	V.D.R.L. SHAKER	Per pcs	REMI/PENPOL/OXFORD/T OP TECH		
189	Vacutanier clot,Gel Activete 13x75 mm 3 to 5ml It should be made of clear latex free polyethylene terephthalate Batch wise sterility ,pyrogenicity and toxicity certificate should be given, Gamma Sterilized It should be USFDA/ BIS certified.	100 pcs	B.D./		
190	Vacutanier K2 EDTA 13x75 mm It should be made of clear latex free polyethylene terephthalate Batch wise sterility ,pyrogenicity and toxicity certificate should be given, Gamma Sterilized It should be USFDA/BIS certified.	100 pcs	B.D		
191	Vacutanier Sodium Citrate 13x75 mm For coagulation test With sodium citrate 3.2% It should be made of clear latex free polyethylene terephthalate Batch wise sterility ,pyrogenicity and toxicity certificate should be given, Tube should be Gamma Sterilized It should be USFDA/BIS certified.	100 pcs	B.D		
192	Disposable vacuated blood collection multi sample needle 22GX1 inch Batch wise sterility ,pyrogenicity and toxicity certificate should be given It should be USFDA/BIS CERTIFIED.	Pcs	B.D		
195	Viral Transport Media	50 vial	ICMR APPROVED		

196	w.b.c. fluid	500 ml	RANKEM/BIOLAB/B.D.H/C .D.H		
197	Water Bath	Per pcs	Remi/Top tech/Premier plus		
198	Widal kit 4x5 ml	Per kit	ARKERY/BECON/TULIP		
199	Xylene	500 ml	Rankem/Biolab/B.D.H/C.D.H		
200	z.n. stain	4x50 ml	Rankem/Biolab/B.D.H/C.D.H		
201	Covid Ag Card ICMR Approved	Test	ICMR APPROVED		
202	Covid Ab card ICMR Approved	Test	ICMR APPROVED		
203	Covid Elis IgG ICMR Approved	96 test	ICMR APPROVED		
204	Hand Santizer	500 ml	ICMR APPROVED		
205	Hand Santizer	5ltr	ICMR APPROVED		
206	Automatic Hand Santizer Machine	Pcs	ICMR APPROVED		
207	Bandid Round	Pcs	J&J/LABTECH/HLL/MRK		
208	Falcon tube 50 ml	Tube	ABDOS/ LABTECH/PARAMCARE		
209	Falcon Tube 15 ml	Tube	ABDOS/ LABTECH/PARAMCARE		
210	Sample Transport Vial	Tube	ABDOS/ LABTECH/PARAMCARE		
211	M.C.T. TUBE 1.5 ML	Tube	ABDOS/ LABTECH/PARAMCARE		
212	M.C.T. Tube 2 ml	Tube	ABDOS/ LABTECH/PARAMCARE		
213	Loop Wire	Pcs	ABDOS/ LABTECH/PARAMCARE		
214	Alcohol swab	Pcs	ABDOS/ LABTECH/PARAMCARE		
215	Chettal forcep	Pcs	ABDOS/ LABTECH/PARAMCARE		
216	Conical centrifuge tube 15 ml	Pcs	ABDOS/ LABTECH/PARAMCARE		
217	Tronicate auto lock system	PCS	ABDOS/ LABTECH/PARAMCARE		
218	Petridish disposable individual pack sterlised	Pcs	ABDOS/ LABTECH/PARAMCARE		
219	V.D.R.L. SHAKER	PCS	Remi/ OXFORD/ISI		
220	MICROTOME BLADE HIGH PROFIL 50 BLADE	PKT	LEICA/EGYPT/ HI MEDIA		
221	MICROTOME BLADE LOW PROFILE 50 BLADE	PKT	LEICA/EGYPT/ HI MEDIA		
222	PRAFFIN WEX 60-62% WITH CERRACIN	1 K.G	RANKEM/BIOLAB/B.D.H/C.D.H		
223	ABSOLUTE ALCOHOL	500 ML	RANKEM/BIOLAB/B.D.H/C.D.H		
224	ACETIC ACID 3% SOLUTION 500 ML	500 ML	RANKEM/BIOLAB/B.D.H/C.D.H		
225	Acetic Acid Glacial 500 MI	500 ML	RANKEM/BIOLAB/B.D.H/C.D. H		
226	ACETONE LR 500 ML	500 ML	RANKEM/BIOLAB/B.D.H/C.D. H		
227	Ammonia Solution Lr 500 MI	500 ML	RANKEM/BIOLAB/B.D.H/C.D.H		
228	AMMONIUM SULPHATE LR 500GM 18%	500 ML	RANKEM/BIOLAB/B.D.H/C.D.H		
229	BENEDICT REAGENT 5 LTR	5 LTR	RANKEM/BIOLAB/B.D.H/C.D.H		
230	BENEDICTS REAGENT LR 500ML	500 ML	RANKEM/BIOLAB/B.D.H/C.D.H		
231	BENZIDINE AR 100GM	100 ML	RANKEM/BIOLAB/B.D.H/C.D.H		
232	Bijou Bottel (Media Bottel 30 MI) 18%	PCS	BOROSIL/GLASSCO/ DURAM		
233	BLEACHING POWDER 1 KG	1 KG	RANKEM/BIOLAB/B.D.H/C.D. H		
234	BOROSIL BEAKER 100ML	PCS	BOROSIL/GLASSCO/ DURAM		

235	BOROSIL FLASK CONICAL 250ML	PCS	BOROSIL/GLASSCO/ DURAM		
236	CARBOL FUCHSIN STRONG LR 500ML	500 ML	RANKEM/BIOLAB/B.D.H/C.D.H		
237	Injecta 5 ltr	5 ltr	TULIP/RANKEM/BIOLAB/B.D. H/C.D.H		
238	COPPER ACETATE LR 500 GRM	500 gm	RANKEM/BIOLAB/B.D.H/C.D.H		
239	Copper Sulphate Lr 500 Gr	500 GM	RANKEM/BIOLAB/B.D.H/C.D.H		
240	COUPLING JAR	PCS			
241	Digital Stop Watch	PCS			
242	DPX MOUNTANT LR 500 ML ASES	500 ML	TULIP/RANKEM/BIOLAB/B.D. H/C.D.H		
243	EDTA POWDAR 500 GRM	500 GR	RANKEM/BIOLAB/B.D.H/C.D.H		
244	Eosin 500 MI	500 ML	TULIP/ RANKEM/BIOLAB/B.D. H/C.D.H		
245	Ethanol Ar 500ml	500 ML	RANKEM/BIOLAB/B.D.H/C.D.H		
246	FERRIC AMMONIUM SULPHATE 100 GRM ASES	100 GR	RANKEM/BIOLAB/B.D.H/C.D.H		
247	Formaline Tab 100 NOS	PKT	RANKEM/BIOLAB/B.D.H/C.D.H		
248	GENTIAN VIOLET SOLUTION Lr-500 MI	500 ML	TULIP/RANKEM/BIOLAB/B.D. H/C.D.H		
249	Glass Marker Diamond	PCS	PLAZA/ OXFORD/		
250	Glycerol 500ml ASES	500 ML	RANKEM/BIOLAB/B.D.H/C.D.H		
251	Gram's Stain Kit 4x100ml	KIT	TULIP/ RANKEM/BIOLAB/B.D. H/C.D.H		
252	GRAMS IODINE SOLUTION LR 500 ML	500 ML	TULIP/RANKEM/BIOLAB/B.D. H/C.D.H		
253	HCL N/10 500 ML	500 ML	RANKEM/BIOLAB/B.D.H/C.D. H		
254	HEMOTOXYLENE LR 500 ml	500 ML	TULIP/ RANKEM/BIOLAB/B.D. H/C.D.H		
255	HEMOTOXYLENE SOLUTION DELAFIELD LR 500 ML	500 ML	TULIP/RANKEM/BIOLAB/B.D. H/C.D.H		
256	HYDROGEN PEROXIDE 3% PG 500ML	500 ML	RANKEM/BIOLAB/B.D.H/C.D. H		
257	HYDROMETER	PCS			
258	KOH (POTASSIUM HYDROXIDE) 500GM	500 GM	RANKEM/BIOLAB/B.D.H/C.D. H		
259	LABCLEAN LR 5L	5 ltr	TULIP/RANKEM/BIOLAB/B.D. H/C.D.H		
260	LEISHMAN STAIN KIT	KIT	TULIP/RANKEM/BIOLAB/B.D. H/C.D.H		
261	Lithum Carbonate Lr 500 Gr	500 GR	RANKEM/BIOLAB/B.D.H/C.D.H		
262	Lugol Iodine Lr 100 ML	100 ML	TULIP/RANKEM/BIOLAB/B.D. H/C.D.H		
263	METHYLENE BLUE SOLUTION LR 500 ML	500 ML	TULIP/ RANKEM/BIOLAB/B.D. H/C.D.H		
264	NITRILE EXAMINATION GLOVES 100 PCS	PKT			
265	NUTRIENT AGAR 500 GM	PKT	MICROEXPRESS/ HIMEDIA		
266	Oil Cedarwood 100ml	100 ML	TULIP/RANKEM/BIOLAB/B.D. H/C.D.H		
267	OIL PARAFFIN HEAVY LR 500 ML	500 ML	RANKEM/BIOLAB/B.D.H/C.D.H		
268	PARAFFIN LIQUID 500ML	500 ML	RANKEM/BIOLAB/B.D.H/C.D.H		
269	PHOSPHO TUNGSTIC ACID LR 100 GM	100 GR	RANKEM/BIOLAB/B.D.H/C.D.H		
270	PLASTIC SLIDE BOX 50 SLIDES	PCS			

271	DROPPING BOTTLE 125 ML	PCS			
272	Potassaium Hydroxide Pellets Lr 500 Gm	500 GM	RANKEM/BIOLAB/B.D.H/C.D.H		
273	Reticulocyte Count Fluid Lr 100ml	100 ML	RANKEM/BIOLAB/B.D.H/C.D.H		
274	Safranine Solution Lr 500ml	500 ML	TULIP/ RANKEM/BIOLAB/B.D.H/C.D.H		
275	SODIUM CARBONATE LR 500 GRM	500 GR	RANKEM/BIOLAB/B.D.H/C.D.H		
276	Sodium Citrate Lr 500 Grm	500 GR	RANKEM/BIOLAB/B.D.H/C.D.H		
277	SODIUM NITROPRUSSIDE 500 GRM	500 GR	RANKEM/BIOLAB/B.D.H/C.D.H		
278	Sulphosalicylic Acid 30% 500ml	500 ML	RANKEM/BIOLAB/B.D.H/C.D.H		
279	Sulphuric Acid 20% 500 ML	500 ML	RANKEM/BIOLAB/B.D.H/C.D.H		
280	Sulphur Power Lr 500 Grm	500 GR	RANKEM/BIOLAB/B.D.H/C.D.H		
281	URINE CONTAINER 60 ML 1X100	PKT	ABDOS/POLYLAB/LEVRAM		
282	WASH BOTTLE 500ML	PCS	ABDOS/POLYLAB/LEVRAM		
283	WAX BEES WHITE 1G 1KG	1 K.G.	RANKEM/BIOLAB/B.D.H/C.D.H		
284	XYLENE 500 ML18%	500 ML	RANKEM/BIOLAB/B.D.H/C.D.H		
285	Ziel Nelson Stain Kit 4x100 ML	KIT	TULIP/ RANKEM/BIOLAB/B.D.H/C.D.H		
286	AGAR POWDER 500 GM 18%	500 GM	MICROEXPRESS/TULIP/HI MEDIA		
287	AMIKACIN TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
288	AMOXICILLIN/CLAVULAATE TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
289	AMOXYCILLIN TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
290	AMOXYCILLIN/SULBACTAM TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
291	AMPHOTERICIN-B 100 UNIT TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
292	AMPICILLIN TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
293	AMPICILLIN/CLOXACILLIN TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
294	AMPICILLIN/SULBACTAM TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
295	ANAEROBIC CULTURE JAR	UNIT	MICROEXPRESS/TULIP/HI MEDIA		
296	ANTIBIOTIC ZONESCALE EASY 370MMX65MM	UNIT	MICROEXPRESS/TULIP/HI MEDIA		
297	ARABINOSE TULIP	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
298	AZITHROMYCIN TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
299	AZTREONAM TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		

300	BACITRACIN -0.04 UNIT TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
301	BILE ESCULIN AGAR 500GM	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
302	BILE SALT POWDER 500GM	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
303	BRAIN HEART INFUSION AGAR 500 GRMS	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
304	Brain Heart Infusion Broth 50gm	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
305	CAFTRIAZONE TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
306	CARD WARMER CW 2400		MICROEXPRESS/TULIP/HI MEDIA		
307	CARRY BLAIR W/O CHARCOAL 500 GRM	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
308	Cefadroxil TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
309	CEFAZOLIN TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
310	CEFEPIME TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
311	CEFEPIME/TAZOBATCAM TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
312	Cefixime TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
313	CEFOPERAZONE 75 MCG	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
314	CEFOPERAZONE/SULBACTAM 75/30 MCG	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
315	Cefotaxime 30mcg Tulip	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
316	CEFOXITIN30 TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
317	CEFOXITINE 30 MCG TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
318	CEFPODOXIME 10 MCG TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
319	Ceftazidime 30 MCG TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
320	CEFTAZIDIME/AVIBATCTAM TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
321	CEFTAZIDIME/CLAVULANIC ACID TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
322	CEFTAZIDIME/TAZOBACTAM TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
323	CEFTRIAZONE TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
324	Ceftriaxone/sulbactam TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
325	CEFUROXIME TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		

326	CELLOBIOSE SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
327	CHLORAMPHENICOL TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
328	CIPROFLOXACIN TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
329	CLARITHROMYCIN TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
330	C.L.E.D. AGAR WITH ANDRADE INDICATORE	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
331	C.L.E.D. AGAR WITH BROMOTHYMOL BLUE 500 GMS	500 GM	MICROEXPRESS/TULIP/HI MEDIA		
332	CLINDAMYCIN TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
333	Clotrimazole TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
334	Trimethoprim/Sulphamethoxazole TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
335	CLOXACILLIN	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
336	COLIFORM TEST KIT RAPID WATER QUALITY TESTING	1 Kit (1 Test)	MICROEXPRESS/TULIP/HI MEDIA		
337	COLISTIN TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
338	COLORCULT PAEDIATRIC CULTURE VIAL 40ML	VIAL	MICROEXPRESS/TULIP/HI MEDIA		
339	COLOURCULT TM AEROBIC CULTURE VIAL 30 ML	VIAL	MICROEXPRESS/TULIP/HI MEDIA		
340	COLOURCULT TM ANAEROBIC CULTURE 30 ML VIAL	25 X30 ML / PACK	MICROEXPRESS/TULIP/HI MEDIA VIAL		
341	COLOURCULT TM PAEDIATRIC CULTURE 40 ML VIAL	25 X40 ML / PACK	MICROEXPRESS/TULIP/HI MEDIA		
342	COOKED MEAT MEDIUM 100 GR	100 GR	MICROEXPRESS/TULIP/HI MEDIA		
343	COOKED MEAT MEDIUM BROTH 500 GRM 1	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
344	CORN MEAL AGAR 500 GMS	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
345	DESOXYCHOLATE CITRATE AGAR 500 ML	500 ML	MICROEXPRESS/TULIP/HI MEDIA		
346	DEXTROSE SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
347	DORIPENEM 10 MCG	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
348	Doxycycline 30mcg Tulip	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
349	DULCITOL SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
350	Ecomax 500ml12%	500 ML	MICROEXPRESS/TULIP/HI MEDIA		

351	Eosin Yellow Solution 500 MI	500 ML	MICROEXPRESS/TULIP/HI MEDIA		
352	ERTAPENEM 10 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
353	ERYTHROMYCIN 15 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
354	FLUCONAZOLE	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
355	FOSFOMYCIN 200 5X100 DISK	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
356	FRUCTOSE SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
357	GALACTOSE SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
358	GATIFLOXACIN 5 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
359	GENTAMICIN 10 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
360	GENTAMICIN 120 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
361	GENTAMICIN 120MCG	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
362	GENTAMICIN 30 Mcg Singal Vial	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
363	GIEMSA STAIN 500ML	500 ML	MICROEXPRESS/TULIP/HI MEDIA		
364	Glucose Broth 500g	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
365	Glucose Phosphates Broth Agar 500 Grm	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
366	HEMATOXYLIN HARRIS 500ML	500 ML	MICROEXPRESS/TULIP/HI MEDIA		
367	H & E STAIN 2X250 ML	KIT	MICROEXPRESS/TULIP/HI MEDIA		
368	Hichrome Uti Agar 500gm	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
369	HICOMBI DUAL PERFORMANCE MED		MICROEXPRESS/TULIP/HI MEDIA		
370	IMIPENEM 10 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
371	INOSITOL SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
372	Inulin in (1vl)	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
373	INULIN SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
374	ITRACONAZOLE-10MCG SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
375	Ketoconazole 10 Mcg 100 Discs Tulip 12%	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
376	KETOCONAZOLE 10 MCG SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		

377	KETOCONAZOLE 30MCG	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
378	KOH (POTASSIUM HYDROXIDE) 500GM	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
379	LACTOPHENOL COTTON BLUE 100ML	100 ML	MICROEXPRESS/TULIP/HI MEDIA		
380	LACTOSE SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
381	LEVOFLOXACIN 5 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
382	LEVOFLOXACIN 5MCG SINGAL VIAL 12%	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
383	LINCOMYCIN 2 MCG SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
384	Linezold 30 Mcg 5 Vials	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
385	LINEZOLID 30 MCG SINGAL VIAL 12%	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
386	LOMEFLOXACIN 10 MCG SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
387	Mac Conkey Agar 500 GR	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
388	MAC CONKEY AGAR	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
389	MALTOSE SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
390	MANNITOL SALT AGAR 500 GM	500 GM	MICROEXPRESS/TULIP/HI MEDIA		
391	MANNITOL SALT AGAR PLATE 100 PALTES	PER PLATE	MICROEXPRESS/TULIP/HI MEDIA		
392	MANNITOL SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
393	MANNOSE SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
394	MELIBIOSE SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
395	MEROPENEM 10 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
396	MEROPENEM WITH & WITHOUT EDTA 30ST 12%		MICROEXPRESS/TULIP/HI MEDIA		
397	METHYL RED INDICATOR 125ML	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
398	MICHROM CANDIDA DIFFERENTIAL AGAR 500GM 18%	500 GM	MICROEXPRESS/TULIP/HI MEDIA		
399	MICHROM UTI AGAR 500GM 18%	500 GM	MICROEXPRESS/TULIP/HI MEDIA		
400	Michrom Uti Agar Plate 20 Plates	PlatePlate	MICROEXPRESS/TULIP/HI MEDIA		
401	MICROPRO BMD COLISTIN 25 TESTS	25 TEST /PACK	MICROEXPRESS/TULIP/HI MEDIA		
402	MICROPRO TM AST SUSSCEPTIBILTY TEST PANER KIT GN2	20 TEST / PACK	MICROEXPRESS/TULIP/HI MEDIA		

403	MICROPRO TM -MIC ANALYZER	1 UNIT	MICROEXPRESS/TULIP/HI MEDIA		
404	MINOCYCLINE 30 MCG	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
405	MR-VP MEDIUM (GLUCOSE PHOSPHATE BROTH) 500GMS	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
406	MUELLER HINTON AGAR 500GM	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
407	Muller Hinton Agar Plate 20 Plates	Per Plate	MICROEXPRESS/TULIP/HI MEDIA		
408	MY COCULT 6 SLANT (LJ MEDIA) 12%	6 SLANT / PACK	MICROEXPRESS/TULIP/HI MEDIA		
409	MYCOSTAIN 125MLX3	KIT	MICROEXPRESS/TULIP/HI MEDIA		
410	NALIDIC ACID 30 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
411	Netilmicin 30 Mcg TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
412	NITROFURANTION 300 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
413	NORFOLAXCIN 10 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
414	Novobiocin 5UG Single Vial	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
415	NUTRIENT AGAR 500 GM	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
416	Nutrient Agar Plate 100 Plates	PER PLATE	MICROEXPRESS/TULIP/HI MEDIA		
417	NYSTATIN 100 UNITS SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
418	NYSTATIN 50 MCG SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
419	OFLOXACIN 5MCG TULIP	5VIAL	MICROEXPRESS/TULIP/HI MEDIA		
420	ONPG DISC	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
421	OPTOCHIN SINGLE VIAL 5 MCG	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
422	OXACILLIN 1MCG 100 Disk	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
423	OXIDASE DISC SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
424	OXIDASE DISH (50 DISH)	50 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
425	PEFLOXACIN 5 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
426	PENICILLIN 10 UNITS	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
427	PENICILLIN 10 UNITS 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
428	Penicillin G Tulip	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		

429	PEPTONE WATER 500 GR.	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
430	PHENYLALANINE AGAR 500 GR	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
431	PHOSPHATE BUFFER 500ML TULIP	500 ML	MICROEXPRESS/TULIP/HI MEDIA		
432	PHOSPHATES BUFFER SALINE 500 ML	500 ML	MICROEXPRESS/TULIP/HI MEDIA		
433	PIPERACILLIN100 MCG	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
434	PIPERACILLIN 100 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
435	PIPERACILLIN/ TAZOBACTAM 100/10 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
436	POLYMYXIN B 300	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
437	POLYMYXIN B 300 UNITS 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
438	POTATODEXTROSE AGAR 500 GR	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
439	RAFFINOSE SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA MICROEXPRESS/TULIP/HI MEDIA MICROEXPRESS/TULIP/HI MEDIA		
440	Rapid Bile Pigment 25ML	KIT	MICROEXPRESS/TULIP/HI MEDIA		
441	RAPID PAP/ ULTRA PAP 250 SMEAR KIT	KIT	MICROEXPRESS/TULIP/HI MEDIA		
442	RHAMNOSE SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
443	RIFAMPIN 5MCG SINGAL VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
444	Rnase Free Water 500 ML	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
445	SABOURAUD CHLORAMPHENICOL AGAR 500 GMS	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
446	Sabouraud Cycloheximide Chloramphenicol Agar 100 Gm	100 GR	MICROEXPRESS/TULIP/HI MEDIA		
447	Sabouraud Dextrose Agar 500 Gr	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
448	SALICIN SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
449	SELENITE F BROTH 500GM	500 GM	MICROEXPRESS/TULIP/HI MEDIA		
450	SIMMONS CITRATE AGAR 500GM	500 GM	MICROEXPRESS/TULIP/HI MEDIA		
451	SODIUM THIOSULPHATE500 GR	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
452	SORBITOL SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		

453	SOYABEAN CASEIN DIGESTM 500 GR	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
454	STERITRANS TM 100	100 TUBE / PACK	MICROEXPRESS/TULIP/HI MEDIA		
455	STREPTOMYCIN 300 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
456	STUART TRANSPORT MEDIUM 500GM	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
457	SUCROSE SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
458	TCBS AGAR 500 GMS	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
459	TEICOPLANIN 1X100 DISK	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
460	TEICOPLANIN 30 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
461	TELLURITE BLOOD AGAR BASE 500 GRM	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
462	TETRACYCLINE 30 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
463	TETRACYCLINE 30 MCG SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
464	TETRACYCLINE -40 Ug 1x100 Disk		MICROEXPRESS/TULIP/HI MEDIA		
465	THIOGLYCOLLATE BROTH 500GM	500 GM	MICROEXPRESS/TULIP/HI MEDIA		
466	TICAOLLIN 75MCG	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
467	TICARCILLIN/CLAVULANATE 75/10 MCG 5VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
468	TIGECYCLINE 15 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
469	TIGECYCLINE 15 MCG SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
470	Tobramycin 10 Mcg	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
471	TREHALOSE SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
472	TRIPLE SUGAR IRON AGAR 500GM	500 GM	MICROEXPRESS/TULIP/HI MEDIA		
473	TULIP FIELD STAIN A & B 500 ML	KIT	MICROEXPRESS/TULIP/HI MEDIA		
474	TULIP STERISTIK (R) 100 NOS	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
475	Ultra Pap 250 SMEARS TULIP	KIT	MICROEXPRESS/TULIP/HI MEDIA		
476	ULTRA PAP 600 SMEARS TULIP	KIT	MICROEXPRESS/TULIP/HI MEDIA		
477	UREA AGAR BASE CHRISTENSEN 500 GR	500 GR	MICROEXPRESS/TULIP/HI MEDIA		
478	VANCOMYCIN 10 MCG SINGLE VILA	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		

479	VANCOMYCIN 30 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
480	VORICONAZOLE 1 MCG TULIP 12%	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA		
481	XYLOSE LYSINE DESOXYCHOLATE AGAR 500 GMS	500 GM	MICROEXPRESS/TULIP/HI MEDIA		
482	Chest stand wall model	Per Pcs.			
483	Dental hanger	Per Pcs.			
484	X- ray developer 13.5 ltr	Per pkt.			
485	X-ray Fixer 13.5 ltr	Per pkt.			
486	u.s.g. jelly 250 gr	Per Pcs.			
487	E.C.G Jelly 250 gr.	Per Pcs.			
488	E.C.G Roll 8310m 210x20 ml	Per Pcs.			
489	EEG ELECTRODE	Per Pcs.			
490	EEG PASTE	Per Pcs.			
491	ECG battery digital	Per Pcs.			
492	ECR battery for 108 t	Per Pcs.			
493	ECG Belt	Per Pcs.			
494	ECG Cable for digital	Per Pcs.			
495	ECG Chest electrode	Per Pcs.			
496	ECG Clip	Per Pcs.			
497	ECG Roll for 108 T	Per Pcs.			
498	ECG Roll for 6108	Per Pcs.			
499	ECG ROLL 6208 VIEW				
500	ECG ROLL 9108				
501	E.C.G. ROLL Z FOLD				
502	ECG Rubber bulb	Per Pcs.			
503	ECG Trolley	Per Pcs.			
504	Glysrine 100 ml Per Bottle	Per Bottle			
505	Lead Aprin	Per Pcs.			
506	Lead Divider 7x17	Per Pcs.			
507	TMT Jelly 250 ml	Per Pcs.			
508	USG Jelly 250 gr.	Per Pcs.			
509	USG Printer Roll	Per Pcs.	Only sony		
510	USG Tissue paper roll	Per Pcs.			
511	X ray Cassetts 10x12	Per Pcs.			
512	X ray Cassetts 12x15	Per Pcs.			
513	X ray Cassetts 14x17	Per Pcs.			
514	X ray Cassetts 6.5x8.5	Per Pcs.			
515	X ray Cassetts 8x10	Per Pcs.			
516	X ray film 10x12 (50 Films)	Per Pkt.			
517	X ray film 12x15 (50 Films)	Per Pkt.			
518	X ray film 6.5x8.5 (50 Films)	Per Pkt.			
519	X ray film 8x10 (50 Films)	Per Pkt.			
520	Chest stand wall model	Per Pcs.			
521	Dental hanger	Per Pcs.			
522	X- ray developer 13.5 ltr	Per pkt.			
523	X-ray Fixer 13.5 ltr	Per pkt.			
524	u.s.g. jelly 250 gr	Per Pcs.			

525	E.C.G Jelly 250 gr.	Per Pcs.			
526	E.C.G Roll 8310m 210x20 ml	Per Pcs.			
527	EEG ELECTRODE	Per Pcs.			
528	EEG PASTE	Per Pcs.			
529	ECG battery digital	Per Pcs.			
530	ECR battery for 108 t	Per Pcs.			
531	ECG Belt	Per Pcs.			
532	ECG Cable for digital	Per Pcs.			
533	ECG Chest electrode	Per Pcs.			
534	ECG Clip	Per Pcs.			
535	ECG Roll for 108 T	Per Pcs.			
536	ECG Roll for 6108	Per Pcs.			
537	ECG ROLL 6208 VIEW				
538	ECG ROLL 9108				
539	E.C.G. ROLL Z FOLD				
540	ECG Rubber bulb	Per Pcs.			
541	ECG Trolley	Per Pcs.			
542	Glysrine 100 ml	Per Bottle			
543	Lead Aprin	Per Pcs.			
544	Lead Divider 7x17	Per Pcs.			
545	TMT Jelly 250 ml	Per Pcs.			
546	USG Jelly 250 gr.	Per Pcs.			
547	USG Printer Roll	Per Pcs.	Only sony		
548	USG Tissue paper roll	Per Pcs.			
549	X ray Cassetts 10x12	Per Pcs.			
550	X ray Cassetts 12x15	Per Pcs.			
551	X ray Cassetts 14x17	Per Pcs.			
552	X ray Cassetts 6.5x8.5	Per Pcs.			
553	X ray Cassetts 8x10	Per Pcs.			
554	X ray film 10x12 (50 Films)	Per Pkt.			
555	X ray film 12x15 (50 Films)	Per Pkt.			
556	X ray film 6.5x8.5 (50 Films)	Per Pkt.			
557	X ray film 8x10 (50 Films)	Per Pkt.			
558	X- ray Hanger 10x12	Per Pcs.			
559	X- ray Hanger 12x15	Per Pcs.			
560	X- ray Hanger 14x17	Per Pcs.			
561	X- ray Hanger 6.5x8.5	Per Pcs.			
562	X- ray Hanger 8x10	Per Pcs.			
563	X- ray Screen 10x12	Per Pcs.	Fuji/ Kodak/Jindal		
564	X- ray Screen 12x15	Per Pcs.	Fuji/ Kodak/Jindal		
565	X- ray Screen 14x17	Per Pcs.	Fuji/ Kodak/Jindal		
566	X- ray Screen 6.5x8.5	Per Pcs.	Fuji/ Kodak/Jindal		
567	X- ray Screen 8x10	Per Pcs.	Fuji/ Kodak/Jindal		
568	ECG Machine battery Charger	Per Pcs.			
569	TMT Electrode	Per Pcs			
570	TMT Report Chart	Pkt			
571	X ray Film Dental	Per Pkt.	Fuji/ Kodak/Jindal		
572	X ray film 14x17	Per Pkt.	Fuji/ Kodak/Jindal		
573	8 x 10 digital X ray film (150 Films)	Per Pkt.	Fuji		

574	10 x 12 digital X ray film (150 Films)	Per Pkt.	Fuji		
575	11 x 14 digital X ray film (150 Films)	Per Pkt.	Fuji		
576	14 x 17 digital X ray film	Per Pkt.	Fuji		
577	Dental & Occlusal X ray films 57x76 mm	Per Pkt.	Fuji/ Kodak/Jindal		
578	Imaging Plate and Cassettes(C.R.System) 08"x10"	Per Pcs.	Fuji		
579	Imaging Plate and Cassettes(C.R.System) 10"x12"	Per Pcs.	Fuji		
580	Imaging Plate and Cassettes(C.R.System) 14"x17"	Per Pcs.	Fuji		
581	Protective Screen (Mobile) Lead Barriar with Lead Glass window	Per Pcs.			

नोट :- 1.निविदा में आईटमों का मैक अंकित करना होगा। (निविदा प्रपत्र में लिखे अनुसार)

2. तकनीकी समिति की अभिशंषा पर चाहे गये आईटमों के सेम्पलों जांच हेतु प्रस्तुत करने होंगे। सेम्पल प्रस्तुत नहीं किये जाने पर आपकी निविदा पर कोई विचार नहीं किया जायेगा।

3. Price should be quoted as per company and pack size mentioned in tender documents strictly.

4. Tenderer will submit original copy of tender specific authorization with technical bid othwise tender will be rejected.

Signature of the Tenderer
with seal of the Firm
Phone No.
Mobile No.

सचिव,
राजस्थान मेडिकेअर रिलीफ सोसायटी,
राजकीय बांगड चिकित्सालय, पाली

निविदा घोषणा पत्र

1. निविदादाता की फर्म का पूरा नाम व पता
2. प्रसंग-विज्ञापन संख्या/लेखा/अधी./पाली/..... दिनांक
3. निविदा शुल्क रूपये मात्र का डी. डी. नम्बर दिनांक
..... एवं प्रोसेसिंग फीस रूपये का डी. डी. नम्बर दिनांक
..... संलग्न है।
4. मैं/हम सचिव आरएमआरएस बांगड चिकित्सालय पालीद्वारा जारी की गई निविदा सूचना संख्या ...
..... दिनांक में वर्णित सभी शर्तों से तथा संलग्न शीट में दी गई उक्त
निविदा सूचना की अतिरिक्त शर्तों से बाध्य होना स्वीकार करते हैं। (इनके सभी पृष्ठों पर उनमें
उल्लेखित शर्तों को हमारे द्वारा स्वीकार किये जाने के प्रमाण में हमने हस्ताक्षर कर दिये हैं)
5. मदो की सप्लाई के लिए दरें प्रदाय की जाने वाली सामग्री की मात्रा निविदा के साथ संलग्न सूची
के अनुसार, उनमें प्रत्येक के सामने अंकित की गई है।
6. फर्म द्वारा आदेश प्राप्त करने की दिनांक से निविदा नियम, शर्तों एवं आदेशों के अनुसार निर्धारित
अवधि के भीतर माल की सुपुर्दगी कर दी जावेगी।
7. उद्धृत की गयी अनुमोदित दरें दिनांक तक के लिए विधिमान्य है। इस अवधि को
आवश्यकता होने पर अधीक्षक राजकीय बांगड चिकित्सालय पाली के द्वारा तीन-तीन माह के लिये
अधिकतम दो बार बढ़ाया जाता है तो निविदादाता को स्वीकार्य है।
9. गत 3 वर्षों की सनदी लेखाकार (C.A.) द्वारा अंकेक्षित रिपोर्ट की प्रति संलग्न है। निविदा शर्तों पर
हस्ताक्षर किये जाकर, अन्य आवश्यक लाईसेंस की प्रमाणित प्रति संलग्न की गई है।
10. निर्माता कम्पनी/थोक विक्रेता/अधिकृत विक्रेता का प्रमाण पत्र संलग्न है।
11. (1) फर्म कभी भी केन्द्रीय/राज्य सरकार/अन्य स्थान द्वारा काली सूची में नहीं रखी गई है। यदि
हो तो पूर्ण विवरण अंकित करें।
(2) फर्म के निम्न भागीदार हैं :-

क्र.सं.	नाम	विवरण	पता	फोन नम्बर
.....

 (3) फर्म प्राईवेट/प्राईवेट लिमिटेड/पब्लिक लिमिटेड या संस्था है।
 (4) फर्म के मालिक/निदेशक/सचिव/प्रबन्धक आदि का विवरण :-

क्र.सं.	नाम व पद	पता	फोन नम्बर
.....
12. मैं/हम घोषणा करते हैं कि मैंने/हमने जिन वस्तुओं/भण्डार/उपकरण हेतु निविदा दी है उनके
मान्य निर्माता/थोक विक्रेता/अधिकृत विक्रेता है। (जो लागू हो उसे चिन्हित करें)
अगर यह घोषणा असत्य पायी जाती है तो बिना किसी न्यायिक कार्यवाही एवं अन्य कोई कार्यवाही
किये बिना मेरी/हमारी पूर्ण निविदा/अमानत राशि/सुरक्षा राशि जब्त की जावे एवं निविदा जो स्वीकृत
की गई रद्द की जावे।

निविदादाता के हस्ताक्षरमय सील

कार्यालय सचिव, राजस्थान मेडिकेअर रिलीफ सोसायटी, राजकीय बांगड चिकित्सालय, पाली

(Phone:- 02932- .250330)

Tender for supply of Lab Item (Chemical, Kits, Reagents, Glassware Item etc.)
for Superintendent Bangur Hospital, Pali

-
- Tender Notice No. Dated :
 - Date of document download & Upload from : at 10.00 am. to Upto 05.00 pm.
 - Last date of tender bid submission: Time : Upto 05.00 pm.
 - Date of Technical Bid Opening : Time : 01.00 p.m. venue P.M.O. Bangur Hospital, Pali
-

- 1) Name and Postal address of the firm submitting tender :
.....
.....
Email : Telephone No.
- 2) Capacity in which tender submitted
(Manufacturer or their Authorized dealer/distributor)
The tender form fee amounting to Rs. (Rs.) has been deposited vide Receipt No. Dated Bank draft/Cash BC No. Issued by (Name of issuing bank) and Processing Fee DD No. Date Rs.
- 3) I/We agree to abide by all the terms (s) & conditions mentioned in the tender notice issued by the SuperintendentBangur Hospital, Pali and also further conditions of said tender notice given in the attached sheet (all the pages which have been signed by us in token of our acceptance of terms & conditions mentioned therein.)
- 4) Earnest money of Rs. (Rs.) is enclosed in the form of Demand draft No. Dated issued by the Bank (Name & Branch of the Bank) in the name of SuperintendentBangur Hospital, Pali.
- 5) I/We have enclosed copies of latest Sales Registration & Tax Clearance Certificate issued by the concerning authority and the Sales Tax/GST Registration Number is Dated
- 6) In case tender is submitted in the capacity of Authorized dealer/distributor, a letter of authorization in the Performa as per **Annexure-1, 2, 3 or 4** as applicable is attached.
- 7) I/We have filled the separate sheet for different category items quoted with their bid rate and signed on each page.
- 8) I/We have filed quoted rate in the separate column on Company price list.

Date :

Signature and seal of tenderer

कार्यालय सचिव, राजस्थान मेडिकेअर रिलीफ सोसायटी, राजकीय बांगड चिकित्सालय, पाली
Tender for supply of Lab Item (Chemical. Kits, Reagents, Glassware Item etc.)
for Superintendent Bangur Hospital Pali

Superintendent Bangur Hospital Pali invites tenders for supply of above mentioned items for Superintendent Bangur Hospital Pali Date and above as per Tender Notice No. Dated

N. B. : Tenderer should read these conditions carefully and completely strictly.

1. (i) Tender in the prescribed form may be submitted by original **Manufacturer or their Authorized dealer/distributor** only for sale of their items.
(ii) If tenderer is a **Manufacturer** situated outside Rajasthan, supply must be arranged through their dealer/distributor situated in Rajasthan and no change in the authorized dealer/distributor will be allowed during the rate contract period.
2. (i) In case of the tender is being submitted in the capacity of Authorized dealer/distributor of a Manufacturer, letter of authorization from principal manufacturer should be submitted as per **annexure-1**.
(ii) In case of the tender is being submitted in the capacity of Importer letter of authorization from principal manufacturer should be submitted as per **annexure-2**.
(iii) In case of the tender is being submitted in the capacity of Authorized dealer of Importer, letter of authorization from importer should be submitted as per **annexure-3**.
3. **To ensure quality**
(i) **Attested copies of the audited Balance Sheet and profit and loss account or Annual Turn over Statement as per Annexure-5 for three financial years should be enclosed.**
4. (i) **The rate should be quoted in figures as per E-Tendering. In the relevant column of tender form. The Make of branded should be written in the relevant column as -,, branded :,**
(ii) **The tenderer shall sign the tender form at each page of the tender form** in token of acceptance of all the term & conditions of the tender and contract. He should also sign at the bottom of each page of the tender catalogue on which items are quoted.

Note:-**The rates quoted should be excluding of GST.**

- (iii) The tender will be scrutinized by tender evaluation committee. Tenderers found eligible on satisfying the criteria for technical evaluation, will only be invited to be present at the date and time for opening of Price Bid.
5. (i) All the rates must be valid for a period of Date _____ or above from the date of approval. The rates shall be lowered whenever prices fall in international/national market.

- (ii) Excise duty or surcharge/cess prevailing on the date of submission of the tender should be included in the quoted rates and should not be shown separately.
- (iii) Rates quoted must be F. O. R. destination stores and should be inclusive of all charges by way of packing, forwarding, incidental or transit charges including transit insurance and other Levis etc.
6. The tenderer should ensure that he/she is not supplying **company quoted** items at the price quoted in this tender to any person, institution, market all over India. The rates quoted should be price for, Superintendent Bangur Hospital, Pali. If at any time in future it is found that the products quoted in this tender are supplied to the, Superintendent Bangur Hospital, Pali at a comparatively higher rate, then the difference of amount of excess rates will be recovered from tenderer and his contract for supply may be terminated. *Undertaking in the regard should be given on Rs. 500/- Non-judicial stamp paper duly attested by Notary Public as per Annexure-6.*
7. (i) Tender shall be accompanied by an **Earnest money of Rs. 2% of total cost of tender** without which tender will not be considered. This shall be accompanied with envelop of technical bid.
- (ii) The amount of earnest money should be deposited in form of either Demand Draft of scheduled bank in the name of SuperintendentBangur Hospital, Pali.
- (iii) The earnest money of unsuccessful tenderer will be refunded soon after finalization of the tender whereas; in case of successful tenderer it will be treated as security amount after finalization of tender for successful tenderer.
8. (i) The security money shall be refunded after the expiry of the contract on satisfactory completion of the same & after having satisfaction that there are no dues outstanding against the tenderer.
- (ii) Security amount may be forfeited in the following cases:
- A. When any terms & conditions of the contract are breached.
- B. When the tenderer fails to make complete supply satisfactory.
- (iii) The successful tenderer will have to execute an agreement in the prescribed format on non judicial stamp paper of valied appropriate amount with the prescribed period. The expenses of the completing and stamping the agreement shall be borne by the tenderer.
9. Tehderer will have to submit **latest G.S.T (3B) Clearance Certificate** from the Commercial Taxes Officer of the circle concerned along with the tender without which tender may not be considered.
10. (i) All articles shall strictly conform to the approved specifications, trademark laid down in the tender.
- (ii) Supplies when received shall be subject to inspection to ensure, whether they confirm to the specifications or in accordance with approval/standard samples.

(iii) The supply of articles shall confirm strictly to the approved samples. The decision of the tender committee whether the articles supplied confirm the approval specifications and are in accordance with the samples or not, shall be final and binding upon the tenderer.

(iv) Articles rejected during inspection or testing have to be replaced by the tenderer at his/her own cost within the time fixed by the tender committee.

11. (i) **All the delivery will be made by the supplying firm within 30 days of order placed.**

(ii) If the delivery is not effected on due date, SuperintendentBangur Hospital, Pali, will have the right to impose penalty on order value as under (as per GF & AT) :-

S.No.	Period of delay	% of penalty on order value
a.	<i>Delay up to one fourth period of the prescribed delivery period</i>	2.5%
b.	<i>Delay exceeding one fourth but not exceeding half of the prescribed period</i>	5%
c.	<i>Delay exceeding half but not exceeding three fourth of the prescribed period</i>	7.5%
d.	<i>Delay exceeding three fourth of the prescribed period</i>	10%

NOTE :- In case the tenderer failed to supply the item in above mentioned period, the reminder letter would not be issued in any circumstances & penalty will be imposed.

In the eventuality of such instances being repeated three times, administrative action shall be initiated as per SuperintendentBangur Hospital, Pali procedure which may lead to debarring/banning of the firm of subsistent tenders (Upto 3 years), Decision will be taken by, P. M. O. Bangur Hospital, Pali.

(iii) When tenderer is unable to complete supply within the prescribed or extended period, the Hospital shall be entitled to purchase such items from elsewhere on tenderer account and the tenderer shall be liable to pay any loss or damage, which Hospital may sustain by reasons of such failure on the part of tenderer.

12. The responsibilities of breakage, leakage & expiry shall be of the supplier. The supplier will be liable to replace such items.

13. Recoveries of liquidated damages, short supplies, breakage, rejected articles shall ordinarily be made from bills, amount may also be withheld to the extent of short supply, breakage, rejected articles. In case of failure in satisfactory replacement by the supplier along with amount of liquidated damages shall be recovered from dues and security deposit available with the Hospital. In case recovery is not possible recourse will be taken under Rajasthan P. D. R. Act or any other Law in force.

14. No guarantee can be given as to the minimum quantity which will be demanded against this contract, but the supplier will supply such quantity as may be ordered by the SuperintendentBangur Hospital, Pali during the tenure of the contract.

15. If a tenderer imposes conditions (s) which are in addition to or in conflict with the conditions mentioned herein his tender will liable to rejection.

16. The SuperintendentBangur Hospital, Pali reserves the right to accept or reject any tender without assigning any reasons (s) thereof.

17. Any terms & condition can be relaxed and/or altered by the Tender Committee in the case of any exigency of the work.

18. In case of any dispute between tenderer and SuperintendentBangur Hospital, Pali the matter will be solved by _____ as

ARBITRATOR and the decision of the above ARBITRATOR will be acceptable to both parties.

19. All legal proceedings shall have to be lodged in courts located in PALI.
20. RTPP Rule 2013 and GFSAR Rules will be applicable.
21. Price fall clause of RTPP Rule 29 (h) will be applicable.
22. The bidder shall be asked to execute the agreement on a non-judicial stamp of Rs. 500/- at its cost.
23. Period of validity of bids remain 90 days.

सचिव,
राजस्थान मेडिकेअर रिलीफ सोसायटी,
राजकीय बांगड चिकित्सालय, पाली

I/We have read the above terms & conditions and agree to abide by the same.

Signature and seal Tenderer

CONDITION OF TENDER AND CONTRACT FOR OPEN/GLOBAL TENDER

Note : Tenders should read these conditions carefully and comply strictly while sending their tenders.

1. Tenders must be enclosed in a properly sealed envelop, according to the directions given in the tender notice.
2. "Tender by manufacturers/authorized dealers": tenders shall be given only by manufacturers or by authorized dealers in the goods they shall thereof, furnish a declaration the SR FORM 11 (Performa enclosed in page No. 1)
3.
 - i) Any change in the constitution of the firm etc., shall be notified forth with by the contractor in writing to the purchase officer and such change shall not relieve any former member of the firm etc. From any liability under the contract.
 - ii) No new partner/partners shall be accepted in the firm by the contractor in respect of the contract unless he/they agree to abide by all its terms, conditions and deposit with the purchase officer a written agreement to this effect. The contractor receipt for acknowledgement or that of any partners subsequently accepted as above shall bind all of the and will be sufficient discharge for any of the purpose of the contract.
4. Sales Tax Registration and Clearance Certificate No dealer who is not registered under the Sales Tax Act/GST prevalent in the State where his business is located shall tender. The Sales Tax Registration/GST Number should be quoted and a Sales Tax Clearance certificate from the Commercial Taxes Officer of the circle concerned shall be submitted without which the tender is liable to rejection.
5. Tender form shall be filled in ink or typed. No tender filled in pencil shall be considered the tenderers shall sign the tender form on each page and at the end in token of acceptance of all the terms and conditions of the tender.
6. Rate shall be written both in words and figures: There should not be error and/or over writings. Corrections if any, should be made clearly and initialed with dates. The rates should mention element of the Rajasthan State Sales Tax and Central Sales Tax separately.
7.
 - a) All rates quoted must be for Office of the Superintendent Bangur Hospital, Pali and should include all incidental charges except Central/Rajasthan Sales Tax/Service Tax which should be shown separately. In case of local supplies the rates should include all taxes etc. and no cartage or transportation charges will be paid by the society and the delivery of the goods shall be given at the premises of purchase officer. The rates thereof should be exclusive of local tax. In case goods to be purchased are for the purpose of resale or use as manufacture of any goods for sale, the rates shall be inclusive of local tax. In the former case, a certificate in the prescribed form will be furnished along with supply order.
 - b) The necessary certificates from Drug Controller in case of tender of Drugs & Medicines should be enclosed with tender.
8.
 - (i) Comparison of Rates : In comparing the rates tendered by firms outside Rajasthan and those in Rajasthan but not entitled to price preference under the Rules, the elements of Rajasthan Sales Tax shall be excluded whereas that of Central Sales Tax shall be included.
 - (ii) While comparing the rates in respect of firms within Rajasthan, the element of Rajasthan - Sales Tax shall be included.

9. **Price Preference :-**Price preference/preference will be given to the goods produced or manufactured by industries of Rajasthan over goods produced or manufactured by Industries out side Rajasthan as per Purchase of Stores (Preference to industries of Rajasthan Rule 1995)
10. **Validity :-** Tender shall be valid for a period of Three months from the date of opening of tenders.
11. The approved supplier shall be deemed to have carefully examined the conditions, specifications, size make and drawings etc. of the goods to be supplied. If he has any doubts as to the meaning of and portion of these conditions of the specification, drawing etc. he shall, before signing the contract refer the same to the purchase officer and get clarifications.
12. The contractor shall not assign or sub-let his contract or any substantial part thereof to any other agency.

SPECIFICATIONS

13. (i) All articles supplied shall strictly conform to the specification, trademarks laid down in the tender form and wherever articles have been required according to ISI specifications, those articles should conform strictly to those specifications and should bear such marks.
- (ii) The supply of articles shall in addition, conform strictly to the approved samples and in case of other material where there are no standard of approved samples, the supplies shall be of the very best quality and, description, the decision of the purchase officer/purchase committee what so ever the articles supplied conform to the specification and are in accordance with the samples if any, shall be final and binding on the tenders.
- (iii) **Warranty/Guarantee Clause :** The tenderer would give guarantee that the goods/stores/articles would continue to conform to the description and quality as specified for a period of days/month from the date of delivery of the said goods/stores articles to be purchased and that notwithstanding the fact that the purchaser may have inspected and/or approved the said goods/stores/articles be discovered not to conform to the description and quality aforesaid or have determined (and the decision of the purchase officer in that behalf will be final and conclusive), the purchaser will be entitled to reject the said goods/stores/articles or such portion thereof as may be discovered not to conform to the said description and quality, on such rejection goods/articles/stores will be at the seller's risk and all the provisions relating to rejection of goods etc. shall apply. The tenderer shall if so called upon to do, replace the goods, etc. or such portion thereof as is rejected by the purchase officer otherwise tenderer shall pay such damage as may arise by reason of the breach of the condition herein contained. Nothing herein contained shall prejudice any other right of the purchase officer in that behalf under this contract or otherwise.
- (iv) In case of Machinery and equipment also, guarantee will be given as mentioned in clause (iii) above and the tenderer shall during the guarantee period replace the parts if any defect, if found during the above period so as to make machinery and equipment's operative. The tenderer shall also replace machinery and equipment in case it is found defective which cannot be put to operation due to any defect etc.
- (v) In case of Machinery and equipment specified by the purchase officer the tenderer shall be responsible for carrying out annual maintenance and repairs on

the terms and conditions as led down be agreed. The tenderer shall also be responsible to ensure adequate regular supply of spare parts needed for a specific type of machinery and equipment whether under their annual maintenance and repair rate contract or otherwise. In case of change of model he will give sufficient notice to the purchase officer who may like to purchase spare parts from them to maintain the machinery and equipment in perfect condition.

14. **Inspection**
 - (a) The purchase office or his duly authorized representative shall at all reasonable time have access to the suppliers premises and shall have the power at the reasonable time to inspect and examine the materials and workmanship of the goods/equipment/machineries during manufacturing process or afterwards as may be decided.
 - (b) The tenderer shall furnish complete address of the premises of his office, godown and workshop where inspection can be made together with name and address of the person who is to be contacted for the purpose. In case of those deals who have newly entered in business, a letter of introduction from their bankers will be necessary.
15. **Samples :** Tenders for articles marked within the schedule shall be accompanied by two set of samples of the articles tendered properly packed. Such samples if submitted personally will be received in the office. A receipt will be given for each sample by the officer receiving the samples. Samples if sent by train, etc., should be dispatched freight paid and the R. R. or G. R. should be sent under a separate registered cover. Samples for catering/food items should be given in a plastic box or in polythen begs at the cost of the tenderer. The tenders may not be considered without samples.
16. Each sample shall be marked suitably either by written on the sample or on a slip or durable paper securely fastened to the sample, the name of the denderer and serial number of the item of which it is a sample in the schedule.
17. Approved samples would be retained free of cost upto the period of six months after the expiry of the contract. The society shall not be responsible for any damage wear and tear or loss during testing examination.
The sample shall be collected by the renderer on the expiry of stipulated period. The society shall in no way make arrangements to return the samples. The samples uncollected within 9 months after expiry of contract shall be forfeited by the society and no claim for their cost etc. shall be entertained.
18. Samples not approved shall be collected by the unsuccessful tenderer. The society will not be responsible for any damage, wear and tear, or loss during testing, examination, etc. during the period these samples are retained. The uncollected samples shall be forfeited and no claim for their cost, etc. shall be entertains.
19. Supplies when received shall be subject to inspection to ensure whether they confirm to the specifications or with the approved samples. Where necessary one prescribed or practical tests shall be carried out in Society Laboratories, reputed. Testing house like Sri Ram Testing House, New Delhi and the like and the supplies will be accepted only where the articles conform to the standard of prescribed specifications as a result of such tests.
20. **Drawal of samples :** In case of tests, samples shall be drown in four sets in the presence of tenderer or his authorized representative and properly sealed in their presence. One such set shall be given to them, one or two will be sent to the

laboratories and/or testing house and the third or fourth will be regained in the office for reference and record.

21. **Testing Charges :** Testing charges shall be borne by the society. In case urgent testing so desired to be arranged by the tenderer or in case of test results showing that supplies are not up to the prescribed standards or specification, the testing charges shall be payable by the tenderer.

22. **Rejection :**

(i) Articles not approved during inspection or testing shall be rejected and will have to be replaced by the tenderer at his own cost within the time fixed by the purchase officer.

(ii) If, however, due to urgencies of society work, such replacement either in whole or the part is not considered feasible, the purchase officer after giving an opportunity to the tenderer of being heard, shall for reasons to be recorded, deduct a suitable amount from the approved rates. The deduction so made shall be final.

23. The rejected articles shall be removed by the tenderer within 3 days of intimation of rejection, after which purchase officer shall not be responsible for any loss, shortage or damage and shall have the right to dispose of such articles as he thinks fit, at the tenderer's risk and on his account.

24. The tenderer shall be responsible for the proper packing so as to avoid damage under normal conditions of transport, by sea rail road or air and delivery of the material in good condition to the consignee at destination. In the event of any loss, damage, breakage or leakage or any shortage to the tenderer shall be liable to make good such loss and shortage found at the checking/inspection of the materials by the consignee. No extra cost on such account shall be admissible.

25. The contract for the supply can be repudiated at any time by the purchase officer, if the supplies are not made to his satisfaction after giving an opportunity to the tenderer of being heard and recording of the reasons for repudiation.

26. Direct or indirect canvassing on the part of the tenderer or his representative will be disqualification.

27. **Delivery Period :**

(i) The tenderer whose tender is accepted shall arrange supplies within a **period of 30 days but as per condition of patient, supply period may be reduce.**

(ii) **Extent of quantity - Repeat order :** If the order are placed in excess of the quantities shown in the tender notice, the tenderer shall be bound to meet the required supply. Repeat order may also be placed on the rate and conditions given in the tender provided that the repeat orders are up to 50% of the quantity originally purchased and the period is not more one month from the date of expiry of last supply, if the tenderer fails to do so, the purchase officer shall be free to arrange for the balance supply by limited tender or otherwise and the extra cost incurred shall be recoverable from the tenderer.

(iii) If the purchase officer does not purchase any of the tendered articles or purchase less than the quantity indicated in the tender form, the tenderer shall not be entitled to claim any compensation.

28. **Earnest Money:**

Tender shall be accompanied by an earnest money without which tenders will not be considered. The should be deposited in either of the following forms in

favour of **Superintendent Bangur Hospital, Pali** (a) Bank Draft of the scheduled Bank/F.D.R. duly pledged to **Superintendent Bangur Hospital, Pali**.

(b) Refund of earnest money : The earnest money of unsuccessful tenderer shall be refunded soon after final acceptance of tender.

(c) Exemptions from earnest money : Firms such are registered with Director of Industries, Rajasthan need not furnish the amount of earnest money in respect of items of which they are registered as such, subject to their furnishing registration certificate in original or Photostat copy or a copy thereof duly attested by any Gazetted Officer along with a competence certificate from the Director of Industries Rajasthan at the rate ½% of the estimated value of the under shown in NIT.

(d) The Central Society and Society of Rajasthan undertakings need not furnish any amount of earnest money.

(e) The earnest money/security deposit lying with the Department/Office in respect of other tenders awaiting approval of rejected or on account of contract being completed will not be adjusted towards earnest money/security money for the fresh tender. The earnest money may however, be taken into consideration in case tenders are re-invited.

29. **Forfeiture of Earnest Money** : The earnest money will be forfeited in the following cases.

(i) When tenderer withdraws or modifies the offer after opening of tender, but before acceptance of tender.

(ii) When tenderer does not execute the agreement, if any, prescribed within the specified time.

(iii) When the tenderer does not deposit the security money after the supply order is given.

(iv) When he fails to commence the supply of the items as per supply order within the time prescribed.

30. 1) **Agreement and Security Deposit** :

i) Successful tenderer will have to execute an agreement within a period 7 days or receipt of order and deposit security equal to 5% of the value of the stores for which tenderer are accepted within 15 days from the date of dispatch of which the acceptance of the tender is communicated to him.

ii) The earnest money deposited at the time of tender will be adjusted towards security amount. The security amount shall in no case be less than earnest money.

iii) No interest will be paid by department on the security money.

iv) The forms of security money shall be as below :-

a) Case/Bank Draft/Bankers Cheque/Bank F.D.R. duly pledged.

b) Post-Office Saving Bank Pass Book duly pledged.

c) National Saving Certificate, Defence Savings Certificates or any other script, investment under National Savings Scheme for promotion of small savings, if the same can be pledged. These Certificates shall be accepted at surrender value.

2) Firms registered with the Director of Industries, Rajasthan in respect of stores for which they are registered subject to their furnishing the registration and prescribed competence certificate in original from the director of Industries or a Photostat copy or copy thereof duly attested by any Gazetted Officer will be

partially exempted from earnest money and shall be security deposit at the rate of 1% of the estimated value of tender.

3) **Forfeiture of Security Deposit :** Security amount in full or part may be forfeited in the following cases.

- a) When any terms and condition of the contract is breached.
- b) When the tender fails to make complete supply satisfactorily.
- c) Notice of reasonable time will be given in case of forfeiture of security deposit. The decision of the Purchase Officer in this regard shall be final.

4) The expenses of completing and stamping the agreement shall be paid by the tenderer and the department shall be furnished free of charge with one executed stamped counter part of the agreement.

- i) All goods must be sent freight paid through Railways or goods transport if goods are sent freight to pay, the freight together with department charges 5% of the freight will be recovered from the supplier's bill.
- ii) R. R. should be sent under resitered cover/through Bank only.
- iii) In case supply is desired to be sent by the Purchase Officer by passenger train, the entire railway freight will be borne by the Department.
- iv) Remittance charges on payment made shall be borne by the tenderer.

31. **Insurance :**

- i) The goods will be delivered at the destination godown in perfect condition. The supplier, if he so desires, may insure the value goods against loss by theft, destruction or damage by fire, flood, under exposure to whether or otherwise viz., (war rebellion riot etc.). The insurance charges will be borned by the supplier and society will not be required to pay such charges, if incurred.

32. **Payment :**

- i) Advance payment will not be made except in rate and special cases, in case of advance payment being made it will be against proof of dispatch and to the extent as prescribed in financial powers by rail and prior inspection, if any. The balance if any will be paid on receipt of the consignment in good condition with the certificate to that effect endorsed on the inspection not given to the tenderer.

- ii) Unless otherwise agreed between the parties payment for delivery of the stores will be made on submission of bill in proper form by the tenderer to the purchase officer in accordance with GF & AR All remittance charges will be borned by the tenderer.

- iii) In case of disputed items, appropriate of the amount shall be withheld and will be paid on settlement ofo the dispute.

- iv) Payment in case of those goods which need testing shall be made be only when such tests have been carried out, test results received conforming to the prescribed specification.

33. 1) i) The time specified for delivery in the tender form shall be deemed to be the essential of the contract and the successful tenderer shall arrange supplies within the period on receipt of the firm order from the Purchase Officer.

- ii) **Liquidated damage :** In case of extension in the delivery period with liquidated damages the recovery shall be made on the basis of following percentage of value of stores which the tender has failed to supply.

(a) Delay up to one fourth period of the prescribed delivery period 2.50%

(b) Delay exceeding one fourth but not exceding half of prescribed period 5.00%

(c) Delay exceeding half but not exceeding three fourth of the prescribed period 7.50%

- (d) Delay exceeding three fourth of the prescribed period 10.00%
- 2) Fraction of a day in reckoning period of delay in supplies shall be eliminated if it is less than half a day.
 - 3) The maximum amount of liquidated charges shall be 10%.
 - 4) If the supplier requires an extension of time in completion of contractual supply on account of occurrence of any hindrance he shall apply in writing to the authority who has placed the supply order, for the same immediately on occurrence of the hindrance but not after the stipulated date of completion of supply.
 - 5) Delivery period may be extended with or without liquidated damages if the delay in the supply of goods is on account of hinderance beyond the control of the tenderer.
 34. **Recoveries** : Recoveries of liquidated, short supply, breakage, rejected articles shall ordinarily be made from bills. Amount may also be withheld to the extent of short supply, breakages, rejected articles and in case of failure in satisfactory replacement but the supplies alongwith amount of liquidated damages shall be recovered from his dues and security deposit available with the department . In case recovery is not possible recourse will be taken under Rajasthan PDR Act or any other law in force.
 35. Tenderer must make their own arrangement to obtain import licence, if necessary.
 36. If a tenderer imposes condition which are in addition to or in conflict with the conditions mentioned herein his tender is liable to summarily rejection. In any case none of such condition will be deemed to have been accepted unless specifically mentioned in the letter of acceptance of tender issued by the Purchase Officer.
 37. The Purchase Officer reserves the right to accept any tender not necessarily the lowest, reject any tender without assigning any reasons and accept tender for all or anyone or more of the articles for which tenderer has given or distribute items of stores to more than one firm/suppliers.
 38. The tender shall furnish the following documents at the time of execution of agreement.
 - i) Attested copy of partnership deed case of partnership firms.
 - ii) Registration Number and year of registration in case partnership firm is registered with Register of Firms.
 - iii) Address of residence and office, telephone number in case of sole proprietorship.
 - iv) Registration issued by the Registrar of companies in case of a company.
 39. For the supply of foreign items, the rates must be quoted in Indian currency.
 40. The rare must be quoted including all accessories required or installation of equipment.
 41. In case the items are free from custom duty, the denderer should mention clause under which the items are free from custom duty. The proof of this should be attached.
 42. The imported item in readily stock with the Indian Agent could be purchased in Indian Currency provided the certificate produced by the Indian agent to this effect that the cost quoted by them does not include customs duty in competitive.
 43. Complete literature along with the catalogue and technical data must be enclosed with the tender to facilitate the technical expert in selection of items.

44. Performance report of the equipment by the Institution whether it is already in use any where is to be attached with the tender form, if it is not practicable the supplier should enclose a list of institution where equipment have been supplied.
45. The approved supplier shall be liable to install and demonstrate the articles in this institution successfully, satisfactory within 30 days from the dispatch of the letter otherwise penalty will be imposed as per 35 (ii) The pre-requisite for installation, if any required the tenderer should submit the details of the same alongwith tender invariably.
46. The circuit diagram & Manual of the equipment will have to be provided alongwith the supply invariable by the supplier.
47. The tenderer should also submit a list of recommended spare consumables etc. for five years use alongwith the price for the regular working of equipment.
48. The tenderer will undertake the warranty of after sale service and availability of spare parts for the period of 3 years and services after 5 years and more along with availability of spare parts.
49. The tenderer will establish service engineering branch at nearby place to provide service in the case of failure of the unit within 24 hours on receipt of the information from competent authority.
50. Firm should submit warranty for minimum period of three years with spares parts and onwards comprehensive annual maintenance contract for five years @ 4% of FOB value for first year with 5% increase in subsequent year.
51. During the warranty and CMC period the fault will be attended within a period of 48 hours otherwise a penalty of Rs. 200/- per day will have to be paid.
52. Notwithstanding anything contained herein above the undersigned reserves the right to alter, waive or modify any of the above conditions in any particular specific case for special reasons in accordance with the social circumstances/condition of the case mutually or otherwise in the public interest or service.
53. If any dispute arise out of the contract with regard to the interpretation, meaning and breach of the terms of the contract the matter shall be referred to by the parties to the Head of the Department (**The Superintendent Bangur Hospital, Pali**) who will appoint his officer as the sole arbitrator of the dispute who will not be related to this contract and whose decision shall be final.
54. All legal proceedings, if necessary, arise to institute may be any of the parties (Society or Contractor) shall have to be lodged in courts situated in **Pali** and not elsewhere alongwith the price for the regular working of equipment.
55. Fall clause the prices charged for the stores supplied under the contract by the contractor shall in no event exceed the lowest price at which the contractor sells the stores or offers the shall the stores of identical description to any person/organization including the purchaser or any deptt. of the Central Govt./or any Deptt. of State Govt. or any statutory under taking of the Central or State Govt. as the case may be during the period till performance of all supply orders placed during the currency of the rate contract is completed. If at any time during the said period the contractor reduces the sale price, sells or offers to sell such stores to any organization including the purchase or any Deptt. of Central Govt. or any Deptt. of State Govt. or any statutory undertaking of the Central or State Govt. as the case may be at a price lower than the price changeable under the contract he shall forth with notify such reduction or sale or offer to sale to the **The Superintendent Bangur Hospital, Pali** and the price payable under the

contract for stores supplied after the date of coming into force of such reduction or sale or offer to sale shall stand correspondingly reduced. The contractor shall furnish the following certificate along with the bill for payment of supplies made against the rate contract.

"I/We" certify that there has been no reduction in sale price of the stores of description identical to the stores supplied to the Govt. under the contract here in and such stores have not been offered/sold by me/us to any organization including the purchaser or any deptt. of State Govt. or any statutory undertaking of the Central Govt. or State Govt. as the case may be upto the date of bill/the date of completion of supplies against all supply orders placed during the currency of the contract at prices lower than the price charged of under the contract.

56. When the Supplier is unable to complete the supply within the prescribed of Extended period, the purchasing officer shall be entitled to purchase from other sources. The recovery of such loss or damage shall be made from the original supplier. The purchase officer will be at liberty to initiate action to purchase the items at the supplier's risk and cost.
57. Legal proceeding if any arising out of the tender shall have to be lodged in Court Jurisdiction of **Pali**.
58. Purchase Officer means **Superintendent Bangur Hospital, Pali** or any person authorized by **Superintendent Bangur Hospital, Pali**
59. RTPP Rules, 2013 and GF & AR will be applicable.

सचिव,
राजस्थान मेडिकेअर रिलीफ सोसायटी,
राजकीय बांगड चिकित्सालय, पाली

ACCEPTANCE

I/we have carefully read and understand above terms and condition (from page no. _____) of the tender and abide by them.

**Signature of the Tenderer
With Seal of the Firm**

Phone No. _____

Mobile No. _____

Annexure A : Compliance with the Code of integrity and No Conflict of interest

Any person participation in a procurement process shall -

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;

- (b) not misrepresent or omit that misleads or so as to obtain a financial or other benefit or avoid an obligation;
- (c) not indulge in any collusion, Bid rigging or anti - competitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) not misuse any information shared between the procuring Entity and the Bidders with any intent to gain unfair advantage in the procurement process;
- (e) not indulge in any coercion impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (g) disclose conflict of interest, if any; and
- (h) disclose any previous transgressions with any Entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of Interest :-

The Bidder participating in a binding process must not have a Conflict of Interest.

A Conflict of Interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with application laws and regulations. i. A Bidder may be considered to be in Conflict of Interest with one or more parties in a bidding process if, including but not limited to.

- a. Have controlling partners/shareholders in common; or
- b. Receive or have received any director or indirect subsidy from any of them, or
- c. Have the same legal representative for purposes of the Bid; or
- d. Have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Entity regarding the bidding process; or
- e. The Bidder participates in more than one Bid in a bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which the Bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one Bid; or
- f. the Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specification of the Goods, Works or Services that are the subject of the Bid; or
- g. Bidder or any of its affiliates has been hired (or is proposed to be hired) by the procuring Entity as engineer-in-charge/consultant for the contract.

Appellant Signature

**Annexure B : Declaration be the Bidder regarding QualificationsDeclaration by
the Bidder**

In relation to my/our bid submitted to _____
for procurement of _____ in response
to their Notice Inviting Bids No. _____ Dated
_____ I/We hereby declare under Section 7 of Rajasthan Transparency
in Public Procurement Act, 2012, that :

1. I/we possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entity :
2. I/we have fulfilled my/our obligation to pay such of the taxes payable to the Union and the State Government or any local authority as specified in the Bidding Document :
3. I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
4. I/we do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements of misrepresentations as to my/our qualifications to enter into procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
5. I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competitions;

Date :

Place :

Signature of bidder

Name

Designation :

Address :

Annexure C : Grievance Redressed during Procurement Process

The designation and address of the First Appellate Authority is _____

The designation and address of the Second Appellate Authority is _____

(1) Filing an appeal

If any bidder or prospective bidder is aggrieved that any decision, action or omission of the Procuring Entity is in contravention to the provisions of the Act or the Rules or the Guidelines issued there under, he may file an appeal to First Appellate Authority, as specified in the Bidding Document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved;

Provided that after the declaration of a Bidder as successful the appeal may be filed only by a Bidder who has participated in procurement proceedings;

Provided further that in case a procuring Entity evaluates the Technical Bids before the opening of the Financial Bids; an appeal related to the matter of Financial Bids may be filed only by a Bidder whose Technical Bid is found to be acceptable.

(2) The officer to whom an appeal is filed under para (1) shall deal with the appeal as expeditiously as possible and shall Endeavour to dispose it of within days from the date of the appeal.

(3) If the officer designated under para (1) fails to dispose of the appeal filed within the period specified in para (2), or if the Bidder or prospective bidder or the Procuring Entity is aggrieved by the order passed by the First Appellate Authority, the Bidder or prospective bidder or the Procuring Entity, as the case may be, may file a second appeal to second Appellate Authority specified in the Bidding Document in this behalf within fifteen days from the expiry of the period specified in para (2) or the date of receipt of the order passed by the First Appellate Authority, as the case may be.

(4) Appeal not to lie in certain cases

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely;-

- (a) Determination of need of procurement;
- (b) Provisions limiting participation of Bidders in Bid process;
- (c) The decision of whether or not to enter into negotiations;
- (d) Cancellation of a procurement process;
- (e) Applicability of the provisions of confidentiality,

(5) Form of Appeal

- (a) An appeal under para (1) or (3) above shall be in the annexed Form alongwith as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.
- (c) Every appeal may be presented to First Appellate Authority or Second Appellate Authority, as the case may be, in person or through registered post or authorized representative.

(6) Fee for filing appeal

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
 - (b) The fee shall be paid in the form of bank demand draft of banker's cheque of a Scheduled Bank in India payable in the name of Appellate Authority concerned.
- (7) The First Appellate Authority or second Appellate Authority, as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.
- (b) On the date fixed for hearing, the First Appellate Authority or Second Appellate Authority, as the case may be, shall,-
 - (i) hear all the parties to appeal present before him; and
 - (ii) Peruse or inspect documents, relevant records or copies thereof relating to the matter.
 - (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost;
 - (d) The order passed under sub-clause (c) above shall also be placed on the State Public Procurement Portal.

Appellant Signature

ANNEXURE D : Additional Conditions of Contract

1. Correction of arithmetical errors

Provided that a Financial bid is substantially responsive, the Procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

- i. if there is a discrepancy between the unit price and the total price that is contained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- ii. if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the Total shall be corrected; and
- iii. if there is a discrepancy between words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated Bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed.

2. Procuring Entity's Right to Vary Quantities.

(i) At the time of award of contract, the quantity of Goods, works or services originally specified in the Bidding Document may be increased or decreased by a specified percentage, but such increase or decrease shall not exceed twenty percent, of the quantity specified in the Bidding Document. It shall be without any change in the unit prices or other terms and conditions of the Bid and the conditions of contract.

(ii) If the Procuring Entity does not procure any subject matter of procurement or procures less than the quantity specified in the Bidding Document due to change in circumstances, the Bidder shall not be entitled for any claim or compensation except otherwise provided in the Conditions of Contract.

(iii) In case procurement of Goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 25% of the value of Goods of the original contract and shall be within one month from the date of expiry of last supply. If the Supplier fails to do so, the Procuring Entity shall be free to arrange for the balance supply by limited Bidding or otherwise and the extra cost incurred shall be recovered from the Supplier.

3. Dividing quantities among more than one Bidder at the time of award (In case of procurement of Goods)

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidder in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

Appellant Signature

Annexure-1
AUTHORIZATION TO BE SUBMITTED BY PRINCIPAL
MANUFACTURER

**In case of tender being submitted in the capacity of his
Authorized Dealer/Distributor
(See condition No. 2 [i])**

It is to certify that M/s. _____

(Name of the tenderer) is our Authorized Dealer/distributor, This firm is authorized:

- (i) To submit tender and quote the rate for **Supply of Pathology/Blood Bank Item (Reagents / Kits / Chemical / Glassware / Polyware Item)** (being manufactured by us) for **Superintendent Bangur Hospital, Pali** against their tender Notice No. _____ dated _____ on behalf of us.
- (ii) To execute the contract agreement with **Superintendent Bangur Hospital, Pali** on behalf of us.
- (iii) To receive work order/supply of items/payment on behalf of us.

Date :

Signature and seal of the Principal Manufacturer

Annexure - 2

**AUTHORIZATION TO BE SUBMITTED BY PRINCIPAL
MANUFACTURER**

**In case of tender being submitted in the capacity of Importer Company
(See condition No. 2 [ii])**

It is to certify that M/s. _____ (Name of the tenderer) is our Importer/Marketing Company. This firm is authorized to submit tender for **supply of Pathology/Blood Bank Item (Reagents / Kits / Chemical / Glassware / Polyware Item)** (being manufactured by us) for **SuperintendentBangur Hospital, Pali** against their tender Notice No. _____ dated _____ on behalf of us.

Date :

Signature and seal of the Principal Manufacturer

Annexure - 3

AUTHORIZATION TO BE SUBMITTED BY IMPORTER COMPANY

In case of tender being submitted in the capacity of his

Authorized Dealer/Distributor of

Importer Company

(See condition No. 2 [iii])

It is to certify that M/s. _____ (Name of the tenderer) is our Authorized Dealer/distributor. This firm is authorized :-

- (i) To execute the contract agreement with **Superintendent Bangur Hospital, Pali** on behalf of us.
- (ii) To receive work order/supply of items/payment on behalf of us.

Date :

Signature and seal of the Importer Company

Format of Authorization on Company Letter Head

Undertaking

The Sace. & Supp.
Bangur Hospital
Pali.

Sub : Letter of Authorization.

Ref. : Your tender No. _____ due on _____ for **Supply of Pathology/Blood Bank Item (Reagents/Kits/Chemical/Glassware/Polyware Item)**

This is to certify that M/s. _____ is our authorized dealer. They are authorized to submit tender for Supply of Pathology/Blood Bank Item (Reagents/Kits/Chemical/Glassware/Polyware Item) to **SuperintendentBangur Hospital, Pali** against their tender notice no. _____ on our behalf.

The supplied items are warranted for qualify and workmanship. The authorized distributor shall replace the items found defective during reasonable period of warranty.

They will be responsible to ensure adequate regular supplies of our products to your hospital so that the working of the hospital is not affected.

In case of change of authorized dealer we shall inform The P. M. O. Bangur Hospital, Pali accordingly. Henceforth, the new dealer shall be responsible for after sales services to your hospital for our products.

For

Annexure - 5
Ref. Clause No. 3 (1)

ANNUAL TURN OVER STATEMENT

The Annual Turnover of M/s. _____

for the past three years are given below and certified that the statement is true and correct :

S.No.	Years	Turnover in Lakhs (Rs.)
1.	2021-22	
2.	2022-23	
3.	2023-24	
Total		Rs. _____ Lakhs

Date :

Seal :

Signature of Auditor/
Chartered Accountant
(Name in Capital)
Membership No.

Annexure - 6

(See Condition No. 6)

I/We (tenderer) M/s. _____ declare that the price charged for the drug items, under the reference Tender Notice No. _____ shall in no event exceed the rate at which the firm supplies the Lab Item of same identical description to any other person/organization/ institution during the currency of the contract? If at any time, during the contract period the supplier reduce the said prices of lab items of sells such stores to any other person/organization/government institution/co-operative stores at price the quoted price. I/we shall forthwith notify such reduction or sale to the **SuperintendentBangur Hospital, Pali** and the price payable for the items supplied after the date of coming into force of such reduction or sale shall stand correspondingly reduced for **SuperintendentBangur Hospital, Pali.** Failure to do so will lead to cancellation of rate contract, recovery of excess amount if paid and debarring of our firm for next three tenders at **SuperintendentBangur Hospital, Pali.**

Date :

Signature and seal of Tenderer

Witness :

1.

2.

Attested by notary public.

कार्यालय सचिव, राजस्थान मेडिकेअर रिलीफ सोसायटी, राजकीय बांगड चिकित्सालय, पाली
निविदा घोषणा शपथ-पत्र

रिजेन्ट्स, किट्स, केमीकल, ग्लासवेयर एवं पोलीवेयर इत्यादि आईटम्स निविदा

- विषय रिजेन्ट्स, किट्स, केमीकल, ग्लासवेयर एवं पोलीवेयर इत्यादि आईटम्स निविदा वित्तीय बिड अनुमोदन की दिनांक से एक वर्ष तक के लिए वैध रहेगी, इस अवधि को आवश्यकता होने पर सचिव आरएमआरएस बांगड चिकित्सालय, पाली एवं उनके अधिकृत अधिकारी के द्वारा RTPP Act अनुसार बढ़ाया जा सकता है, के लिए सहमत हूँ।
- निविदादाता की फर्म का पूरा नाम व पता
- प्रसंग – विज्ञापन संख्या दिनांक
- निविदा शुल्क रूपये मात्र का डी. डी. नं. दिनांक एवं प्रोसेसिंग फीस रूपये मात्र का डी. डी. नं. संलग्न है।
- मैं/हम सचिव आरएमआरएस बांगड चिकित्सालय, पाली द्वारा जारी की गई निविदा सूचना संख्या दिनांक में वर्णित सभी शर्तों से तथा संलग्न शीट में दी गयी उक्त निविदा सूचना की अतिरिक्त शर्तों से बाध्य होना स्वीकार करते हैं। (इनके सभी पृष्ठों पर उनमें उल्लेखित शर्तों को हमारे द्वारा स्वीकार किये जाने के प्रमाण में हमने हस्ताक्षर कर दिये हैं)
- मदों की सप्लाई के लिए दरें प्रदाय की जाने वाली सामग्री की मात्रा निविदा के साथ संलग्न सूची के अनुसार उनमें प्रत्येक के सामने अंकित की गई है।
- फर्म द्वारा आदेश प्राप्त करने की दिनांक से निविदा नियम, शर्तों एवं आदेशों के अनुसार निर्धारित अवधि के भीतर माल की सुपुर्दगी कर दी जावेगी।
- डिमाण्ड ड्राफ्ट/बैंकर्स चैक संख्या दिनांक जो () पर आहरित किया गया है। रूपये शब्दों में के लिए बयाना राशि के पेटे संलग्न किया जाता है।
- गत 3 वर्षों के अन्तिम लेखे सनदी लेखाकार (सी. ए.) द्वारा अंकेक्षित रिपोर्ट की प्रति संलग्न है। निविदा शर्तों पर हस्ताक्षर किये जाकर अन्य आवश्यक लाईसेंस की प्रमाणित प्रति संलग्न की गई है।
- निर्माता कम्पनी का प्रमाण पत्र संलग्न है।
- (1) फर्म की चल/अचल सम्पत्ति तथा भागीदारों आदि का पूर्ण विवरण :-
 - फर्म कभी भी केन्द्रीय/राज्य सरकार/अन्य स्थान द्वारा काली सूची में नहीं रखी गई है। यदि हो तो पूर्ण विवरण अंकित करें।
 - फर्म के निम्न भागीदार है :-

क्र. सं.	नाम	विवरण	पता	फोन नं.
----------	-----	-------	-----	---------
- फर्म प्राईवेट/प्राईवेट लिमिटेड/पब्लिक लिमिटेड या संस्था है।
..... फर्म पार्टनरशीप है
- फर्म के मालिक/निदेशक/सचिव/प्रबन्धक आदि का विवरण :-

क्र.सं.	नाम व पद	पता	फोन नं./ई-मेल आई.डी. /फैक्स नं.
---------	----------	-----	------------------------------------

12. मैं/हम घोषणा करते हैं कि मैंने/हमने जिन वस्तुओं/भण्डार/उपकरण हेतु निविदा दी है उनके मान्य निर्माता/अधिकृत विक्रेता है। (जो लागू हो चिन्हित करें) अगर यह घोषणा असत्य पायी जाती है तो बिना किसी न्यायिक कार्यवाही एवं अन्य कोई कार्यवाही किये बिना मेरी/हमारी पूर्ण निविदा/सुरक्षा राशि जब्त की जावे एवं निविदा जो स्वीकृत की गई रद्द की जावे।
13. मैं/हम निम्न हस्ताक्षरकर्ता यह प्रमाणित करते हैं कि मैं/हम के द्वारा निविदा प्रपत्र एवं शुद्धि पत्र एवं संशोधन की समस्त शर्त/बातों को ध्यानपूर्वक पढ़ लिया है एवं समझ लिया है जो हमें बिना किसी विचलन एवं शर्त के स्वीकार/मान्य है। अगर यह घोषणा असत्य पायी जाती है तो बिना किसी न्यायिक कार्यवाही एवं अन्य कोई कार्यवाही किये बिना मेरी/हमारी पूर्ण निविदा/सुरक्षा राशि जब्त की जावे एवं निविदा जो स्वीकृत की गई रद्द की जावे।
14. विभागीय प्रपत्र एवं अन्य दस्तावेज जो निविदा से सम्बन्धित हो एवं जो गोपनीय प्रकृति के हैं, हमारे द्वारा किसी को संप्रेषण, संसचित या प्रकट नहीं किया जायेगा, जब तक निविदा की शर्त की पालना करने के लिए ऐसा करना आवश्यक नहीं है।

निविदादाता के हस्ताक्षर एवं नाम
मय सील

❖ Please Note the following instructions :-

1. All materials supplied should have relevant Quality certificate ISO/IVD/CE.
2. All Blood Bank tests kits should have approval from NIB/NIV/NCDC/NACO apart from quality certificates.
3. Test kits should have high sensitivity & specificity.
4. Literature should be supplied along with test kits.
5. All chemicals should be of laboratory grade- LR/AR.
6. Supplier should enclosed orders of supply from minimum 5 Medical Colleges/Research Institutes in last 3 years, and should produce a certificate that the rate quoted is minimum rate for that item.
7. All test kits should have at least 12 months shelf life at the time of supply.
8. If any complaint regarding results after use of item then it will be returned back to the supplier to replace if with useable/correct result giving kit/item, otherwise order will be given to next lower rate bidder & difference of price will be recovered from the original/first supplier/bidder.
9. Rate of test kits should be given as per one test rate, whereas rate of other items as per pack mentioned in demand.
10. Material after rate contract should be supplied as per time to time demand of the deptt.
11. If sample of the test kit/item is demanded then it should be supplied to the deptt. with in 7 days of the demand, otherwise that kit will not be considered for selection.

नोट :-

- बिडर द्वारा बिड में प्रस्तुत किये गये डॉक्यूमेन्ट्स में प्रस्तुत मैक, मेन्यूफैक्चरर अधिकृत विक्रेता व गुणवत्ता इत्यादि के आवश्यक प्रमाण-पत्रों वाले मैक/मेन्यूफैक्चरर पर ही विचार किया जायेगा। (निविदा प्रपत्र में लिखे अनुसार)
- यदि बिडर किसी आईटम के लिए एक से अधिक मैक देना चाहे तो निर्माता कम्पनियों का स्पष्ट नाम, दर के साथ प्रत्येक आईटम का मैक आवश्यक रूप से अंकित करना होगा, Other शब्द पर कोई विचार नहीं किया जायेगा।
- बिडर किसी भी आईटम के एक से अधिक निर्माताओं (मैक) प्रस्तुत करते हैं तो क्व कमेटी उनमें से किसी भी एक मैक अथवा एक से अधिक मैक को भी अनुमोदित कर सकती है, यहां क्व कमेटी द्वारा अनुमोदित मैक बिडर को देना होगा।
- किसी भी बिडर के एक या एक से अधिक आईटम की दर अनुमोदित होती है तो पूरी बोली प्रतिभूति राशि को Performance Security राशि के रूप में समायोजित की जावेगी, अनुमोदित आईटमों के कयादेश जारी होने पर जमा बोली प्रतिभूति राशि कम पड़ती है तो Performance Security राशि के रूप में प्रत्येक कयादेश की राशि का 5 प्रतिशत अलग से देना होगा जो बिड की अनुमानित लागत की सीमा तक होगी। समस्त जमा राशि बिड समाप्ति पश्चात् केन्द्रीय भण्डार, चिकित्सालय से बिडर के विरुद्ध कोई भी राशि बकाया नहीं की रिपोर्ट पश्चात् लौटाई जायेगी।
- वित्तीय दर अंकित तालिका (BOQ) में दरे बिना जी.एस.टी. अंकित करें तथा जी.एस.टी. की दरें अलग से दर्शाई जावें।
- बिडर द्वारा प्रस्तुत तकनीकी बिड में आईटम वार पैकिंग, मैक का अंकन आवश्यक रूप से सम्बंधित कॉलम के सामने ही किया जाए अन्यथा समेकित रूप से उल्लेखित किए जाने पर ये मान लिया जाएगा कि जो मैक अंकित किए गए हैं उनमें से किसी की भी आपूर्ति के लिए बिडर सहमत है और निर्णय के बाद ये स्वीकार्य नहीं होगा कि सम्बंधित निर्माता कम्पनी आदेशित सामग्री/दवा का निर्माण नहीं करती। कयादेश के पश्चात् इस तरह का उल्लेख सेवा दोष माना जाएगा और नियमानुसार अन्तर राशि की वसूली प्रभार्य होगी।
- शेष नियम एवं शर्तें राजस्थान लाक उपापन पारदर्शिता अधिनियम की धारा 2012 एवं नियम 2013 का भाग होगी।

FINANCIAL BID

कार्यालय सचिव, राजस्थान मेडिकेअर रिलीफ सोसायटी, राजकीय बांगड चिकित्सालय, पाली
List of Reagens/Kirs/Chemical/Glassware/Polyware etc. Lab& Other Items

Name of the Firm/Bidder :-

S. No.	Name of Item& Pack size	Packing	Make	Price	G.S.T.	Total Price
1	A.P.T.T	3ML	J.Mitra/Arkery/TRANSASIA			
2	A.S.O. Latex With Control	100 Test	Aspen/Arkery/Tulip/Expedia			
3	Absolute Alcohol	500 ML	Rankem/Biolab/B.D.H/C.D.H			
4	Acetotone Test Powder	100 Gr.	Rankem/Biolab/B.D.H/C.D.H			
5	Acid Phosphate kit	8 ML	ACCUREX/ERBA/SEMENS			
6	Adult Weight Machine up to 180 kg	Per pcs	ISI			
7	Albert stain A	500 ml	Rankem/Biolab/B.D.H/C.D.H			
8	Albert Stain B	500 ml	Rankem/Biolab/B.D.H/C.D.H			
9	Albumin kit	5x50 ml	ACCUREX/ERBA/ SEMENS			
10	Alcoholic Swab	Per pcs	ISI			
11	Alk. Phosphate kit	5x20 ml	ACCUREX/ERBA/SEMENS			
12	Amylase liquid stable	6x6 ml	ACCUREX/ERBA/SEMENS			
13	Anti A TubeTiter with A1 cells should be ≥ 1 ; 256 Side titer with A1 cells should be ≥ 1 : 16 High avidity (3-4 secs) and clear cut visible agglutination (grade3+) at 2 mins on slide Detect most weaker subgroup of A Specific, no cross reactivity with B or O groups Should be able to differentiate between A1 and othet subgroups of A2 by giving different reaction pattern for both CE certified	10 ml	Tulip/Arkery/Ortho/J. mitra			
14	Anti A1	5 ml	Tulip/Arkery/Ortho/J. mitra			
15	Anti AB	10 ml	Tulip/Arkery/Ortho/J. mitra			
16	Anti B TubeTiter with B cells should be ≥ 1 ; 256 Side titer with B cells should be ≥ 1 : 16 High avidity (3-4 secs) and clear cut visible agglutination (grade3+) at 2 mins on slide Detect most weaker subgroup of B Specific, no cross reactivity with A or O groups Negative with acquired B cells CE Certified	10 ml	Tulip/Arkery/Ortho/J. mitra			
17	Anti D IgM+ IgG	10 ml	Tulip/Arkery/Ortho/J. mitra			

	<p>TubeTiter with OR 1r cells should be ≥ 1; 256 Side titer with OR 1r cells should be ≥ 1: 16 High avidity (5-6 secs) and clear cut visible agglutination (grade3+) at 2 mins on slide Detect most weak D's, IgM reactivity in slide test and IgG reactivity in the comms phase Non reactive with Rh negative samples. CE certified</p>				
18	Anti H	5 ml	Tulip/Arkery/Ortho/J. mitra		
19	Anti Human Globin	10 ml	Tulip/Arkery/Ortho/J. mitra		
20	AQUA 4 Water	1 ltr	ACCUREX/ERBA/SEMENS		
21	A.D.A. With calibrater	1x20/1x10 ml	ACCUREX/ERBA/SEMENS		
21	Barium Chloride 10 %	500 ml	Rankem/Biolab/B.D.H/C.D.H		
22	Beaker Glass 100 ML	Per pcs	BOROSIL/GLASSCO/ DURAM		
23	Beaker Glass 200 ml	Per pcs	BOROSIL/GLASSCO/DURAM		
24	Beaker Glass 500 ml	Per pcs	BOROSIL/GLASSCO/DURAM		
25	Bile pigment rapid	25 ML	Biolab/ Microexpres/ Titan		
26	Billrubin T&D	4x60 ml	Accurex/ Erba/semens/Randox		
27	Bleaching Powder	1 kg	ISI		
28	Blood Bag Quardipal Sagam	Per pcs	MITRA/HLL/PANPOL		
29	Blood Bags 100 ml	Per pcs	MITRA/HLL/PANPOL		
30	Blood bags 350 ml	Per pcs	MITRA/HLL/PANPOL		
31	Blood Bags triple Sagam	Per pcs	MITRA/HLL/PANPOL		
32	Blood bags weighing machine	Per pcs	ISI		
33	Blood Lancet	100 pcs	ISI		
34	Bovin Albumin 10%	10 ml	Tulip/Arkery/Ortho/J. mitra		
35	C.K. MB KIT	2x8/2x2 ml	Accurex/ Erba/semens/Randox		
36	C.K. NAC KIT	2x8/2x2 ml	Accurex/ Erba/semens/Randox		
37	C.R.P. Latex with control	100 test	ARKERY/ASPEN/ACCUREX/EXP EDIA/TULIP		
38	C.R.P. Turbilatex	50 ml	ACCUREX/ERBA/HORIBA		
39	C.S.F. Chloride	2x50 ml	ACCUREX/ERBA/ SEMENS		
40	C.S.f. Protin	2x50 ml	ACCUREX/ERBA/ SEMENS		
41	Calcium kit	2x50 ml	Accurex/ Erba/semens/Randox		
42	Capillary Tube	1x100 pcs	Top tech/ Merinfield/Labtech		
43	Centifuse Machine 16 Tube CE Certified	Per pcs	REMI/ APPENDROP/ ISI		
44	Centifuse Machine 32 TubeCE Certified	Per pcs	REMI/ EPPENDORF/ ISI		
45	Centifuse Machine 8 Tube CEcertified	Per pcs	REMI/ EPPENDORF/ ISI		

46	Chikanguniya Elisa kit	96 test	J.mitra/S.D.Biosensor/Novatech			
47	Chikguniya Card IgG/IgM	Per card	J.MITRA/S.D./MERIL			
48	Cholestrol kit	5x20 ml	Accurex/ Erba/semens/Randox			
49	Combistix	100 st	SEMENS/ERBA/ACCUREX			
50	Counting Chamber	Per pcs	Top tech/ Merinfield/Labtech			
51	Cover Slip English Glass 18 MM	200 gr	BLUESTAR/BOROSIL/MERINFIE LD			
52	Cover Slip English Glass 22 MM	200 gr	BLUESTAR/BOROSIL/MERINFIE LD			
53	Creatitine kit	4x60 ml	ACCUREX/ERBA/ SEMENS			
54	Cuppling Jar	Per pcs	Polylab /ABDOS/LABTECH			
55	Deionized Water	5 ltr	Ases/JUPITER/VARDHMAAN			
56	Dengue Duo NS1,IgG,IgM Should have clear differentiation between test band and control band preferably with different colour bands. C-G-M sequence to prevent cross reactivity of IgG and IgM antibodies.detects all 4 serotypes of dengue virus DENV1-2-3-4. IgM DECTION BY MAC Prncipal, IgG Deaction by GAC Principal, NS1 Dection by sandeich principal . should detect dengue infection fever from Day1 of fever.	Per card	J.mitra/S.D. biosensor/ Transasia			
57	Dengue Elisa IgG <ul style="list-style-type: none"> The ELISA kit should be designed for qualitative detection of IgG antibodies to dengue virus antigen of all 4 dengue serotypes in human serum The assay should be based on G - antibody capture method Microwells should be coated with Anti human IgG The conjugate should contain recombinant Dengue virus antigens labelled with horseradish peroxidase All the reagents should be in ready to use form. Except wash buffer The assay components should include positive and negative controls with each kit. The time required for performing the test should range between 2-2 1/2 hours The kit should be able to interpret the results in terms of Pos/Neg, Index Value and in Units The sensitivity of the kit should be >99% The specificity of the kit should be >99% The shelf life of the kit should be 18 months or longer The pack size of the kits should be 96 tests / kit 	96 test	J.mitra/S.D. biosensor/ Transasia			

	Adequate documents detailing the principle components, bio-safety methodologies, validity criteria, procedure flowchart, interpretation of results, performance characteristics, storage conditions, limitation of assays, manufacturing & expiry dates should be provided with each kit					
58	<p>Dengue Elisa IgM</p> <ul style="list-style-type: none"> • The ELISA kit should be designed for qualitative detection of IgM antibodies to dengue virus antigen of all 4 dengue serotypes in human serum • The assay should be based on m - antibody capture method • Microwells should be coated with Anti human IgM • The conjugate should contain recombinant Dengue virus antigens labelled with horseradish peroxidase • All the reagents should be in ready to use form. Except wash buffer. • The assay components should include positive and negative controls with each kit. • The time required for performing the test should range between 2-2 ^{1/2} hours • The sensitivity of the kit should be >99% • The specificity of the kit should be >99% • The kit should be able to interpret the results in terms of Pos/Neg, Index Value and in Units • The shelf life of the kit should be 18 months or longer • The pack size of the kits should be 96 tests / kit • Adequate documents detailing the principle components, bio-safety methodologies, validity criteria, procedure flowchart, interpretation of results, performance characteristics, storage conditions, limitation of assays, manufacturing & expiry dates should be provided with each kit 	96 test	J.mitra/S.D. biosensor/ transasia			
59	<p>Dengue Elisa NS1</p> <ul style="list-style-type: none"> • The ELISA kit should be designed for qualitative detection of dengue NS1 antigen of all 4 dengue serotypes in human serum • The assay should be based on Sandwich method • Microwells should be coated with monoclonal antibodies against dengue NS1 • The conjugate should contain to Anti-NS1 monoclonal antibody labelled with horseradish peroxidase • All the reagents should be in ready to use form. Except wash buffer • The assay components should include positive and negative controls with each kit. 	96 test	J.mitra/S.D. biosensor/ transasia			

	<ul style="list-style-type: none"> The time required for performing the test should range between 1-2 hours The ELISA kit for detection of dengue NS1 antigen should have a sensitivity of >99% and a specificity of >99% The kit should be able to interpret the results in terms of Pos/Neg, Index Value and in Units The shelf life of the kit should be 18 months or longer The pack size of the kits should be 96 tests / kit Adequate documents detailing the principle components, bio-safety methodologies, validity criteria, procedure flowchart, interpretation of results, performance characteristics, storage conditions, limitation of assays, manufacturing & expiry dates should be provided with each kit 					
60	Dengue IgG/IgM Rapid Card Should have clear differentiation between test band and control band preferably with different colour bands. IgG Deaction by GAC Principal, . should detect dengue infection fever from Day1 of fever.	Per card	J.mitra/S.D. biosensor/ transasia			
61	Dengue NS1 Rapid Card Should have clear differentiation between test band and control band preferably with different colour bands. , NS1 Dection by sandeich principal . should detect dengue infection fever from Day1 of fever.	Per card	J.mitra/S.D. biosensor/ transasia			
62	Disposable E.S.R. Pippete	Per pcs	LAB TECH/TOP TECH/Levram			
63	Disposable Needle	Per pcs	B.D./DISPOVAN/NIPRO			
64	Disposable syringe 3 CC	Per pcs	B.D./DISPOVAN/NIPRO			
65	Disposable Syringe 5 CC	Per pcs	B.D./DISPOVAN/NIPRO			
66	Distal Water	5 ltr	Ases/JUPITER/VARDHMAAN			
67	Drabkin Solution	1 ltr	Ases/JUPITER/VARDHMAAN			
68	Dry Bath Incubater	Per pcs	ISI			
69	E.D.T.A. Solution	500 ml	RANKEM/BIOLAB/B.D.H/C			
70	E.S.R. Felling Vial	Per pcs	Rankem/Biolab/B.D.H/C.D.H			
71	E-10 Stand	Per kit	TOP TECH/LAB TECH/PREMIER PLUS			
72	Eosnophil Counting Fluid	100 ml	Rankem/Biolab/B.D.H/C.D.H			
73	Ethnol absolute	500 ml	Rankem/Biolab/B.D.H/C.D.H			
74	Examination Gloves	100 pcs	HLL/TTK/NULIFE			
75	Face Mask 3 PLY(SIGLE PACK)	Per pcs	NULIFE/MCARE/ROMSON			
76	Field Stain A	500 ml	Rankem/Biolab/B.D.H/C.D.H			
77	Field Stain B	500 ml	Rankem/Biolab/B.D.H/C.D.H			
78	Filter Paper 13.5 CM	100 leavs	WHATMAN/AXIVA/ NOI			

79	Formalline	5 ltr	Rankem/Biolab/B.D.H/C.D.H			
80	Fouchest Reagents	125 ml	Rankem/Biolab/B.D.H/C.D.H			
81	Giemsa Stain	500 ml	Rankem/Biolab/B.D.H/C.D.H			
82	Glucose kit	2x200 ml	ACCUREX/ERBA/ SEMENS			
83	Grams Stain Kit	500 ml	Rankem/Biolab/B.D.H/C.D.H			
84	S.D. Code Free Strips	Per strips	GULCOSIGN			
85	H.A.V. Elisa IgG	96 test	C.T.K/MERIL/J.MITRA/S.D.			
86	H.A.V. IgG Card	Test	C.T.K/MERIL/J.MITRA/S.D.			
87	H.B. Meter Squre	Per pcs	TOPTECH/PREMIERPLUS/MERIN FIELD			
88	H.B. Pipeete	Per pcs	TOPTECH/PREMIERPLUS/MERIN FIELD			
89	H.B. Tube Squre	Per pcs	TOPTECH/PREMIERPLUS/MERIN FIELD			
90	H.C.L. N/10 Solution	500 ml	Rankem/Biolab/B.D.H/C.D.H			
91	H.C.V. Tri Dot Card It Should be 4 th Generation. It Should be based on Flow through technolog. It should must have a long shelf life & only in the form of card not in the form of strips. It should be Approved and Evaluaed By NIB . It should be short interpretation time not more than 3-5 minutes. It should have specificity and sensitivity of 100%	Per card	J.MITRA			
92	H.C.V.Elisa 4 th Gen An ELISA reader based qualitative test. A 4 th generation HCV ELISA based on Indirect method for Ab testing and Sandwich method for Ag testing. Microwells coated with a mixture of recombinant HCV antigens – Core, NS3, NS4, NS5 and Anti HCV antibodies for detection of Core Antigen. The assay detect antibodies to HCV and HCV Core Antigen in human serum/plasma.. Total incubation time only 150 mins. The assay components include positive and negative controls with each kit for both Antigens and Antibodies (Separate) – Ready to Use. The assay have sensitivity of 100% and specificity of 99.8% or more. Adequate documents detailing the principle components, bio-safety methodologies, validity criteria, procedure flowchart, interpretation of results, performance characteristics, storage conditions, limitation of assays, manufacturing & expiry dates provided with each kit. The kit evaluated and approved by National Institute of Biologicals (NIB).	96 test	J.MITRA/MERIL//ERBA/			
93	H.E.V. Elisa IgM	96 test	MERIL/J.MITRA/S.D.			
94	H.E.V. IgM Card	Per card	MERIL/J.MITRA/S.D.			
95	H.I.V. Tri Dot + AG (4 TH GENERATION) It should be 4 th Generation.	Per card	J.MITRA/ERBA/S.D. BIOSENSOR			

	<p>It should be based on Flow through Technolog with Dual Detections System.(Synthetic Peptide & Recombinant). It should be able for the dection of Hiv 1 and Hiv 2 Separately as per NACO. It should must have a long shelf life & only in the form of card not in the form of strips. It should be short InterPrepation Time 3 to 5 Minutes. It should be Approved and Evaluaed By NIB , NARI and WHO (NACO).</p>					
96	<p>H.I.V. Tri Dot Card It should be 3th Generation. It should be based on Flow through Technolog with Dual Detections System.(Synthetic Peptide & Recombinant). It should be able for the dection of Hiv 1 and Hiv 2 Separately as per NACO. It should must have a long shelf life & only in the form of card not in the form of strips. It should be short InterPrepation Time 3 to 5 Minutes. It should be Approved and Evaluaed By NIB , NARI and WHO (NACO).</p>	Per card	J.MITRA/S.D.BIOSENSOR/			
97	<p>H.I.V. Rapid test It should rapid immunochromatographic test for simultaneous and differential dection of HIV 1 and HIV 2 antibodies. It should have serum,plasma,whole blood It should be Sensitivity>99.50% and Specificity 99.00%. It should also decete HIV 1 fusion group O It should be long shelf life It should use gp36,gp41,gp120,p24 fusion O polypetide Based on DAGS principal</p>	Per card	S.D. BIOSENSOR/ERBA/J.MITRA/ QUALPRO/			
98	<p>H.I.V.Elisa 4th Gen It should detect HIV-1,HIV-2, andAntigen P24 simultaneously(4th Gen) Based on Ag+Ab sandwich assay streptavidinBiotin Technology for enhanced sensitivity and Specificity. Should be compatible with automated as wellas manual ELISA. One step procedure with specificity of 99.5% and Sensitivity should be over 99.9% of WHO and NIB panel. Analytical sensitivity of p24 Ag 2 IU/ml or 20 pg/ml. Reagents ready to use, with no reconstitution required. Total incubation time only 120 mins Microwells coated with a mixture of recombinant HIV antigens gp120, gp41 and gp36 & monoclonal antibodies to HIV p24 antigen</p>	96 test	J.MITRA/ERBA/S.D. BIOSENSOR/			
99	<p>Hbsag PICO Elisa kit An ELISA reader based qualitative test. 4th generation HBsAg ELISA. Have polyclonal antibodies coated on the solid phase & monoclonal antibodies in the conjugate to detect all subtypes & mutant strains. Sandwich Elisa. The assay components have negative and positive control with each kit.</p>	96 test	J.MITRA//ERBA/S.D. BIOSENSOR/NOVATECH			

116	Micro Tips up to 200 ul	1000 pcs	GILSON/ LABTECH/A.V.DIS			
117	Microglass Slide ISI	50 slide	BLUESTAR/BOROSIL/ALPHACH EM			
118	Microscope Blub	Per pcs	PHILLPS/OSRAM/BAJAJ/			
119	Multi Chanal Pipeete with 3 years warranty	Per pcs	Transasasia/Finepipeete/Thermo / Durapet			
120	Multi stix 14 Parameter (Dekhaphen)	100 st	SEMENS/TRANSASIA/ACCUREX /DURAI/			
121	N-95 Mask	Per pcs	Romson/3M/Polymed/MRK			
122	Nitral Gloves	100 pcs	Romson/M-Care/Mrk/Polymed			
123	Nitric Adid	500 gr	Rankem/Biolab/B.D.H/C.D.H			
124	Normal Sline	500 ml	Rankem/Biolab/B.D.H/C.D.H			
125	O2 Valve with Humidifier	Per pcs	ISI			
126	Occult Blood in Stool	200 test	TULIP/ACCUREX/BIOLAB			
127	Oil Immersion	100 ml	Rankem/Biolab/B.D.H/C.D.H			
128	Ovan 18x18x18 S.S.	Per pcs	ISI/REMI/			
129	Nebulizer Ultra Sonic	Kit				
130	P.P.E KIT	Per pcs	DRDO Approved			
131	Paper roll 50x20 mtr	Per roll	Erba			
132	Paper Roll 57x10 mtr	Per roll	Horiba			
133	Paper roll 57x20 mtr	Per roll	Erba			
134	Pasture pipeete	Per pcs	Lab Tech/Top Tech/A.V. consumable			
135	Phosphrous kit	2x50 ml	ACCUREX/ERBA/ SEMENS			
136	PIPEETE Stand	Per pcs	Plaza/top tech/expedia/labsystem			
137	PLATLET DILUTING FLUID	500 ml	Rankem/Biolab/B.D.H/C.D.H			
138	PREGNANCY CARD	Per card	Acon/Aspen/Erba/Diagnocure			
139	R.A. TEST KIT With Control	100 test	Acurex/Erba/Spinreact/Arkrey/biolab			
140	R.B.C. DILUTING FLUID	500 ml	Rankem/Biolab/B.D.H/C.D.H			
141	R.F. TURBILATEX	50 ml	Accurex/Erba/human/Arkrey/Biolal			
142	R.H. VIEW BOX	Per pcs	Remi/ plus/top tech/alpha			
143	R.P.R. TEST	100 test	Tulip/Erba/Acurex/Human/Arkrey			
144	RAPID PAP STAIN	250 simmer	Tulip/Biolab/ Himedia			
145	Recticlusytes count fluid	100 ml	Rankem/Biolab/B.D.H/C.D.H			
146	Ria tube 12x100 mm	100 pcs	LabTech/TopTech/A.V. consumable/polylab			
147	RIA VIAL 12X100 MM	100 pcs	LabTech/TopTech/A.V. consumable/polylab			
148	Room Thermometer	Per pcs	LabTech/TopTech/A.V. consumable/isi			
149	S.G.O.T. Kit	5x20 ml	Accurex/Erba/ Semens/Randox			
150	S.G.P.T. Kit	5x20 ml	Accurex/Erba/ Semens/Randox			

151	Sample Cups From XL300	500 pcs	Erba/ Hitachi/Top Tech			
152	SCREW CAP TUBE 13X100	100 tube	LabTech/polylab/A.V. cons			
153	Scrub Typhus Elisa	96 test	NovaTech/j.mitra/S.D.Biosensor/G.B .C			
154	Seman Diluting Fluid	100 ml	RANKEM/BIOLAB/B.D.H/C.D.H			
155	Slide cage	Per pcs	LabTech/TopTech/A.V.co/K.D			
156	Slide Rack	Per pcs	LabTech/TopTech/A.Vcon/K.D			
157	Slide stand	Per pcs	LabTech/TopTech/A.V.co/K.D			
158	Slide staining Rack	Per pcs	LabTech/TopTech/A.V. /K.D			
159	Sodium Citrate 3.8%	500 ml	Rankem/Biolab/B.D.H/C.D.H			
160	Sodium Hypochloride 8-10 %	5 ltr	Rankem/Biolab/B.D.H/C.D.H			
161	Stain rack	Per pcs	LabTech/TopTech/A.V./K.D			
162	Stethoscope	Per pcs	LITMAN/ISI/			
163	Sulpher Powder	500 gr	Rankem/Biolab/B.D.H/C.D.H			
164	Surgical gloves 6,7.5.7	Pair	M.R.K./CALTEX/HLL/			
165	T.S.H. ELISA	96 test	J.MITRA/ERBA/SUYOG/S.D. BIO			
166	T3 ELISA	96 test	J.MITRA/ERBA/SUYOG/			
167	T4 ELISA	96 test	J.MITRA/ERBA/SUYOG/			
168	Test Tube BOROSIL 12X100 MM With Ring	100 pcs	BOROSILICATE GLASS			
169	Test tube BOROSIL 12X75mm With Ring	100 pcs	BOROSILCATE GLASS			
170	TEST TUBE BRUSH	Per pcs	LabTech/TopTech/A.V. /K.D			
171	Thermoplastin	5 ml	J.MITRA/ERBA/ARKERY			
172	Timmer Watch Digital	Per pcs	K.D./TOP TECH/Amron/ISI			
173	Tincher Iodine	400 ml				
174	Tissue Paper Roll	Per roll				
175	Total Protin kit	5x50 ml	Accurex/Erba/ Semens/Randox			
176	Triglycerdies kit	5x20 ml	Accurex/Erba/ Semens/Randox			
177	Tronicate Rubber	Per pcs				
178	Troponine I	Per card	ALFA/J.MITRA/ ACCUREX/DYGNOVA			
179	Troponine T	Per card	ROCHE/ALFA/DYGNOVA			
180	Tsutsugamuchi card	Per card	J.MITRA/S.D BIOSENSOR/ DYGNOVA/PARAMCARE			
181	Typhoid card IgG/IgM	Per card	J.MITRA/DYGNOVA/S.D. BIOSENSOR/ PARAMCARE			
182	Urea Bertlot kit	2x100 det	ACCUREX/ERBA/SEMENS/RAND OX			
183	Urea Bun	5x20 ml	ACCUREX/ERBA/ SEMENS			
184	Uric Acid Kit	5x20 ml	ACCUREX/ERBA/ SEMENS			
185	Urine Continer 50 Ml with Sticker Individually packed	Per pcs	LABTECH/A.V/ TOP TECH			
186	Uristix GLU/KETONE/PRO	100 st	SEMENS/ACCUREX/ERBA/TRAN SASIA			

187	V.D.R.L. Card Assay for qualitative detection of all isotypeOfantibodies(IgM,IgG & IgA) against Treponema Pallidium. It should must have a long shelf life & only inthe form of card not in the form of strips. Rapid card test in individual pack. It should be NIB,NACO,NARI Approved	Per card	/S.D. Biosensor/Accurex/DYGNOVA/ PARAMCARE/OZONE			
188	V.D.R.L. SHAKER	Per pcs	REMI/PENPOL/OXFORD/TOP TECH			
189	Vacutanier clot,Gel Activete 13x75 mm 3 to 5ml It should be made of clear latex free polyethylene terephthalate Batch wise sterility ,pyrogenicity and toxicity certificate should be given, Gamma Sterilized It should be USFDA/ BIS certified.	100 pcs	B.D./			
190	Vacutanier K2 EDTA 13x75 mm It should be made of clear latex free polyethylene terephthalate Batch wise sterility ,pyrogenicity and toxicity certificate should be given, Gamma Sterilized It should be USFDA/BIS certified.	100 pcs	B.D			
191	Vacutanier Sodium Citrate 13x75 mm For coagulation test With sodium citrate 3.2% It should be made of clear latex free polyethylene terephthalate Batch wise sterility ,pyrogenicity and toxicity certificate should be given, Tube should be Gamma Sterilized It should be USFDA/BIS certified.	100 pcs	B.D			
192	Disposable vacuated blood collection multi sample needle 22GX1 inch Batch wise sterility ,pyrogenicity and toxicity certificate should be given It should be USFDA/BIS CERTIFIED.	Pcs	B.D			
195	Viral Transport Media	50 vial	ICMR APPROVED			
196	w.b.c. fluid	500 ml	RANKEM/BIOLAB/B.D.H/C.D.H			
197	Water Bath	Per pcs	Remi/Top tech/Premier plus			
198	Widal kit 4x5 ml	Per kit	ARKERY/BECON/TULIP			
199	Xylene	500 ml	Rankem/Biolab/B.D.H/C.D.H			
200	z.n. stain	4x50 ml	Rankem/Biolab/B.D.H/C.D.H			
201	Covid Ag Card ICMR Approved	Test	ICMR APPROVED			
202	Covid Ab card ICMR Approved	Test	ICMR APPROVED			
203	Covid Elis IgG ICMR Approved	96 test	ICMR APPROVED			

204	Hand Santizer	500 ml	ICMR APPROVED			
205	Hand Santizer	5ltr	ICMR APPROVED			
206	Automatic Hand Santizer Machine	Pcs	ICMR APPROVED			
207	Bandid Round	Pcs	J&J/LABTECH/HLL/MRK			
208	Falcon tube 50 ml	Tube	ABDOS/ LABTECH/PARAMCARE			
209	Falcon Tube 15 ml	Tube	ABDOS/ LABTECH/PARAMCARE			
210	Sample Transport Vial	Tube	ABDOS/ LABTECH/PARAMCARE			
211	M.C.T. TUBE 1.5 ML	Tube	ABDOS/ LABTECH/PARAMCARE			
212	M.C.T. Tube 2 ml	Tube	ABDOS/ LABTECH/PARAMCARE			
213	Loop Wire	Pcs	ABDOS/ LABTECH/PARAMCARE			
214	Alcohol swab	Pcs	ABDOS/ LABTECH/PARAMCARE			
215	Chettal forcep	Pcs	ABDOS/ LABTECH/PARAMCARE			
216	Conical centifuse tube 15 ml	Pcs	ABDOS/ LABTECH/PARAMCARE			
217	Tronicate auto lock system	PCS	ABDOS/ LABTECH/PARAMCARE			
218	Petridish disposable indivisual pack sterlised	Pcs	ABDOS/ LABTECH/PARAMCARE			
219	V.D.R.L. SHAKER	PCS	Remi/ OXFORD/ISI			
220	MICROTOME BLADE HIGH PROFIL 50 BLADE	PKT	LEICA/EGYPT/ HI MEDIA			
221	MICROTOME BLADE LOW PROFILE 50 BLADE	PKT	LEICA/EGYPT/ HI MEDIA			
222	PRAFFIN WEX 60-62% WITH CERRACIN	1 K.G	RANKEM/BIO LAB/B.D.H/C.D.H			
223	ABSOLUTE ALCOHOL	500 ML	RANKEM/BIO LAB/B.D.H/C.D.H			
224	ACETIC ACID 3% SOLUTION 500 ML	500 ML	RANKEM/BIO LAB/B.D.H/C.D.H			
225	Acetic Acid Glacial 500 MI	500 ML	RANKEM/BIO LAB/B.D.H/C.D.H			
226	ACETONE LR 500 ML	500 ML	RANKEM/BIO LAB/B.D.H/C.D.H			
227	Ammonia Solution Lr 500 MI	500 ML	RANKEM/BIO LAB/B.D.H/C.D.H			
228	AMMONIUM SULPHATE LR 500GM 18%	500 ML	RANKEM/BIO LAB/B.D.H/C.D.H			
229	BENDICT REAGENT 5 LTR	5 LTR	RANKEM/BIO LAB/B.D.H/C.D.H			
230	BENEDICTS REAGENT LR 500ML	500 ML	RANKEM/BIO LAB/B.D.H/C.D.H			
231	BENZIDINE AR 100GM	100 ML	RANKEM/BIO LAB/B.D.H/C.D.H			
232	Bijou Bottel (Media Bottel 30 MI) 18%	PCS	BOROSIL/GLASSCO/ DURAM			
233	BLEACHING POWDER 1 KG	1 KG	RANKEM/BIO LAB/B.D.H/C.D.H			
234	BOROSIL BEAKER 100ML	PCS	BOROSIL/GLASSCO/ DURAM			
235	BOROSIL FLASK CONICAL 250ML	PCS	BOROSIL/GLASSCO/ DURAM			
236	CARBOL FUCHSIN STRONG LR 500ML	500 ML	RANKEM/BIO LAB/B.D.H/C.D.H			
237	Injecta 5 ltr	5 ltr	TULIP/RANKEM/BIO LAB/B.D.H/C.D.H			

238	COPPER ACETATE LR 500 GRM	500 gm	RANKEM/BIOLAB/B.D.H/C.D.H			
239	Copper Sulphate Lr 500 Gr	500 GM	RANKEM/BIOLAB/B.D.H/C.D.H			
240	COUPLING JAR	PCS				
241	Digital Stop Watch	PCS				
242	DPX MOUNTANT LR 500 ML ASES	500 ML	TULIP/RANKEM/BIOLAB/B.D.H/C.D.H			
243	EDTA POWDAR 500 GRM	500 GR	RANKEM/BIOLAB/B.D.H/C.D.H			
244	Eosin 500 MI	500 ML	TULIP/ RANKEM/BIOLAB/B.D.H/C.D.H			
245	Ethanol Ar 500ml	500 ML	RANKEM/BIOLAB/B.D.H/C.D.H			
246	FERRIC AMMONIUM SULPHATE 100 GRM ASES	100 GR	RANKEM/BIOLAB/B.D.H/C.D.H			
247	Formaline Tab 100 NOS	PKT	RANKEM/BIOLAB/B.D.H/C.D.H			
248	GENTIAN VIOLET SOLUTION Lr-500 MI	500 ML	TULIP/RANKEM/BIOLAB/B.D.H/C.D.H			
249	Glass Marker Diamond	PCS	PLAZA/ OXFORD/			
250	Glycerol 500ml ASES	500 ML	RANKEM/BIOLAB/B.D.H/C.D.H			
251	Gram's Stain Kit 4x100ml	KIT	TULIP/ RANKEM/BIOLAB/B.D.H/C.D.H			
252	GRAMS IODINE SOLUTION LR 500 ML	500 ML	TULIP/RANKEM/BIOLAB/B.D.H/C.D.H			
253	HCL N/10 500 ML	500 ML	RANKEM/BIOLAB/B.D.H/C.D.H			
254	HEMOTOXYLENE LR 500 ml	500 ML	TULIP/ RANKEM/BIOLAB/B.D.H/C.D.H			
255	HEMOTOXYLENE SOLUTION DELAFIELD LR 500 ML	500 ML	TULIP/RANKEM/BIOLAB/B.D.H/C.D.H			
256	HYDROGEN PEROXIDE 3% PG 500ML	500 ML	RANKEM/BIOLAB/B.D.H/C.D.H			
257	HYDROMETER	PCS				
258	KOH (POTASSIUM HYDROXIDE) 500GM	500 GM	RANKEM/BIOLAB/B.D.H/C.D.H			
259	LABCLEAN LR 5L	5 ltr	TULIP/RANKEM/BIOLAB/B.D.H/C.D.H			
260	LEISHMAN STAIN KIT	KIT	TULIP/RANKEM/BIOLAB/B.D.H/C.D.H			
261	Lithum Carbonate Lr 500 Gr	500 GR	RANKEM/BIOLAB/B.D.H/C.D.H			
262	Lugol Iodine Lr 100 ML	100 ML	TULIP/RANKEM/BIOLAB/B.D.H/C.D.H			
263	METHYLENE BLUE SOLUTION LR 500 ML	500 ML	TULIP/ RANKEM/BIOLAB/B.D.H/C.D.H			
264	NITRILE EXAMINATION GLOVES 100 PCS	PKT				
265	NUTRIENT AGAR 500 GM	PKT	MICROEXPRESS/ HIMEDIA			
266	Oil Cedarwood 100ml	100 ML	TULIP/RANKEM/BIOLAB/B.D.H/C.D.H			
267	OIL PARAFFIN HEAVY LR 500 ML	500 ML	RANKEM/BIOLAB/B.D.H/C.D.H			
268	PARAFFIN LIQUID 500ML	500 ML	RANKEM/BIOLAB/B.D.H/C.D.H			

269	PHOSPHO TUNGSTIC ACID LR 100 GM	100 GR	RANKEM/BIOLAB/B.D.H/C.D.H			
270	PLASTIC SLIDE BOX 50 SLIDES	PCS				
271	DROPPING BOTTLE 125 ML	PCS				
272	Potassaium Hydroxide Pellets Lr 500 Gm	500 GM	RANKEM/BIOLAB/B.D.H/C.D.H			
273	Reticulocyte Count Fluid Lr 100ml	100 ML	RANKEM/BIOLAB/B.D.H/C.D.H			
274	Safranine Solution Lr 500ml	500 ML	TULIP/ RANKEM/BIOLAB/B.D.H/C.D.H			
275	SODIUM CARBONATE LR 500 GRM	500 GR	RANKEM/BIOLAB/B.D.H/C.D.H			
276	Sodium Citrate Lr 500 Grm	500 GR	RANKEM/BIOLAB/B.D.H/C.D.H			
277	SODIUM NITROPRUSSIDE 500 GRM	500 GR	RANKEM/BIOLAB/B.D.H/C.D.H			
278	Sulphosalicylic Acid 30% 500ml	500 ML	RANKEM/BIOLAB/B.D.H/C.D.H			
279	Sulphuric Acid 20% 500 MI	500 ML	RANKEM/BIOLAB/B.D.H/C.D.H			
280	Sulphur Power Lr 500 Grm	500 GR	RANKEM/BIOLAB/B.D.H/C.D.H			
281	URINE CONTAINER 60 ML 1X100	PKT	ABDOS/POLYLAB/LEVRAM			
282	WASH BOTTLE 500ML	PCS	ABDOS/POLYLAB/LEVRAM			
283	WAX BEES WHITE 1G 1KG	1 K.G.	RANKEM/BIOLAB/B.D.H/C.D.H			
284	XYLENE 500 ML18%	500 ML	RANKEM/BIOLAB/B.D.H/C.D.H			
285	Ziel Nelson Stain Kit 4x100 MI	KIT	TULIP/ RANKEM/BIOLAB/B.D.H/C.D.H			
286	AGAR POWDER 500 GM 18%	500 GM	MICROEXPRESS/TULIP/HI MEDIA			
287	AMIKACIN TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
288	AMOXICILLIN/CLAVULAATE TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
289	AMOXYCILLIN TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
290	AMOXYCILLIN/SULBACTAM TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
291	AMPHOTERICIN-B 100 UNIT TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
292	AMPICILLIN TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
293	AMPICILLIN/CLOXACILLIN TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
294	AMPICILLIN/SULBACTAM TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
295	ANAEROBIC CULTURE JAR	UNIT	MICROEXPRESS/TULIP/HI MEDIA			
296	ANTIBIOTIC ZONESCALE EASY 370MMX65MM	UNIT	MICROEXPRESS/TULIP/HI MEDIA			
297	ARABINOSE TULIP	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
298	AZITHROMYCIN TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
299	AZTREONAM TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
300	BACITRACIN -0.04 UNIT TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			

301	BILE ESCULIN AGAR 500GM	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
302	BILE SALT POWDER 500GM	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
303	BRAIN HEART INFUSION AGAR 500 GRMS	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
304	Brain Heart Infusion Broth 50gm	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
305	CAFTRIAZONE TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
306	CARD WARMER CW 2400	unit	MICROEXPRESS/TULIP/HI MEDIA			
307	CARRY BLAIR W/O CHARCOAL 500 GRM	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
308	Cefadroxil TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
309	CEFAZOLIN TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
310	CEFEPIME TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
311	CEFEPIME/TAZOBATCAM TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
312	Cefixime TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
313	CEFOPERAZONE 75 MCG	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
314	CEFOPERAZONE/SULBACTAM 75/30 MCG	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
315	Cefotaxime 30mcg Tulip	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
316	CEFOXITIN30 TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
317	CEFOXITINE 30 MCG TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
318	CEFPODOXIME 10 MCG TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
319	Ceftazidime 30 MCG TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
320	CEFTAZIDIME/AVIBATCTAM TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
321	CEFTAZIDIME/CLAVULANIC ACID TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
322	CEFTAZIDIME/TAZOBACTAM TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
323	CEFTRIAZONE TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
324	Ceftriaxone/sulbactam TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
325	CEFUROXIME TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
326	CELLOBIOSE SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
327	CHLORAMPHENICOL TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
328	CIPROFLOXACIN TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
329	CLARITHROMYCIN TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
330	C.L.E.D. AGAR WITH ANDRADE INDICATORE	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
331	C.L.E.D. AGAR WITH BROMOTHYMOL BLUE 500 GMS	500 GM	MICROEXPRESS/TULIP/HI MEDIA			
332	CLINDAMYCIN TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
333	Clotrimazole TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			

334	Trimethoprim/Sulphamethoxazole TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
335	CLOXACILLIN	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
336	COLIFORM TEST KIT RAPID WATER QUALITY TESTING	1 Kit (1 Test)	MICROEXPRESS/TULIP/HI MEDIA			
337	COLISTIN TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
338	COLORCULT PAEDIATRIC CULTURE VIAL 40ML	VIAL	MICROEXPRESS/TULIP/HI MEDIA			
339	COLOURCULT TM AEROBIC CULTURE VIAL 30 ML	VIAL	MICROEXPRESS/TULIP/HI MEDIA			
340	COLOURCULT TM ANAEROBIC CULTURE 30 ML VIAL	25 X30 ML / PACK	MICROEXPRESS/TULIP/HI MEDIAVIAL			
341	COLOURCULT TM PAEDIATRIC CULTURE 40 ML VIAL	25 X40 ML / PACK	MICROEXPRESS/TULIP/HI MEDIA			
342	COOKED MEAT MEDIUM100 GR	100 GR	MICROEXPRESS/TULIP/HI MEDIA			
343	COOKED MEAT MEDIUM BROTH 500 GRM 1	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
344	CORN MEAL AGAR 500 GMS	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
345	DESOXYCHOLATE CITRATE AGAR 500 ML	500 ML	MICROEXPRESS/TULIP/HI MEDIA			
346	DEXTROSE SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
347	DORIPENEM 10 MCG	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
348	Doxycycline 30mcg Tulip	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
349	DULCITOL SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
350	Ecomax 500ml12%	500 ML	MICROEXPRESS/TULIP/HI MEDIA			
351	Eosin Yellow Solution 500 MI	500 ML	MICROEXPRESS/TULIP/HI MEDIA			
352	ERTAPENEM 10 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
353	ERYTHROMYCIN 15 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
354	FLUCONAZOLE	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
355	FOSFOMYCIN 200 5X100 DISK	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
356	FRUCTOSE SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
357	GALACTOSE SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
358	GATIFLOXACIN 5 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
359	GENTAMICIN 10 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
360	GENTAMICIN 120 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
361	GENTAMICIN 120MCG	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
362	GENTAMICIN 30 Mcg Singal Vial	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			

363	GIEMSA STAIN 500ML	500 ML	MICROEXPRESS/TULIP/HI MEDIA			
364	Glucose Broth 500g	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
365	Glucose Phosphates Broth Agar 500 Grm	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
366	HEMATOXYLIN HARRIS 500ML	500 ML	MICROEXPRESS/TULIP/HI MEDIA			
367	H & E STAIN 2X250 ML	KIT	MICROEXPRESS/TULIP/HI MEDIA			
368	Hichrome Uti Agar 500gm	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
369	HICOMBI DUAL PERFORMANCE MED	unit	MICROEXPRESS/TULIP/HI MEDIA			
370	IMIPENEM 10 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
371	INOSITOL SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
372	Inulin in (1vl)	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
373	INULIN SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
374	ITRACONAZOLE-10MCG SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
375	Ketoconazole 10 Mcg 100 Discs Tulip 12%	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
376	KETOCONAZOLE 10 MCG SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
377	KETOCONAZOLE 30MCG	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
378	KOH (POTASSIUM HYDROXIDE) 500GM	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
379	LACTOPHENOL COTTON BLUE 100ML	100 ML	MICROEXPRESS/TULIP/HI MEDIA			
380	LACTOSE SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
381	LEVOFLOXACIN 5 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
382	LEVOFLOXACIN 5MCG SINGAL VIAL 12%	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
383	LINCOMYCIN 2 MCG SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
384	Linezold 30 Mcg 5 Vials	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
385	LINEZOLID 30 MCG SINGAL VIAL 12%	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
386	LOMEFLOXACIN 10 MCG SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
387	Mac Conkey Agar 500 GR	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
388	MAC CONKEY AGAR	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
389	MALTOSE SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
390	MANNITOL SALT AGAR 500 GM	500 GM	MICROEXPRESS/TULIP/HI MEDIA			
391	MANNITOL SALT AGAR PLATE 100 PALTES	PER PLATE	MICROEXPRESS/TULIP/HI MEDIA			
392	MANNITOL SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
393	MANNOSE SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
394	MELIBIOSE SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
395	MEROPENEM 10 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			

396	MEROPENEM WITH & WITHOUT EDTA 30ST 12%	one vial	MICROEXPRESS/TULIP/HI MEDIA			
397	METHYL RED INDICATOR 125ML	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
398	MICHROM CANDIDA DIFFERENTIAL AGAR 500GM 18%	500 GM	MICROEXPRESS/TULIP/HI MEDIA			
399	MICHROM UTI AGAR 500GM 18%	500 GM	MICROEXPRESS/TULIP/HI MEDIA			
400	Michrom Uti Agar Plate 20 Plates	PlatePlate	MICROEXPRESS/TULIP/HI MEDIA			
401	MICROPRO BMD COLISTIN 25 TESTS	25 TEST /PACK	MICROEXPRESS/TULIP/HI MEDIA			
402	MICROPRO TM AST SUSCEPTIBLTY TEST PANER KIT GN2	20 TEST /PACK	MICROEXPRESS/TULIP/HI MEDIA			
403	MICROPRO TM -MIC ANALYZER	1 UNIT	MICROEXPRESS/TULIP/HI MEDIA			
404	MINOCYCLINE 30 MCG	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
405	MR-VP MEDIUM (GLUCOSE PHOSPHATE BROTH) 500GMS	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
406	MUELLER HINTON AGAR 500GM	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
407	Muller Hinton Agar Plate 20 Plates	Per Plate	MICROEXPRESS/TULIP/HI MEDIA			
408	MY COCULT 6 SLANT (LJ MEDIA) 12%	6 SLANT /PACK	MICROEXPRESS/TULIP/HI MEDIA			
409	MYCOSTAIN 125MLX3	KIT	MICROEXPRESS/TULIP/HI MEDIA			
410	NALIDIC ACID 30 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
411	Netilmicin 30 Mcg TULIP	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
412	NITROFURANTION 300 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
413	NORFOLAXCIN 10 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
414	Novobiocin 5UG Single Vial	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
415	NUTRIENT AGAR 500 GM	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
416	Nutrient Agar Plate 100 Plates	PER PLATE	MICROEXPRESS/TULIP/HI MEDIA			
417	NYSTATIN 100 UNITS SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
418	NYSTATIN 50 MCG SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
419	OFLOXACIN 5MCG TULIP	5VIAL	MICROEXPRESS/TULIP/HI MEDIA			
420	ONPG DISC	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
421	OPTOCHIN SINGLE VIAL 5 MCG	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
422	OXACILLIN 1MCG 100 Disk	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
423	OXIDASE DISC SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
424	OXIDASE DISH (50 DISH)	50 VIAL	MICROEXPRESS/TULIP/HI MEDIA			

425	PEFLOXACIN 5 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
426	PENICILLIN 10 UNITS	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
427	PENICILLIN 10 UNITS 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
428	Penicillin G Tulip	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
429	PEPTONE WATER 500 GR.	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
430	PHENYLALANINE AGAR 500 GR	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
431	PHOSPHATE BUFFER 500ML TULIP	500 ML	MICROEXPRESS/TULIP/HI MEDIA			
432	PHOSPHATES BUFFER SALINE 500 ML	500 ML	MICROEXPRESS/TULIP/HI MEDIA			
433	PIPERACILLIN100 MCG	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
434	PIPERACILLIN 100 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
435	PIPERACILLIN/ TAZOBACTAM 100/10 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
436	POLYMYXIN B 300	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
437	POLYMYXIN B 300 UNITS 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
438	POTATODEXTROSE AGAR 500 GR	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
439	RAFFINOSE SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
440	Rapid Bile Pigment 25ML	KIT	MICROEXPRESS/TULIP/HI MEDIA			
441	RAPID PAP/ ULTRA PAP 250 SMEAR KIT	KIT	MICROEXPRESS/TULIP/HI MEDIA			
442	RHAMNOSE SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
443	RIFAMPIN 5MCG SINGAL VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
444	Rnase Free Water 500 MI	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
445	SABOURAUD CHLORAMPHENICOL AGAR 500 GMS	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
446	Sabouraud Cycloheximide Chloramphenicol Agar 100 Gm	100 GR	MICROEXPRESS/TULIP/HI MEDIA			
447	Sabouraud Dextrose Agar 500 Gr	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
448	SALICIN SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
449	SELENITE F BROTH 500GM	500 GM	MICROEXPRESS/TULIP/HI MEDIA			
450	SIMMONS CITRATE AGAR 500GM	500 GM	MICROEXPRESS/TULIP/HI MEDIA			
451	SODIUM THIOSULPHATE500 GR	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
452	SORBITOL SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
453	SOYABEAN CASEIN DIGESTM 500 GR	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
454	STERITRANS TM 100	100 TUBE / PACK	MICROEXPRESS/TULIP/HI MEDIA			
455	STREPTOMYCIN 300 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
456	STUART TRANSPORT MEDIUM 500GM	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
457	SUCROSE SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			

458	TCBS AGAR 500 GMS	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
459	TEICOPLANIN 1X100 DISK	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
460	TEICOPLANIN 30 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
461	TELLURITE BLOOD AGAR BASE 500 GRM	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
462	TETRACYCLINE 30 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
463	TETRACYCLINE 30 MCG SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
464	TETRACYCLINE -40 Ug 1x100 Disk	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
465	THIOGLYCOLLATE BROTH 500GM	500 GM	MICROEXPRESS/TULIP/HI MEDIA			
466	TICAOLLIN 75MCG	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
467	TICARCILLIN/CLAVULANATE 75/10 MCG 5VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
468	TIGECYCLINE 15 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
469	TIGECYCLINE 15 MCG SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
470	Tobramycin 10 Mcg	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
471	TREHALOSE SINGLE VIAL	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
472	TRIPLE SUGAR IRON AGAR 500GM	500 GM	MICROEXPRESS/TULIP/HI MEDIA			
473	TULIP FIELD STAIN A & B 500 ML	KIT	MICROEXPRESS/TULIP/HI MEDIA			
474	TULIP STERISTIK (R) 100 NOS	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
475	Ultra Pap 250 SMEARS TULIP	KIT	MICROEXPRESS/TULIP/HI MEDIA			
476	ULTRA PAP 600 SMEARS TULIP	KIT	MICROEXPRESS/TULIP/HI MEDIA			
477	UREA AGAR BASE CHRISTENSEN 500 GR	500 GR	MICROEXPRESS/TULIP/HI MEDIA			
478	VANCOMYCIN 10 MCG SINGLE VILA	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
479	VANCOMYCIN 30 MCG 5 VIALS	5 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
480	VORICONAZOLE 1 MCG TULIP 12%	1 VIAL	MICROEXPRESS/TULIP/HI MEDIA			
481	XYLOSE LYSINE DESOXYCHOLATE AGAR 500 GMS	500 GM	MICROEXPRESS/TULIP/HI MEDIA			
482	Chest stand wall model	Per Pcs.				
483	Dental hanger	Per Pcs.				
484	X- ray developer 13.5 ltr	Per pkt.				
485	X-ray Fixer 13.5 ltr	Per pkt.				
486	u.s.g. jelly 250 gr	Per Pcs.				
487	E.C.G Jelly 250 gr.	Per Pcs.				
488	E.C.G Roll 8310m 210x20 ml	Per Pcs.				
489	EEG ELECTRODE	Per Pcs.				
490	EEG PASTE	Per Pcs.				

491	ECG battery digital	Per Pcs.				
492	ECR battery for 108 t	Per Pcs.				
493	ECG Belt	Per Pcs.				
494	ECG Cable for digital	Per Pcs.				
495	ECG Chest electrode	Per Pcs.				
496	ECG Clip	Per Pcs.				
497	ECG Roll for 108 T	Per Pcs.				
498	ECG Roll for 6108	Per Pcs.				
499	ECG ROLL 6208 VIEW	role				
500	ECG ROLL 9108	100 sheet				
501	E.C.G. ROLL Z FOLD	100 sheet				
502	ECG Rubber bulb	Per Pcs.				
503	ECG Trolley	Per Pcs.				
504	Glysrine 100 ml	Per Bottle				
505	Lead Aprin	Per Pcs.				
506	Lead Divider 7x17	Per Pcs.				
507	TMT Jelly 250 ml	Per Pcs.				
508	USG Jelly 250 gr.	Per Pcs.				
509	USG Printer Roll	Per Pcs.	Only sony			
510	USG Tissue paper roll	Per Pcs.				
511	X ray Cassetts 10x12	Per Pcs.				
512	X ray Cassetts 12x15	Per Pcs.				
513	X ray Cassetts 14x17	Per Pcs.				
514	X ray Cassetts 6.5x8.5	Per Pcs.				
515	X ray Cassetts 8x10	Per Pcs.				
516	X ray film 10x12 (50 Films)	Per Pkt.				
517	X ray film 12x15 (50 Films)	Per Pkt.				
518	X ray film 6.5x8.5 (50 Films)	Per Pkt.				
519	X ray film 8x10 (50 Films)	Per Pkt.				
520	Chest stand wall model	Per Pcs.				
521	Dental hanger	Per Pcs.				
522	X- ray developer 13.5 ltr	Per pkt.				
523	X-ray Fixer 13.5 ltr	Per pkt.				
524	u.s.g. jelly 250 gr	Per Pcs.				

525	E.C.G Jelly 250 gr.	Per Pcs.			
526	E.C.G Roll 8310m 210x20 ml	Per Pcs.			
527	EEG ELECTRODE	Per Pcs.			
528	EEG PASTE	Per Pcs.			
529	ECG battery digital	Per Pcs.			
530	ECR battery for 108 t	Per Pcs.			
531	ECG Belt	Per Pcs.			
532	ECG Cable for digital	Per Pcs.			
533	ECG Chest electrode	Per Pcs.			
534	ECG Clip	Per Pcs.			
535	ECG Roll for 108 T	Per Pcs.			
536	ECG Roll for 6108	Per Pcs.			
537	ECG ROLL 6208 VIEW	role			
538	ECG ROLL 9108	100 sheet			
539	E.C.G. ROLL Z FOLD	100 sheet			
540	ECG Rubber bulb	Per Pcs.			
541	ECG Trolley	Per Pcs.			
542	Glysrine 100 ml Per Bottle	Per Bottle			
543	Lead Aprin	Per Pcs.			
544	Lead Divider 7x17	Per Pcs.			
545	TMT Jelly 250 ml	Per Pcs.			
546	USG Jelly 250 gr.	Per Pcs.			
547	USG Printer Roll	Per Pcs.	Only sony		
548	USG Tissue paper roll	Per Pcs.			
549	X ray Cassetts 10x12	Per Pcs.			
550	X ray Cassetts 12x15	Per Pcs.			
551	X ray Cassetts 14x17	Per Pcs.			
552	X ray Cassetts 6.5x8.5	Per Pcs.			
553	X ray Cassetts 8x10	Per Pcs.			
554	X ray film 10x12 (50 Films)	Per Pkt.			
555	X ray film 12x15 (50 Films)	Per Pkt.			
556	X ray film 6.5x8.5 (50 Films)	Per Pkt.			
557	X ray film 8x10 (50 Films)	Per Pkt.			
558	X- ray Hanger 10x12	Per Pcs.			

559	X- ray Hanger12x15	Per Pcs.			
560	X- ray Hanger 14x17	Per Pcs.			
561	X- ray Hanger 6.5x8.5	Per Pcs.			
562	X- ray Hanger 8x10	Per Pcs.			
563	X- ray Screen 10x12	Per Pcs.	Fuji/ Kodak/Jindal		
564	X- ray Screen 12x15	Per Pcs.	Fuji/ Kodak/Jindal		
565	X- ray Screen 14x17	Per Pcs.	Fuji/ Kodak/Jindal		
566	X- ray Screen 6.5x8.5	Per Pcs.	Fuji/ Kodak/Jindal		
567	X- ray Screen 8x10	Per Pcs.	Fuji/ Kodak/Jindal		
568	ECG Machine battery Charger	Per Pcs.			
569	TMT Electrode	Per Pcs			
570	TMT Report Chart	Pkt			
571	X ray Film Dental	Per Pkt.	Fuji/ Kodak/Jindal		
572	X ray film 14x17	Per Pkt.	Fuji/ Kodak/Jindal		
573	8 x 10 digital X ray film (150 Films)	Per Pkt.	Fuji		
574	10 x 12 digital X ray film (150 Films)	Per Pkt.	Fuji		
575	11 x 14 digital X ray film (150 Films)	Per Pkt.	Fuji		
576	14 x 17 digital X ray film	Per Pkt.	Fuji		
577	Dental & Occlusal X ray films 57x76 mm	Per Pkt.	Fuji/ Kodak/Jindal		
578	Imaging Plate and Cassettes(C.R.System) 08"x10"	Per Pcs.	Fuji		
579	Imaging Plate and Cassettes(C.R.System) 10"x12"	Per Pcs.	Fuji		
580	Imaging Plate and Cassettes(C.R.System) 14"x17"	Per Pcs.	Fuji		
581	Protactive Screen (Mobile) Lead Barriar with Lead Glass window	Per Pcs.			

नोट :- 1.निविदा में आईटमों का मेक अंकित करना होगा। (निविदा प्रपत्र में लिखे अनुसार)

2. तकनीकी समिति की अभिशंषा पर चाहे गये आईटमों के सेम्पलों जांच हेतु प्रस्तुत करनेहोंगे। सेम्पल प्रस्तुत नहीं किये जाने पर आपकी निविदा पर कोई विचार नहीं कियाजायेगा।

3. Price should be quouted as per company and pack size mentioned in tender documents strictly.

4. Tenderer will submit original copy of tender specific authorization with technical bid othwise tender will be rejected.

सचिव,
राजस्थान मेडिकेअर रिलीफ सोसायटी,
राजकीय बांगड चिकित्सालय, पाली

Signature of the Tendererwith seal of the Firm
Phone No.
Mobile No.

