

## Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687744731210

Generated Date | अनुबंध तिथि: 29-Dec-2023

Organisation Details   संगठन विवरण	Buyer Details   खरीदार विवरण
Type   प्ररूप: Central Autonomous Ministry   मंत्रालय: Ministry of Education Department   विभाग: Department of Higher Education Organisation Name   संगठन का नाम: Indian Institute of Technology (IIT) Office Zone   कार्यालय क्षेत्र: Kanpur	Designation   पद: Jr Assistant 3 Contact No.   संपर्क नंबर: - Email ID   ईमेल आईडी: saurabhsingh222.asi@gov.in GSTIN   जीएसटीआईएन: - Address   पता: Central Store & Purchase Section, IIT Kanpur, GT Road, Kalyanpur 208016 (UP), KANPUR NAGAR, UTTAR PRADESH-208016, India

Financial Approval Detail   वित्तीय स्वीकृति विवरण	Paying Authority Details   भुगतान प्राधिकरण विवरण
IFD Concurrence   आईएफडी सहमति: No Designation of Administrative Approval   प्रशासनिक अनुमोदन का पदनाम: HOD Designation of Financial Approval   वित्तीय अनुमोदन का पदनाम: HOD	Role: PAO Payment Mode   भुगतान का तरीका: Offline Designation   पद: Deputy Registrar Email ID   ईमेल आईडी: pay1.iitk.up@gembuyer.in GSTIN   जीएसटीआईएन: N Address   पता: Kalyanpur, Kanpur, KANPUR CITY, UTTAR PRADESH-208016, India

Seller Details   विक्रेता विवरण	
GeM Seller ID   जेम विक्रेता आईडी: 763B180000112818 Company Name   कंपनी का नाम: M/S OMEGA BIOTECH Contact No.   संपर्क नंबर: 09415402726 Email ID   ईमेल आईडी: omega.anupam@gmail.com Address   पता: S-14, 2ND FLOOR, KARAMAT MARKET, MAHANAGAR, LUCKNOW, Lucknow, UTTAR PRADESH-226006, - MSME Registration number   एमएसएमई पंजीकरण संख्या: UDYAM-UP-50-0014906 MSE Social Category   एमएसई सामाजिक श्रेणी: General MSE Gender   एमएसई लिंग श्रेणी: Male GSTIN   जीएसटीआईएन: 09AHFPG3973N1ZT	

\*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Consignee

Delivery Instructions | वितरण निर्देश: NA

#	Item Description   आइटम विवरण	Ordered Quantity   आइटम विवरण	Unit   इकाई	Unit Price (INR)   इकाई मूल्य (INR)	Tax Bifurcation (INR)   कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR)   मूल्य (INR में सभी शुल्क और कर सहित)
1	<b>Product Name</b>   उत्पाद का नाम: Thermo Scientific Refrigerated Centrifuge with LCD display <b>Brand</b>   ब्रांड: Thermo Scientific <b>Brand Type</b>   ब्रांड प्रकार: Registered Brand <b>Catalogue Status</b>   कैटलॉग की स्थिति: OEM verified catalogue <b>Selling As</b>   कैसे बेचा जा रहा है: OEM verified Reseller <b>Category Name &amp; Quadrant</b>   श्रेणी का नाम और चतुर्थांश: Refrigerated Centrifuge For General And Research Purpose (Q3) <b>Model</b>   मॉडल: Sorvall ST8R <b>HSN Code</b>   एचएसएन कोड: HSN not specified by seller	1	pieces	497,606	NA	497,606
Total Order Value   कुल ऑर्डर मूल्य (in INR)						497,606

Consignee Detail   परेषिती विवरण						
S.No   क्र.सं.	Consignee   परेषिती	Item   वस्तु	Lot No.   लॉट नंबर	Quantity   मात्रा	Delivery Start After   दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By   वितरण पूरा कब तक करना है
	Designation   पद: Sr Assistant Email ID   ईमेल आईडी: con2.iitk.up@gembuyer.in Contact   संपर्क: 512-2597316	Thermo Scientific				

1	GSTIN   जीएसटीआईएन : 09AAAJI0169A1ZN Address   पता : Central Store & Purchase Section, IIT Kanpur, GT Road, Kalyanpur 208016 (UP), KANPUR NAGAR, UTTAR PRADESH-208016, India	Refrigerated Centrifuge with LCD display	-	1	29-Dec-2023	13-Jan-2024
---	---	--	---	---	-------------	-------------

### Product Specification for Thermo Scientific Refrigerated Centrifuge with LCD display

Specification   विनिर्देश	Sub-Spec   उप-विनिर्देश	Value   मूल्य
Standards	Conformity to standards	European CE (Notified Body)With 4 Digit Notified Body No.
	Certificate date and number	08-06-2011, 2011/65/EU
Performance Parameters	Purpose	Research and routine purpose
	Centrifuge design	Bench Top
	Weight including Rotor in kgs	60
	Maximum RPM with no load	12000 to 15000 or above
	"Number of steps of RPM Variation available in the settings (correspondingly RCF also varies) "	1
	RPM setting accuracy	plus minus 5%
	Type of Motor	Brushless(without carbons)
	Accessories	instruction manual book,printed English user manual,USB stick with 28 languages of user manual,corrosion resistance oil (70009824),power cord
	Type of lid lock	Both Manual and Electronic
	Maximum Noise level when working at 1 meter distance in db	52
	Ambient operating Temperature range in Degree centigrade Celsius and humidity range	-9 deg C to +40 deg C, per 1 deg C increment
	Rotor imbalance diagnostics and automatic stop if required	Yes
	No of acceleration and deceleration profiles in built for rotor speed while automatic braking	Time Set Range 1 min – 99 min; 1 min increments
	Maximum timer set point	max 99h, 59min, 59sec
	Parameters to be displayed by the digital display	RPM,RCF,Set time,Run time,Rotor running indication ,imbalancing if any
	Display Type	LCD
	Speed controller	Microprocessor controlled pre programmed speed controller which can control RPM as well as RCF
	Speed Control tolerance in case of set speed (Plus minus RPM ) in percentage	10
	Temperature controller	Micro processor based PID Digital temperature controller cum Indicator, (With LCD Display) to control the Temperature from +40° C up to -20°C
	Configuration of Rotor supplied with centrifuge machine	swing out and angle rotor
	Rotor Feature with reference to Autoclavability	Autoclavable Rotor @121 Degree Celsius
	Type of Tubes which can be used with centrifuge machine	Polypropylene Centrifuge tubes and Glass centrifuge tubes
	Size of rotor supplied with centrifuge in ml	"6x50 mL(for angle rotor) RPM 13000", "24x1.5ml(for angle rotor) RPM 16000"
	Maximum RCF	30279
	Power supply	220 Volts 50 Hz AC ± 10%
	Power consumption in watts	660
	Length of the Centrifuge in mm	700
	Width of the Centrifuge in mm	400
	Height of of the Centrifuge in mm	360
	Length of Power cord in meters	3
Refrigerant should be CFC free	Yes	
Temperature of refrigerator in degree Celsius	-10 deg C to +40 deg C, +/- 2 deg C	
Cooling arrangement	Compressor Cooling	
Temperature control accuracy	± 2°C	
Warranty period for equipment & Rotor (on site and comprehensive warranty) in years	2	

	Maximum Noise level when working at 1 meter distance in db	52
Material Parameters	Assembly Material for manufacture of Centrifuge	Die cast Aluminum, Aluminum sheet, Stainless Steel, CRC Steel, Plastic and Rubber
	"Lid Material of Centrifuge "	CRC Steel finish with powder coating or stove painting or ABS Plastic of injection moulding
	Body material of Centrifuge	C.R.C Steel Finish with Powder Coating/ Stove Painting.
	Front Panel of centrifuge	CRC Steel finish with powder coating or stove painting or ABS Plastic of injection moulding
	Centrifuge Bowl material in Centrifuge	Double walled with PUF Insulation to avoid loss of Cooling. Inner Chamber made of 304 Quality Stainless Steel Moulded
	Material of Rotor	Aluminum or Carbon Fiber
Additional Parameters	Condensed Water Drainage System	No
	The Equipment shall be installed and demonstrated before Acceptance	Yes
	Servo Controller Voltage Stabilizer supplied with Item	No
	Servo stabilizer ratings in KVA	Not supplied
	Warranty of stabilizer in years	NA(If no stabilizer provided)
	Auto cut off	Yes
	Timer provided	Yes
Reports	Certifications of Manufacturer	ISO 9001:2015
	ISO Certificate date and number	19 October 2020 and 1798.201019
	Copies of all certifications and reports to be provided to buyer on demand at time of supplies	Yes

## ePBG Detail | ईपीबीजी विवरण

NA

## Terms and Conditions | नियम और शर्तें

### 1. Special terms and conditions- Version:3 effective from 11-11-2022

#### 1.1

- All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by *Central Drugs Standard Control Organisation (CDSCO)*, Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
- The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
- The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.
- Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
- Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
- Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
- Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
- Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.  
OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
- Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any

requirements regarding the installations, training and manuals the same shall also be applicable.

10. **Electrical safety checking:** Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
11. **Software:** All software updates should be provided free of cost during warranty period.
12. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

## 2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।