

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687720611291

Generated Date | अनुबंध तिथि: 29-Dec-2023

Organisation Details संगठन विवरण	Buyer Details खरीदार विवरण
Type प्ररूप : Central Autonomous Ministry मंत्रालय : Ministry of Agriculture and Farmers Welfare Department विभाग : Department of Agricultural Research and Education (DARE) Organisation Name संगठन का नाम : Indian Council of Agricultural Research (ICAR) Office Zone कार्यालय क्षेत्र : Indian Agricultural Research Institute, New Delhi	Designation पद : Ms Lata Sood AAO Agril Physics Contact No. संपर्क नंबर : - Email ID ईमेल आईडी : buyer418.icari.dl@gembuyer.in GSTIN जीएसटीआईएन : - Address पता : IARI Pusa Campus IARI New Delhi 110012, NEW DELHI, DELHI-110012, India

Financial Approval Detail वित्तीय स्वीकृति विवरण	Paying Authority Details भुगतान प्राधिकरण विवरण
IFD Concurrence आईएफडी सहमति : No Designation of Administrative Approval प्रशासनिक अनुमोदन का पदनाम : aao Designation of Financial Approval वित्तीय अनुमोदन का पदनाम : Head Physics	Role: BUYER Payment Mode भुगतान का तरीका : Offline Designation पद : Ms Lata Sood AAO Agril Physics Email ID ईमेल आईडी : buyer418.icari.dl@gembuyer.in GSTIN जीएसटीआईएन : - Address पता : IARI Pusa Campus IARI New Delhi 110012, NEW DELHI, DELHI-110012, India

Seller Details विक्रेता विवरण	
GeM Seller ID जेम विक्रेता आईडी : 05XU210003755914 Company Name कंपनी का नाम : NAVYA ENTERPRISES Contact No. संपर्क नंबर : 09509675447 Email ID ईमेल आईडी : navyaenterprises30@gmail.com Address पता : 2nd Floor, A-31, Phase- 1, Industrial Area, Naraina Vihar, Naraina Vihar, Naraina Vihar, South West delhi, DELHI-110028, - MSME Registration number एमएसएमई पंजीकरण संख्या : UDYAM-DL-01-0020105 MSE Social Category एमएसई सामाजिक श्रेणी : General MSE Gender एमएसई लिंग श्रेणी : Male GSTIN जीएसटीआईएन : 07bcfpj8844m1z1	

*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Consignee

Delivery Instructions | वितरण निर्देश : NA

#	Item Description आइटम विवरण	Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR में सभी शुल्क और कर सहित)
1	Product Name उत्पाद का नाम : LABWAN Bench Type Water Quality Meter / Analyzer Measuring Multi Parameter Water Quality Analyzer 3 year Year Warranty Brand ब्रांड : LABWAN Brand Type ब्रांड प्रकार : Registered Brand Catalogue Status कैटलॉग की स्थिति : Catalogue not verified by OEM Selling As कैसे बेचा जा रहा है : Reseller not verified by OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : Water Quality Meters / Analyzers (Q3) Model मॉडल : LWQM-300 HSN Code एचएसएन कोड : HSN not specified by seller	1	pieces	83,000	NA	83,000
Total Order Value कुल ऑर्डर मूल्य (in INR)						83,000

Consignee Detail परेषिती विवरण						
S.No क्र.सं.	Consignee परेषिती	Item वस्तु	Lot No. लॉट नंबर	Quantity मात्रा	Delivery Start After दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By वितरण पूरा कब तक करना है
	Designation पद : AAO Email ID ईमेल आईडी : con15.icari.dl@gembuyer.in Contact संपर्क : 011-25842321-	LABWAN Bench Type Water Quality Meter / Analyzer Measuring				

1	GSTIN जीएसटीआईएन : - Address पता : IARI Pusa Campus IARI New Delhi 110012, NEW DELHI, DELHI-110012, India	Multi Parameter Water Quality Analyzer 3 year Year Warranty	-	1	29-Dec-2023	13-Jan-2024
Product Specification for LABWAN Bench Type Water Quality Meter / Analyzer Measuring Multi Parameter Water Quality Analyzer 3 year Year Warranty						
Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य				
TYPE / NOMENCLATURE / PROTECTION	Type of Meter / Analyzer	Bench Type				
	Functional nomenclature	Multi Parameter Water Quality Analyzer				
	Ingress Protection (Main Unit)	IP 55				
	Calibration	Automatic				
MEASURED WATER QUALITY PARAMETERS	Dissolved Oxygen (DO)	No				
	DO % Saturation	No				
	Conductivity	Yes				
	Resistivity	Yes				
	Salinity	Yes				
	Total Dissolved Solids (TDS)	Yes				
	pH	Yes				
	Oxidation Reduction Potential (ORP)	Yes				
	Ammonium	No				
	Nitrate	No				
	Chloride	No				
	Turbidity	No				
	Depth	No				
	Temperature	Yes				
Atmospheric Pressure	No					
MEASUREMENT OF DISSOLVED OXYGEN (DO) / DO % Saturation	Dissolved Oxygen (DO) measurement Principle	NA				
	Sensor / Probe/ Electrode Type	NA				
	Measurement Range for DO Content (in ppm or mg/l)	NA				
	Resolution (in ppm or mg/l)	NA				
	DO Accuracy (+/-)	0 percent				
	Measurement Range for DO % Saturation (in %)	NA				
	Resolution (in %)	NA				
DO % Accuracy (+/-)	0 percent					
MEASUREMENT OF CONDUCTIVITY (EC)	Conductivity measurement principle	Conductive (contacting)				
	Sensor/ Probe/Electrode Type	NA				
	Material of Electrode	NA				
	Measurement Range (in $\mu\text{S}/\text{cm}$)	0-500				
	Resolution (in mho or $\mu\text{S}/\text{cm}$)	0.001,0.01,0.1				
	EC Accuracy (+/-)	1 percent				
MEASUREMENT OF RESISTIVITY	Resistivity measurement principle	Conductivity Conversion				
	Lowest Measurement Value for Resistivity (in ohm-cm)	2				
	Highest Measurement Value for Temperature ($^{\circ}\text{C}$)	20				
	Resolution (in ohm-cm)	NA				
	Resistivity Accuracy(+/-)	1 percent				
MEASUREMENT OF SALINITY	Salinity measurement principle	Conductivity Conversion				
	Measurement Range (in parts per thousand or g/l or PSU)	0-80				
	Resolution (in g/l)	0.01				
	Salinity Accuracy (+/-)	1 percent				
	TDS measurement principle	Conductivity Conversion				

MEASUREMENT OF TOTAL DISSOLVED SOLIDS (TDS)	TDS Measurement Range (in parts per thousand or g/l)	0-500
	Resolution (in g/l)	0.001
	TDS Accuracy (+/-)	1 percent
MEASUREMENT OF pH	pH measurement principle	Electro chemical
	Sensor / Probe / Electrode Type	Glass Electrode
	Number of Sensors / Electrodes	Single Electrode
	pH Measurement Range	0-14
	Resolution (in pH number)	0.01,0.1
	pH Accuracy (+/-)	0.002 percent
MEASUREMENT OF OXIDATION REDUCTION POTENTIAL (ORP)	ORP measurement principle	Electro chemical
	Sensor / Probe/ Electrode Type	NA
	Number of Sensors /Electrodes	NA
	Lowest Measurement Value for ORP (in mV)	0
	Highest Measurement Value for ORP (in mV)	2000
	Resolution (in \pm mV)	0.1
	ORP Accuracy (+/-)	0.2 percent
MEASUREMENT OF AMMONIUM	Sensor / Probe/ Electrode Type	NA
	Measurement Range (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	Ammonium Accuracy (+/-)	0 percent
MEASUREMENT OF NITRATE	Sensor / Probe/ Electrode Type	NA
	Measurement Range (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	Nitrate Accuracy (+/-)	0 percent
MEASUREMENT OF CHLORIDE	Sensor/Probe/Electrode Type	NA
	Measurement Range (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	Chloride Accuracy (+/-)	0 percent
MEASUREMENT OF TURBIDITY	Turbidity measurement principle	NA
	Light Source	NA
	Measurement of scattered light	NA
	Lowest Measurement Value for Turbidity (in FNU or NTU)	NA
	Highest Measurement Value for Turbidity (in FNU or NTU)	NA
	Resolution (in FNU or FTU)	0.01
	Turbidity Accuracy (+/-)	0.3 percent
MEASUREMENT OF TEMPERATURE	Sensor/Probe Type	Semi Conductor Based Thermister
	Lowest Measurement Value for Temperature ($^{\circ}$ C)	0
	Highest Measurement Value for Temperature ($^{\circ}$ C)	100
	Resolution ($^{\circ}$ C)	0.01
	Temperature Accuracy (+/-)	0.3 percent
MEASUREMENT OF PRESSURE	Sensor /Probe Type	NA
	Lowest Measurement Value for Pressure (in mmHg)	NA
	Highest Measurement Value for Pressure (in mmHg)	NA
	Resolution (in mmHg)	NA
	Pressure Accuracy (+/-)	0 percent
MEASUREMENT OF DEPTH	Measurement Method	NA
	Depth Measurement Range (in meters)	NA

	Length of Cable connecting peobe (inclusive in the scope of supply)	0 meter
COMPENSATION / CORRECTION	Temperature correction	NA
	Salinity Correction	NA
	Barometric Pressure correction	NA
DISPLAY / STORAGE	Type of Display	LCD with Backlight
	Display Digit Size	0 millimeter
	Number of Digits in Display	7
	Number of parameters diplayed simultaneously	5
	Memory (in Data Sets)	500
	Internal memory (GB)	0
	In-built GPS	No
	Date /time Stamp in Entries	No
Connectivity interface	RS 232	
POWER SOURCE	Power Source	Alkaline Batteries (Non-Rechargeable)
	Battery Size, if Non Rechargeable Battery	NA
	Battery Chemistry, if Rechargeable Battery	NA
	Voltage of each Battery	0 Volt
	Number of Batteries required for operation	0
	Number of Batteries Inclusive in the Scope of Supply	0
	Battery Capacity (mAh)	0
	Battery Life	500 hour
Suitable Adapter to be supplied to make the equipment Work on 230 V ± 10 %, 50 Hz	Yes	
GENERIC	Armour housing of Sensor / Probe	Plastic
	Probe / Sensor / Electrode supplied with equipment	Yes
	Number of elctrodes supplied	2
	Weight	1800 gram
	Dimensions (mm x mm x mm)	30.8lx23.5wx12.4h
	Carry Case included in the scope of supply	No
	Any other features	NA
	List of Items and Quantity of each item included in the offer	NA
OPERATING CONDITIONS	Minimum Operating Temperature	0 degree Celsius
	Maximum Operating Temperature	70 degree Celsius
	Operating Humidity, Rh at 40 deg C	65 percent
WARRANTY	Warranty on Equipment	3 year
	Warranty on Probe / Electrode	6 month
	Warranty on Cables for Connecting Probe	1 year
CERTIFICATION	Availability of Test Reports from Central Govt / NABL approved / ILAC accredited Lab to prove conformity to the specification	No
	If Yes, Test Report to be furnished to the Buyer on demand	NA
	Test Report No and Date	NA
	Name of the Lab and Address	NA

Note | टिप्पणी: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ePBG Detail | ईपीबीजी विवरण

NA

Terms and Conditions | नियम और शर्तें

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।