

## Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687754229420

Generated Date | अनुबंध तिथि: 29-Dec-2023

## Organisation Details | संगठन विवरण

Type | प्ररूप: State Government  
Ministry | मंत्रालय: -  
Department | विभाग: Ports and Transport Department Gujarat  
Organisation Name | संगठन का नाम: Commissionerate Of Transport  
Office Zone | कार्यालय क्षेत्र: Gandhinagar 382010

## Buyer Details | खरीदार विवरण

Designation | पद: RTO MEHSANA  
Contact No. | संपर्क नंबर: 02762-225078-  
Email ID | ईमेल आईडी: rto-trans-meh@gujarat.gov.in  
GSTIN | जीएसटीआईएन: -  
Address | पता: RTO MEHSANA, Near Khari Nadi, Palavasna highway, Mehsana, MAHESANA, GUJARAT-384002, India

## Financial Approval Detail | वित्तीय स्वीकृति विवरण

IFD Concurrence | आईएफडी सहमति: No  
Designation of Administrative Approval | प्रशासनिक अनुमोदन का पदनाम: ARTO  
Designation of Financial Approval | वित्तीय अनुमोदन का पदनाम: ARTO

## Paying Authority Details | भुगतान प्राधिकरण विवरण

Role: BUYER  
Payment Mode | भुगतान का तरीका: Offline  
Designation | पद: RTO MEHSANA  
Email ID | ईमेल आईडी: rto-trans-meh@gujarat.gov.in  
GSTIN | जीएसटीआईएन: -  
Address | पता: RTO MEHSANA, Near Khari Nadi, Palavasna highway, Mehsana, Mahesana, GUJARAT-384002, India

## Seller Details | विक्रेता विवरण

GeM Seller ID | जेम विक्रेता आईडी: A5CD180000094577  
Company Name | कंपनी का नाम: NILKANTH ENTERPRISE  
Contact No. | संपर्क नंबर: 09924043218  
Email ID | ईमेल आईडी: nilkanthent2005@gmail.com  
Address | पता: M-20, A.B.PATEL TOWER,NR. MODHERA CROSS ROAD,HIGHWAY,MEHSANA, Mahesana, GUJARAT-384002, -  
MSME Registration number | एमएसएमई पंजीकरण संख्या: UDYAM-GJ-14-0005348  
MSE Social Category | एमएसई सामाजिक श्रेणी: OBC  
MSE Gender | एमएसई लिंग श्रेणी: Male  
GSTIN | जीएसटीआईएन: 24AAHFN9290J1ZT

\*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Buyer

## Delivery Instructions | वितरण निर्देश: NA

## Product Details | उत्पाद विवरण

#	Item Description   आइटम विवरण	Ordered Quantity   आइटम विवरण	Unit   इकाई	Unit Price (INR)   इकाई मूल्य (INR)	Tax Bifurcation (INR)   कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR)   मूल्य (INR में सभी शुल्क और कर सहित)
1	<p>Product Name   उत्पाद का नाम: Securus 4MP BULLET CAMERA Brand   ब्रांड: Securus Brand Type   ब्रांड प्रकार: Registered Brand Catalogue Status   कैटलॉग की स्थिति: OEM verified catalogue Selling As   कैसे बेचा जा रहा है: OEM verified Reseller Category Name &amp; Quadrant   श्रेणी का नाम और चतुर्थांश: Camera for CCTV System (Q2) Model   मॉडल: SS-NC20L2XP-SEF-M3 HSN Code   एचएसएन कोड: HSN not specified by seller</p>	1	pieces	4,220.35	NA	4,220.35

Total Order Value | कुल ऑर्डर मूल्य (in INR)

4,220.35

## Consignee Detail | परेषिती विवरण

S.No   क्र.सं.	Consignee   परेषिती	Item   वस्तु	Lot No.   लॉट नंबर	Quantity   मात्रा	Delivery Start After   दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By   वितरण पूरा कब तक करना है
	Designation   पद: RTO MEHSANA Email ID   ईमेल आईडी: rto-trans-meh@gujarat.gov.in Contact   संपर्क: 02762-225078-					

1	GSTIN   जीएसटीआईएन : - Address   पता : RTO MEHSANA, Near Khari Nadi, Palavasna highway, Mehsana, MAHESANA, GUJARAT-384002, India	Securus 4MP BULLET CAMERA	-	1	29-Dec-2023	13-Jan-2024
---	---	------------------------------	---	---	-------------	-------------

### Product Specification for Securus 4MP BULLET CAMERA

Specification   विनिर्देश	Sub-Spec   उप-विनिर्देश	Value   मूल्य
IMAGE SENSOR	Image Sensor Type	CMOS
	Image Sensor Size	0.37 inch
	Camera Image Sensing capacity (Picture Mode)	4MP
	Resolution	D1 (704 x 480 Pixel),HD (1280 x 720 Pixel),Full HD (1920 x 1080 Pixel),2688x 1520
	Day/Night Capable	Yes
	IR illumination Range(mtr)	30
CAMERA TYPE	Type of Camera Housing	BULLET CAMERA
	IP Camera	Yes
	PTZ Camera	No
OPTICS	Lens Type	Fixed
	Focal Length(mm)	3.6
	Iris Control	Yes
	Focus Mode	Auto
VIDEO	Frame Rate (fps)	25,30
	Video Compression	H.264,H.265,H.265+
	Video Streaming	Dual compressed stream
PAN / TILT / ZOOM	Panning Range	NA
	Pan Speed (deg/sec)	NA
	Tilt Range below horizontal (deg)	NA
	Tilt Range above horizontal (deg)	NA
	Tilt Speed (deg/sec)	NA
	Optical Zoom	NA
	Digital Zoom	16X
AUDIO	Audio Support	No
	Audio Compression	NA
	Audio Streaming	NA
	Number of Audio Input Channel	NA
	Number of Audio Output Channel	NA
	External Microphone Support	No
ALARM	Alarm Support	No
	Number of Alarm Digital Input	NA
	Number of Alarm Relay Output	NA
	Pre/Post Alarm Buffer	No
SECURITY	Multi Level User ID/Password	Yes
	IP Address Filtering	Yes
	Encrypted Data Transmission	HTTPS (SSL/TSL)
PERFORMANCE	Minimum Illumination for Capturing Color Image	0.01 lux
	Electronic Shutter Speed(sec)	1/25 to 1/50000
	WDR (Wide Dynamic Range)	120 dB
	SNR (Signal to Noise Ratio)	50-60
	Auto Exposure	Auto Level Control,Electronic Level Control
	White Balance ( Indoor/Out door/Manual	

FEATURES	Selectable)	Yes
	Auto Gain Control (On/Off selectable)	Yes
	Back Light Compensation	Yes
	Remote Administration (Remote configuration and status using web based tool)	Yes
	Remote System Update Over Network	Yes
	PC Client (PC application client with a channel recording feature support)	Yes
	Web Client (Viewer through HTTP system configuration)	Yes
	On Screen Display in English	Yes
	ONVIF Support	Yes
	Presets	0
	Group Touring	0
	Privacy Zones	4
	NETWORK AND INTERFACE	Supported Protocols
IP Support		Static,Dynamic
Signal Processing		Digital Signal Process
IPv6 ready		Yes
Wireless		No
STORAGE	Simultaneous Connections	8
	On Board SD Card Support	No
HOUSING	SD Card Memory(GB)	NA
	Installation Type	Indoor,Outdoor
	Material of the Housing construction	Plastic
	Protection	IP67
	Vandal Resistant Housing	No
	If Yes, IK rating	NA
	Mounting bracket	Wall Mounted
	Weight	1000 gram
POWER SUPPLY	Dimensions (mm x mm x mm)	NA
	Power Input	12 V DC,PoE
	Power Consumption	8.5 Watt
OPERATING CONDITIONS	Suitable Adapter Shall be Supplied to Make the Equipment Work on 230 V (+/- 10 %), 50 Hz	NA
	Operating Temperature Range	-10 to +50 deg C
WARRANTY / SERVICES	Relative Humidity Non Condensing (%)	90
	Warranty	3 year
	Time for Replacement of Defective Product During Warranty Period	72 hour
ENVIRONMENTAL /	Supply of Compatible drivers and software included	No
	Availability of facility & infrastructure for verification of all parameters, features, and capability with Seller	Yes
	Availability of facility to test signal to noise ratio of camera at 0-01 lux	Yes
	Conformity to Dry Heat test at 55 degree C for 16 hours as per IS :9000 latest	Yes
	Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest	Yes
Conformity to Cold test at -10 / -20 degree C	Yes	

CERTIFICATION	for 4 hours as per IS: 9000 latest, as applicable	
	BIS Registration for safety general requirements as per IS 13252 (Part 1):latest	Yes
	Availability of Type Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	No
	Test Report Number and Date	NA
	Name and Address of Test Lab	NA
	Certification	FCC,CE,RoHS

#### ePBG Detail | ईपीबीजी विवरण

NA

#### Terms and Conditions | नियम और शर्तें

##### 1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।