

## Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687735514203

Generated Date | अनुबंध तिथि: 29-Dec-2023

Organisation Details   संगठन विवरण	Buyer Details   खरीदार विवरण
Type   प्ररूप : State Government	Designation   पद : MAHEKAM CLERK
Ministry   मंत्रालय : -	Contact No.   संपर्क नंबर : 02832-221758-
Department   विभाग : Labour and Employment Department Gujarat	Email ID   ईमेल आईडी : buycon46.det.gj@gembuyer.in
Organisation Name   संगठन का नाम : Directorate of Employment & Training	GSTIN   जीएसटीआईएन : 24RKTD01728G1D3
Office Zone   कार्यालय क्षेत्र : DISTRICT EMPLOYMENT OFFICE BHUJ	DISTRICT EMPLOYMENT OFFICE BHUMALI BHAVAN ROOM
	Address   पता : 102/103 BHUJ-KUTCH, KACHCHH, GUJARAT-370001, India

Financial Approval Detail   वित्तीय स्वीकृति विवरण	Paying Authority Details   भुगतान प्राधिकरण विवरण
IFD Concurrence   आईएफडी सहमति : No	Role : BUYER
Designation of Administrative Approval   प्रशासनिक अनुमोदन का पदनाम : District Employment Officer Bhuj-Kutch	Payment Mode   भुगतान का तरीका : Offline
Designation of Financial Approval   वित्तीय अनुमोदन का पदनाम : District Employment Officer Bhuj-Kutch	Designation   पद : MAHEKAM CLERK
	Email ID   ईमेल आईडी : buycon46.det.gj@gembuyer.in
	GSTIN   जीएसटीआईएन : 24RKTD01728G1D3
	DISTRICT EMPLOYMENT OFFICE BHUMALI BHAVAN ROOM
	Address   पता : 102/103 BHUJ-KUTCH, Kachchh, GUJARAT-370001, India

Seller Details   विक्रेता विवरण	
GeM Seller ID   जेम विक्रेता आईडी : 30SN230008206149	Company Name   कंपनी का नाम : SHIV SHAKTI ENTERPRISE
Contact No.   संपर्क नंबर : 06355287136	Email ID   ईमेल आईडी : SHIVSHAKTIENTERPRISE0203@GMAIL.COM
Address   पता : PLOT NO 129-130, SHIV SHAKTI DOSHA CAFE, ASHAPURA NAGAR 3, SURVEY NO 836 AIRPORT RING ROAD, Kachchh, GUJARAT-370001, -	MSME Registration number   एमएसएमई पंजीकरण संख्या : UDYAM-GJ-13-0042839
MSE Social Category   एमएसई सामाजिक श्रेणी : General	MSE Gender   एमएसई लिंग श्रेणी : Female
GSTIN   जीएसटीआईएन : 24BPOPL2384A1Z1	

\*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Buyer

Delivery Instructions | वितरण निर्देश : NA

#	Item Description   आइटम विवरण	Ordered Quantity   आइटम विवरण	Unit   इकाई	Unit Price (INR)   इकाई मूल्य (INR)	Tax Bifurcation (INR)   कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR)   मूल्य (INR में सभी शुल्क और कर सहित)
1	Product Name   उत्पाद का नाम : Unbranded Polyester Woven Track Suits - Sports Brand   ब्रांड : NA Brand Type   ब्रांड प्रकार : Unbranded Catalogue Status   कैटलॉग की स्थिति : Catalogue not verified by OEM Selling As   कैसे बेचा जा रहा है : Reseller not verified by OEM Category Name & Quadrant   श्रेणी का नाम और चतुर्थांश : Track Suit - Sports (Q3) Model   मॉडल : Track Suit - Sports HSN Code   एचएसएन कोड : HSN not specified by seller	25	pieces	831	NA	20,775
Total Order Value   कुल ऑर्डर मूल्य (in INR)						20,775

Consignee Detail   परेषिती विवरण						
S.No   क्र.सं.	Consignee   परेषिती	Item   वस्तु	Lot No.   लॉट नंबर	Quantity   मात्रा	Delivery Start After   दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By   वितरण पूरा कब तक करना है
	Designation   पद : MAHEKAM CLERK Email ID   ईमेल आईडी : buycon46.det.gj@gembuyer.in Contact   संपर्क : 02832-221758-	Unbranded Polyester				

1	GSTIN   जीएसटीआईएन : 24RKT01728G1D3 Address   पता : DISTRICT EMPLOYMENT OFFICE BHUMALI BHAVAN ROOM 102/103 BHUJ-KUTCH, KACHCHH, GUJARAT-370001, India	Woven Track Suits – Sports	-	25	29-Dec-2023	13-Jan-2024
<b>Product Specification for Unbranded Polyester Woven Track Suits – Sports</b>						
<b>Specification   विनिर्देश</b>	<b>Sub-Spec   उप-विनिर्देश</b>	<b>Value   मूल्य</b>				
UTILITY	UTILITY	Unisex				
COMPONENTS	Components	Complete Set consisting of Upper and Lower				
MATERIAL	Fabric ( Composition )	Polyester				
	Percentage of Blending ( in case of Blended Fabric )	Not Applicable				
	Mass ( gram per square mtrs )	200 gram				
	Fabric Construction	Woven				
	Weave ( In case of Woven Fabric )	Any other weave as per buyer's requirements				
	Any other weave as per buyer's requirements ( in case weave is other than already mentioned above )	NA				
	Knitting ( In case of knitted Fabric )	Plain ( Single Jersey ) Knitted,				
	Ends per dm	NA				
	Picks per dm	NA				
	Courses per dm	NA				
	Wales per dm	NA				
	Count of knitting yarn	NA				
	Raising at inner side of Main Fabric	Yes				
	Upper Lining	Yes				
	Lower Lining	Yes				
	Lining Material	100% Polyester Mesh				
	Mass of Lining (Gram per Square Meter)	55				
	Netting mesh No of holes on base & bias within 625 Square millimeter	155				
	Technical Requirements of Slide Fastener for Upper Closing	Light Duty as per IS 14181 Latest				
	Technical Requirements of Slide Fastener for Pocket Closing ( For Pockets with Slide Fastner for closing )	Light Duty as per IS 14181 Latest				
	Slide Fastners are BIS Marked	Yes				
	Width of Tape Elastic at Waist of Trouser	4.0 cm				
	Width of Tape Elastic at Bottom of Upper	3.5 cm				
	Technical Requirements of Waist Band	Waist band as per IS 9686- 1980 latest				
	Waist Draw Cord	Polypropylene Cord of 4mm dia				
	Draw Cord Ends	Fused				
	Breaking Strength of Draw Cord	340 N minimum				
	Sleeve Ends ( Cuff )	Elastic Tape				
	Upper provided with Piping	No				
	Lower provided with Piping	No				
Piping Fabric- Composition	100 percent Polyester					
Piping Fabric- Any other material as per buyer's requirements ( Other than mentioned above )	NA					
Piping Fabric Mass ( gram per square mtrs )	Not Applicable					
Embroidery Thread	Polyester					
SIZE	Size	Medium (M)				
DIMENSIONS OF UPPER	Width Across Chest 25 mm below under arm	52.5 cm ( Medium )				
	Width Across Bottom Opening (relaxed)	46 cm ( Medium )				
	Length at front from top of collar to bottom	66 cm ( Medium )				
	Sleeve length (from center of back to bottom of sleeve	84.5 cm ( Medium )				
	Sleeve opening relaxed ( Cuff ) Width	10 centimeter				

	Front Neck Drop	9 centimeter
	Back Neck Drop	2 centimeter
	Length of Slide Fastener	64 cm( Medium )
DIMENSIONS OF LOWER	Side Seam Length	104.5 cm ( Medium )
	Waist relaxed ( Width Across )	43 cm ( Medium )
	Waist stretched (Width Across )	52.5 cm ( Medium )
	Seat/ Hip ( 15 cm below waist band)	52.5 cm ( Medium )
	Thigh (at Crotch) ( Width Across )	36 cm ( Medium )
	Bottom Opening ( Width Across )	25 centimeter
	Front rise including waist band	28 cm ( Medium )
	Back rise including waist band	38 cm ( Medium )
	Length of Waist Tying Cord	160 centimeter
	Bottom Fold (Hem) with full turn in(cm)	2.0
POCKETS	Number of Pockets (Upper)	2 Side Pockets
	Size of Side Pockets-Upper ( Length X Width ) ( cm )	17 cm X 18 cm
	Size of Inside Pocket at Chest- Upper	11 cm X 15 cm
	Side Pocket opening - Upper	15.0 cm
	Side Pocket Closure with Slide Fastener -Upper	Yes
	Number of Pockets (Lower)	2 Side Pockets
	Size of Side Pockets - Lower ( Length X Width ) ( cm )	17 cm X 18 cm
	Side Pocket Opening- Lower	15 centimeter
	Pocket Closure with Slide Fastener - Lower	Side Pockets with Slide Fastener
	Material of Pockets	Main Basic Fabric
COLLAR	Collar Type	Stand and Fall Type, Made of two layers of self material
	Collar Reinforcement	With Canvas Reinforcement
SLEEVE	Sleeve Type	Reglan Sleeve
PIPING	Position and Dimensions of Piping on Upper	NA
	Position and Dimensions of Piping on Lower	NA
STITCHING	Sewing Thread	145 d tex X 3, Polyester
	Raw edges, if any shall be bound by overlock stitching	Yes
	Waist band stitching of Upper	Stitched in single rows with chain stitch on the elastic
	Sleeve Bottom (Cuff ) Stitching	Stitched in single rows with chain stitch on the elastic
	Waist band stitching of Lower	Stitched in single rows with chain stitch on the elastic
	Lining seams	Inverted
	Bartack Stitching ( Reinforcement Stitching ) at stress bearing areas	Pocket opening, Centre of Waist Band Seam and bottom hem and other stress bearing areas
	Tunnel at Waist Band for Lower	Two holes stitched to allow the draw cord with insertion free movement
Stitches per dm ( min )	36	
COLOUR/ PRINT	Colour	Multicolour/ Contrasting Pannels / Any other colour as per buyer's requirements
	Multicolour/ Contrasting Pannels / Any other colour as per buyer's requirements	NA
	Sublimation Printing (for 100 % polyester only)	Sublimation Print as per buyer's requirements
	Sublimation Print as per buyer's requirements	NA
	Colourfastness to Light ( IS 2454 )	5
	Colourfastness to Washing ( IS/ ISO 105-C10, Test- C (3))	Change in Colour- 4; Staining of Adjacent Fabric- 3-4
	Colourfastness to Rubbing ( IS 766 )	Dry- 4 / Wet- 3
	Colourfastness to perspiration ( IS 971 )	4
	Colour of Mesh Lining	Any other colour as per buyer's requirements

	Any other colour of Mesh Lining as per buyer's requirements	NA
	Colourfastness to Washing ( IS/ISO 105-C10, Test- C (3))- Mesh Lining	Change in Colour- 4; Staining of Adjacent Fabric- 3-4
	Colourfastness to perspiration ( IS 971 )- Mesh Lining	4
	Colour of Piping Material	Any other colour as per buyer's requirements
	Any other colour as per buyer's requirements	NA
OTHER REQUIREMENTS	Pilling Resistant [after 5 hours Test as per IS 10971 (Part 1)], min	4
	Dimensional stability to washing, Shrinkage or Elongation Percentage, max ( IS 2977 latest), in lengthwise and widthwise direction	1
LOGO AND MARKING	Logo/ Totem Marking	As per buyer's requirements
	Type of Logo	Printed
	Number of Logos on Upper	2
	Number of Logos on Lower	1
	Size, Design and Location of Logo as per buyer's requirement	NA
TEST REPORT	Availability of Test Report from designated AHSP/ NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification	No
	Test Report No	NA
	Test Report Date	NA
	Name of the Lab	NA
	Address of the Lab	NA
	Test reports to be furnished to buyer on demand, if claimed to be available	Yes
ADVANCE SAMPLE	Agree to provide Advance Sample(s) for buyer's approval before commencement of supply	Yes

**Note | टिप्पणी:** Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

#### ePBG Detail | ईपीबीजी विवरण

NA

#### Terms and Conditions | नियम और शर्तें

##### 1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।