

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687713391440

Generated Date | अनुबंध तिथि: 30-Dec-2023

Organisation Details संगठन विवरण	Buyer Details खरीदार विवरण
Type प्ररूप : State Government	Designation पद : Mo Bhadohi
Ministry मंत्रालय : -	Contact No. संपर्क नंबर : 05414-232560-
Department विभाग : Medical Health and Family Welfare Department Uttar Pradesh	Email ID ईमेल आईडी : buycon1.doh.boy@gembuyer.in
Organisation Name संगठन का नाम : Homoeopathy Directorate Government of Uttar Pradesh	GSTIN जीएसटीआईएन : -
Office Zone कार्यालय क्षेत्र : lucknow	Address पता : C.H.C Gopiganj campus Bhadohi, SANT RAVIDAS NAGAR, UTTAR PRADESH-221303, India

Financial Approval Detail वित्तीय स्वीकृति विवरण	Paying Authority Details भुगतान प्राधिकरण विवरण
IFD Concurrence आईएफडी सहमति : No	Role : PAO
Designation of Administrative Approval प्रशासनिक अनुमोदन का पदनाम : DHO	Payment Mode भुगतान का तरीका : Offline
Designation of Financial Approval वित्तीय अनुमोदन का पदनाम : DHO	Designation पद : DHMO
	Email ID ईमेल आईडी : pay66.hdgup.up@gembuyer.in
	GSTIN जीएसटीआईएन : -
	Address पता : C.H.C Gopiganj campus Bhadohi, Sant Ravidas nagar, UTTAR PRADESH-221303, India

Seller Details विक्रेता विवरण
GeM Seller ID जेम विक्रेता आईडी : 30C4180000537551
Company Name कंपनी का नाम : JKM ENTERPRISES
Contact No. संपर्क नंबर : 09415605941
Email ID ईमेल आईडी : prashant02580@gmail.com
Address पता : 247F/6A, OM GAYATRI NAGAR, SALORI ROAD, OM GAYATRI NAGAR, Allahabad, UTTAR PRADESH-211004, -
MSME Registration number एमएसएमई पंजीकरण संख्या : -
GSTIN जीएसटीआईएन : 09AAOFJ3551F1Z7

*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Consignee

Delivery Instructions | वितरण निर्देश : NA

Product Details उत्पाद विवरण						
#	Item Description आइटम विवरण	Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR) में सभी शुल्क और कर सहित)
1	Product Name उत्पाद का नाम : LUMINOUS Mono crystalline Off-Grid Solar Photovoltaic (PV) power plant, Capacity 1.5 kVA Brand ब्रांड : LUMINOUS Brand Type ब्रांड प्रकार : Registered Brand Catalogue Status कैटलॉग की स्थिति : Catalogue not verified by OEM Selling As कैसे बेचा जा रहा है : Reseller not verified by OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : Off - Grid Solar Photovoltaic (PV) Power Plant (Q3) Model मॉडल : Luminous 1.5 KVA off grid solar system with Loom Solar Panel and battery HSN Code एचएसएन कोड : HSN not specified by seller	1	pieces	37,500	NA	37,500
Total Order Value कुल ऑर्डर मूल्य (in INR)						37,500

Consignee Detail परेषिती विवरण						
S.No क्र.सं.	Consignee परेषिती	Item वस्तु	Lot No. लॉट नंबर	Quantity मात्रा	Delivery Start After दैनिक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By वितरण पूरा कब तक करना है
1	Designation पद : Mo Bhadohi Email ID ईमेल आईडी : buycon1.doh.boy@gembuyer.in Contact संपर्क : 05414-232560- GSTIN जीएसटीआईएन : -	LUMINOUS Mono crystalline Off-Grid Solar Photovoltaic (PV) power	-	1	30-Dec-2023	14-Jan-2024

Address | पता : C.H.C Gopiganj campus Bhadohi,
SANT RAVIDAS NAGAR, UTTAR PRADESH-221303, India

plant, Capacity 1.5 kVA

Product Specification for LUMINOUS Mono crystalline Off-Grid Solar Photovoltaic (PV) power plant, Capacity 1.5 kVA

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
PV Module	Module glass air withstand capacity (km/hrs)	>=200km/hr
	Type of Solar Module	Mono crystalline
	Additional features	PID Resistance Technology,Multi-Layer EVA Encapsulation
	Rated power of each PV module used	345W
	Module conformity to specification	IEC 61215 Ed2,IEC 61701,IEC 61730 -1,IEC 61730-2
	Module linear power output degrading warranty	25 year
	Zero negative power tolerance	Yes
	Module frame material	anodised aluminium alloy frame
	Junction box Protection class	IP67
	open circuit voltage	44 Volt
	Marking on PV module	Name of manufacturer,month & year of manufacturing,I-V curve of module,Peak Power,Im,Vm,Fill factor,Serial no.,Model number
	Module efficiency	>=17%
	Module product warranty	25 year
Power Conditioning Unit (PCU)	Power factor for lead	>=0.8
	Charger technology	PWM
	Warranty of PCU	24 month
	Electrical protections	Under/over voltage protection at input & output of battery,Reverse polarity protection for array & battery,Output overload protection,Short circuit protection,Over temperature protection,Surge protection
	Output phase	Single
	Charging stages	Boost,Absorption,Float
	Output waveform type	Pure Sine Wave
	Rated Output Voltage (AC)	230 Volt
	Rated Power (kVA)	1.5
	Conformity to specification	IEC 61683,IEC 60068,IEC 60529
	Controller	32 bit DSP controller
	Automatic changeover between solar & AC mains provided	Yes
	Efficiency at STP for linear loading	>=90%
	Protection class	IP20
	Rated Frequency	50 Hertz
	Input Phase	Single
	Maximum operating ambient temperature	50 degree Celsius
	Switching device	IGBT
Nominal battery DC system voltage	24 Volt	
Display parameter	Array voltage,Array current,Array power,Battery voltage,Battery current,Grid Voltage,Output. Day kWh,Date,Time	
Power factor for lag	>=0.8	
Module Mounting Structure	Material of all nuts, bolts & fasteners etc	Stainless steel
	Adjacent Module air gap	35 millimeter
	Mounting structure wind withstand ability	>=150km/hr
	Weather proof Junction box provided for connections	Yes
	Module tilt angle	25 degree
	Type	Galvanised module mounting structures(MMS)

	Thickness(micron)	>=80
Generic	Component	Balance of System (BOS) Items/Components,Module Mounting Structure
	Additional features to be specified	bos system if requir
	capacity of power plant (kVA)	1.5
Battery specifications	Suitable battery stand/size with roller provided	Yes
	Acid level indicator provided	Yes
	Battery voltage	12 Volt
	Battery warranty	3 year
	No of battery	2
	Battery type	C 10 Tubular Lead Acid
	Battery capacity (Ah)	150
	Carrying handle	Yes
	Terminal cover provided	Yes
BOS items	Switches/Circuit breaker/connector with SPD as per	IEC 60947
	PVC insulated cable for working voltage and UV protected for outer installation as per	IEC 60228
	Protection class of Junction box/enclosure box	IP 65
	Earthing & Lighting protection as per	IEC- 62561-7
Certifications and Standards	ISO certification number and date	BRIT0363
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Manufacturer should be ISO certified	Yes
<p>Note टिप्पणी: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>ePBG Detail ईपीबीजी विवरण</p>		
<p>NA</p>		
<p>Terms and Conditions नियम और शर्तें</p>		
<p>1. General Terms and Conditions-</p> <p>1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.</p> <p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p>		
<p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p>		
<p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p>		