

## Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687742662959

Generated Date | अनुबंध तिथि: 30-Dec-2023

Organisation Details   संगठन विवरण	Buyer Details   खरीदार विवरण
Type   प्ररूप : State Government Ministry   मंत्रालय : - Department   विभाग : Rural Development and Panchayat Raj Department Maharashtra Organisation Name   संगठन का नाम : N/A Office Zone   कार्यालय क्षेत्र : Panchayat Samiti Bhadrawati Dist Chandrapur	Designation   पद : Sarpanch Mudholi Contact No.   संपर्क नंबर : - Email ID   ईमेल आईडी : buycon6807.rdprdm.mh@gembuyer.in GSTIN   जीएसटीआईएन : - Address   पता : At- GP Mudholi Tah Bhadrawati Dist Chandrapur, CHANDRAPUR, MAHARASHTRA-442902, India

Financial Approval Detail   वित्तीय स्वीकृति विवरण	Paying Authority Details   भुगतान प्राधिकरण विवरण
IFD Concurrence   आईएफडी सहमति : No Designation of Administrative Approval   प्रशासनिक अनुमोदन का पदनाम : HOD AND OTHER CONCERN OFFICER Designation of Financial Approval   वित्तीय अनुमोदन का पदनाम : HOD AND OTHER CONCERN OFFICER	Role: BUYER Payment Mode   भुगतान का तरीका : Offline Designation   पद : Sarpanch Mudholi Email ID   ईमेल आईडी : buycon6807.rdprdm.mh@gembuyer.in GSTIN   जीएसटीआईएन : - Address   पता : At- GP Mudholi Tah Bhadrawati Dist Chandrapur, Chandrapur, MAHARASHTRA-442902, India

Seller Details   विक्रेता विवरण	
GeM Seller ID   जेम विक्रेता आईडी : 884E200001231461 Company Name   कंपनी का नाम : Jain Trading Contact No.   संपर्क नंबर : 07020021551 Email ID   ईमेल आईडी : jaintrading1994@gmail.com Address   पता : S/O Ramkrushna Pattiwar, Guru Nagar, Abhishek Mangal Karyalay, Date Plot, Guru Nagar Bhadrawati, Bhadrawati, Chandrapur, MAHARASHTRA-442902, - MSME Registration number   एमएसएमई पंजीकरण संख्या : - GSTIN   जीएसटीआईएन : 27CMBPP9879F1ZD	

\*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Buyer

Delivery Instructions | वितरण निर्देश : NA

#	Item Description   आइटम विवरण	Ordered Quantity   आइटम विवरण	Unit   इकाई	Unit Price (INR)   इकाई मूल्य (INR)	Tax Bifurcation (INR)   कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR)   मूल्य (INR) में सभी शुल्क और कर सहित
1	<b>Product Name</b>   उत्पाद का नाम : SVARN 2 - seater portable toilet 915mm X 915mm x 1980mm (for 1-seater) with Sludge tank(Capacity 200 Ltrs) with 75mm outlet facility through butterfly valve and hosepipe(for 1-seater and 2-seater) <b>Brand</b>   ब्रांड : SVARN <b>Brand Type</b>   ब्रांड प्रकार : Registered Brand <b>Catalogue Status</b>   कैटलॉग की स्थिति : Catalogue not verified by OEM <b>Selling As</b>   कैसे बेचा जा रहा है : Reseller not verified by OEM <b>Category Name &amp; Quadrant</b>   श्रेणी का नाम और चतुर्थांश : Portable Toilet (Q3) <b>Model</b>   मॉडल : PORTABLE TOILET <b>HSN Code</b>   एचएसएन कोड : HSN not specified by seller	3	pieces	35,000	NA	105,000
Total Order Value   कुल ऑर्डर मूल्य (in INR)						105,000

Consignee Detail   परेषिती विवरण						
S.No   क्र.सं.	Consignee   परेषिती	Item   वस्तु	Lot No.   लॉट नंबर	Quantity   मात्रा	Delivery Start After   दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By   वितरण पूरा कब तक करना है
	Designation   पद : Sarpanch Mudholi Email ID   ईमेल आईडी : buycon6807.rdprdm.mh@gembuyer.in	SVARN 2 - seater portable toilet 915mm X 915mm x 1980mm (for 1-seater) with Sludge				

1	Contact   संपर्क : - GSTIN   जीएसटीआईएन : - Address   पता : At- GP Mudholi Tah Bhadrawati Dist Chandrapur, CHANDRAPUR, MAHARASHTRA-442902, India	tank(Capacity 200 Ltrs) with 75mm outlet facility through butterfly valve and hosepipe(for 1- seater and 2-seater)	-	3	30-Dec-2023	14-Jan-2024
---	---	--	---	---	-------------	-------------

**Product Specification for SVARN 2 - seater portable toilet 915mm X 915mm x 1980mm (for 1- seater) with Sludge tank(Capacity 200 Ltrs) with 75mm outlet facility through butterfly valve and hosepipe(for 1-seater and 2-seater)**

Specification   विनिर्देश	Sub-Spec   उप-विनिर्देश	Value   मूल्य
GENERIC	Mode of Supply	Assembled Ready To Use
	Number of Compartments	2 - seater portable toilet
	Type of WC	Indian with steel base
	Number of WC	2
	Number of Urinals ( For Gents and Ladies to be mentioned separately )	0
	Number of Bathrooms	0
	Water facility	By mean of overhead tank(Capacity 500Ltrs)
	Wash basin	1 No. outside the cabin with common facility
	Sewage facility	Sludge tank(Capacity 200 Ltrs) with 75mm outlet facility through butterfly valve and hosepipe(for 1-seater and 2-seater)
	ventilation	All 4 - sides
	Lifting hook	two number heavy lifting hook provided
	Top(roof) shape	Slanting/tapper
	Projection of Roof	50mm projection on all the four sides
	Installation and commissioning	To be done by seller
	Plumbing and Sanitary fitting connection	To be done by seller
	Electrical connection	To be done by seller
	Waste extraction fittings	To be done by seller
Civil foundation	Required - To be done by seller	
FRAME MATERIAL	Bottom frame material	25mm X 25mm X 16 gauge MS Sq. pipe and MS angle
	Bottom frame support material	25mm X 25mm X 3mm(thick) MS angle (for 1-seater, 2-seater & 3-seater)
	Side panel frame material	35mm X 35mm X 5mm(thick) MS angle
	Top(roof) frame material	35mm X 35mm X 5mm(thick) MS angle
	Top(roof) support frame structure	25mm X 25mm X 3mm(thick) MS angle
	Partition frame material	35mm X 35mm X 5mm(thick) SS angle
	Ventilation frame material	25mm X 25mm X 3mm(thick) flat MS
	Door frame material	35 mm x 35 mm x 5 mm (thick) MS ANGLE
	Support material for Door panel fixing	Aluminium U-channel of 18gauge
	Door hinges(two numbers)	75mm size with 1.2-1.5mm thickness MS
	Tank holder frame material	25mm X 3mm(thick) MS flat
	Unit understructure	Supported by 4-legs of size 75mm X 37mm C-channel MS angle
	Stairs frame material	25mm x 25mm X 3mm MS angle
	Stairs material	25mm X 3mm MS flat
	Door Tee material	40mm X 40mm x40mm X 5mm(thick) MS Tee
	Side panel material	Insulated walls to be made of continue line sandwich panels with 0.35mm thick pre-coated steel sheet(PPGI SHEET) having 120 GSM with minimum 4 microns epoxy primer on both sides of sheet and polyester top coat min 15 microns on both sides of PUF with polyurethane foam(PUF) thickenss-38mm having density 40kg/CUM ±2 kg/CUM

PANEL MATERIAL	Top(Roof) panel material	Insulated walls to be made of continue line sandwich panels with 0.35mm thick pre-coated steel sheet(PPGI SHEET) having 120 GSM with minimum 4 microns epoxy primer on both sides of sheet and polyester top coat min 15 microns on both sides of PUF with polyurethane foam(PUF) thickenss-38mm having density 40kg/CUM ±2 kg/CUM
	Door panel material	Insulated walls to be made of continue line sandwich panels with 0.35mm thick pre-coated steel sheet(PPGI SHEET) having 120 GSM with minimum 4 microns epoxy primer on both sides of sheet and polyester top coat min 15 microns on both sides of PUF with polyurethane foam(PUF) thickenss-38mm having density 40kg/CUM ±2 kg/CUM
	partition panel material	Insulated walls to be made of continue line sandwich panels with 0.35mm thick pre-coated steel sheet(PPGI SHEET) having 120 GSM with minimum 4 microns epoxy primer on both sides of sheet and polyester top coat min 15 microns on both sides of PUF with polyurethane foam(PUF) thickenss-38mm having density 40kg/CUM ±2 kg/CUM
	Floor material	2-3mm thick SS material
DIMENSION	Cabin size(LXWXH) ± 25mm	915mm X 915mm x 1980mm (for 1- seater)
	Door size(WxH) ± 20mm	585mm x 1830mm
	Ventilation size(WXH) ± 10mm	838mm X 150mm(above door) plus 838mm X 75mm(opposite side)
	Partition height ± 20mm	1830mm
	Single pan size ± 10mm	580mm X 440mm with built in platform/footrest
	Stairs size ± 10mm	610mm X 230mm having 1-step
	Leg height ±10mm	350mm
MISC	Door locking bolts	Size 100mm of MS
	Towerbolt locking	Towerbolt of MS size 75mm
	Overhead tank material	made of double layer HDPE sheet
	Wash basin material	made of SS 304
	WC material	made of SS 304
	Towel rail/ring	Chrome plated
	Cloth hook	made of chrome plated
	P-trap material	made of PVC(75mm)
	Footrest(WC) material	made of SS 304 integrated with Indian WC and floor
	Sewage tank material	As per buyer's choice
	Dia of lifting hook	20mm
	Size of Mirror	455mm X 305mm
	Electric provision	By mean of connection from main line
	Sewage provision	provided
	Level indicator provision	N.A
	Water supply connection	UPVC pipe connection with all toilet interconnecting
	Seat cistern fitting	By PVC flush pipe to toilet seat
	Soap stand	Aluminium made
	Tap	PVC push cock
	Base floor surface	To be suitably slanted towards WC for proper drainage(for Indian WC)
Movement facility for 2-seater and 3-seater	N.A	
Provision for vent pipe	From sludge tank	
COLOUR & FINISH	Colour of cabin	As per buyer's choice
CERTIFICATION	Test reports to be furnished to buyer's on demand	YES
	OEM of offered product is ISO 9001:2015 certified	YES
WARRANTY	Warranty period in number of years	3

**Note** | **टिप्पणी**: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be

responsible for providing genuine replacement supplies.

ePBG Detail | ईपीबीजी विवरण

NA

Terms and Conditions | नियम और शर्तें

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।