

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687728123923

Generated Date | अनुबंध तिथि: 30-Dec-2023

Organisation Details संगठन विवरण		Buyer Details खरीदार विवरण				
Type प्ररूप :	State Government	Designation पद :	BDO1			
Ministry मंत्रालय :	-	Contact No. संपर्क नंबर :	-			
Department विभाग :	Rural Development and Panchayats Department Jammu and Kashmir	Email ID ईमेल आईडी :	sahil.bhagotra@jk.gov.in			
Organisation Name संगठन का नाम :	Rural Development Department (RDD) Udhampur	GSTIN जीएसटीआईएन :	-			
Office Zone कार्यालय क्षेत्र:	Udhampur	Address पता :	Block Development Office Udhampur, UDHAMPUR, JAMMU & KASHMIR-182101, India			
Financial Approval Detail वित्तीय स्वीकृति विवरण		Paying Authority Details भुगतान प्राधिकरण विवरण				
IFD Concurrence आईएफडी सहमति :	No	Role:	BUYER			
Designation of Administrative Approval प्रशासनिक अनुमोदन का पदनाम:	BDO	Payment Mode भुगतान का तरीका:	Offline			
Designation of Financial Approval वित्तीय अनुमोदन का पदनाम :	BDO	Designation पद :	BDO1			
		Email ID ईमेल आईडी :	sahil.bhagotra@jk.gov.in			
		GSTIN जीएसटीआईएन :	-			
		Address पता:	Block Development Office Udhampur, Udhampur, JAMMU & KASHMIR-182101, India			
Seller Details विक्रेता विवरण						
GeM Seller ID जेम विक्रेता आईडी :	5AEN230009070381					
Company Name कंपनी का नाम :	JBN Associates					
Contact No. संपर्क नंबर :	09419177044					
Email ID ईमेल आईडी :	jbnassociates.jmu@gmail.com					
Address पता :	HOUSE NO 6 LANE NO 3, CHAK CHANGERWAN, DURGA NAGAR, DURGA NAGAR, JAMMU, Jammu, JAMMU & KASHMIR-180013, -					
MSME Registration number एमएसएमई पंजीकरण संख्या :	-					
GSTIN जीएसटीआईएन:	01DZEPG8633M1Z9					
*GST / Tax invoice to be raised in the name of जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Consignee						
Delivery Instructions वितरण निर्देश : NA						
Product Details उत्पाद विवरण						
#	Item Description आइटम विवरण	Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR में सभी शुल्क और कर सहित)
1	Product Name उत्पाद का नाम : Unbranded 8 25 Watt White LED type Brand ब्रांड : NA Brand Type ब्रांड प्रकार : Unbranded Catalogue Status कैटलॉग की स्थिति : Catalogue not verified by OEM Selling As कैसे बेचा जा रहा है : Reseller not verified by OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : Solar Street Lighting System (NTPC) (Q3) Model मॉडल: ne 25w-ssl HSN Code एचएसएन कोड: HSN not specified by seller	7	pieces	18,000	NA	126,000
Total Order Value कुल ऑर्डर मूल्य (in INR)						126,000
Consignee Detail परेषिती विवरण						
S.No क्र.सं.	Consignee परेषिती	Item वस्तु	Lot No. लॉट नंबर	Quantity मात्रा	Delivery Start After दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By वितरण पूरा कब तक करना है
1	Designation पद : BDO1 Email ID ईमेल आईडी : sahil.bhagotra@jk.gov.in Contact संपर्क : - GSTIN जीएसटीआईएन : - Address पता : Block Development Office Udhampur,	Unbranded 8 25 Watt White LED type	-	7	30-Dec-2023	14-Jan-2024

Product Specification for Unbranded 8 25 Watt White LED type

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
GENERIC	Description of store	Solar Street Light (LED based) consist of white LED luminaire (LED + Driver) rating as per configuration along with Solar PV modules and LiFePo4 battery of given capacity, necessary control electronics, interconnecting wires / cables, module mounting structures, etc. to operate from dusk to dawn
PV MODULE	Type of PV Module	Only indigenous modules of IEC Tested used. Crystalline high power/efficiency cells used in the solar photovoltaic module
	Power output of PV Module	≥ 75 Wp at 16.4 \pm 0.2 Volt at STC
	PV Module Efficiency	$\geq 14\%$.
	The open circuit voltage of the PV modules under STC (in volts)	21
	Certification / Report	Certified by MNRE/NABL authorized test center as per latest edition of IEC 61215 edition II / IS 14286.
	BIS CRS compliance for PV Module	as per IEC 61215 Edition II / BIS 14286 from NABL or IECQ accredited Laboratory
	Mnimum warranty period for PV Modules (in Years)	PV module warranted for output wattage $\geq 90\%$ at the end of 10 years and 80% at the end of 25 years
BATTERY	Type of Battery	Lithium Ferro Phosphate battery (LiFePo4). Operating from dusk to dawn first four hour full brightness, rest of the time at lower level, with motion sensor
	Battery capacity	≥ 12.8 V (nominal), 30 Ah at STC (1 day autonomy)
	Cycle/ Current	Battery cycle life 2000 cycle at 80 % discharge
LIGHT SOURCE	Type of LED (Light source)	25 Watt White LED type
	LED chip Efficacy (Lumen/watt)	≥ 135
	Luminaire System Efficacy - Lumen output - (Lumen/watt)	≥ 120
	The color temperature of white LEDs used in the system	5500 degree K – 6500 degree K.
	The temperature of heat sink	≤ 20 degree centigrade above ambient temperature during operation
	CRI	> 70 %
	Lighting quality	Free from glare, flickering and UV
	Wattage	Power consumption of the LED Luminaire / Lighting unit ≤ 30 W (including LED and Driver power loss)
	Ingress protection	IP65 or better
	Certification/ Test report	Yes test certificate from MNRE/ NABL accredited labs
ELECTRONIC COMPONENTS	Provision of Fuses	Fuses provided to protect against short circuit conditions
	Protection	Full protection against open circuit, accidental short circuit and for reverse polarity provided.
	The self consumption of the charge controller	≤ 20 mA at rated voltage and rated current
	Indicators on the system	Provided with 2 LED indicators: a green light to indicate charging in progress and a red LED to indicate deep discharge condition of the battery. The green LED glow only when the battery is actually being charged.
	Total electronics efficiency	≥ 90 %
MECHANICAL COMPONENTS	A corrosion resistant metallic frame structure to hold the SPV module	Yes. Provided
	Provision on frame structure	Frame structure have provision that the module can be oriented at the suitable tilt angle
	Conformity of the specification for Steel tube for street light pole	as per IS:1161:2014 latest
	Hot dip galvanized condition the zinc coating on the tubes	as per IS:4736 latest
	Nominal bore size of tube / Thickness of tube	65 mm / 3.6 mm
	Height of pole (in m)	8
	Battery box	Battery included in the luminaire enclosure, with water proof (IP65 or better) and corrosion resistant

	Certification/ Test report for mechanical components	Yes test certificate from MNRE/ NABL accredited labs
Note टिप्पणी:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.		
ePBG Detail ईपीबीजी विवरण		
NA		
Terms and Conditions नियम और शर्तें		
1. General Terms and Conditions-		
1.1 This contract is governed by the General Terms and Conditions , conditions stipulated to this Product/Service as provided in the Marketplace.		
1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable		
Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.		
नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।		