

## Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687758000821

Generated Date | अनुबंध तिथि: 30-Dec-2023

Organisation Details   संगठन विवरण		Buyer Details   खरीदार विवरण	
Type   प्ररूप :	State Government	Designation   पद :	HEMANT DESHMUKH
Ministry   मंत्रालय :	-	Contact No.   संपर्क नंबर :	02352-226303-
Department   विभाग :	Public Health and Family Welfare Department Maharashtra	Email ID   ईमेल आईडी :	con11.phfwdm.mh@gembuyer.in
Organisation Name   संगठन का नाम :	N/A	GSTIN   जीएसटीआईएन :	-
Office Zone   कार्यालय क्षेत्र :	CIVIL HOSPITAL RATNAGIRI	Address   पता :	GENERAL HOSPITAL RATNAGIRI TAL :-RATNAGIRI DIST:- RATNAGIRI, RATNAGIRI, MAHARASHTRA-415612, India

Financial Approval Detail   वित्तीय स्वीकृति विवरण		Paying Authority Details   भुगतान प्राधिकरण विवरण	
IFD Concurrence   आईएफडी सहमति :	No	Role:	PAO
Designation of Administrative Approval   प्रशासनिक अनुमोदन का पदनाम :	Civil Surgeon , Ratnagiri	Payment Mode   भुगतान का तरीका:	Offline
Designation of Financial Approval   वित्तीय अनुमोदन का पदनाम :	Civil Surgeon , Ratnagiri	Designation   पद :	DNYANESH VITEKAR
		Email ID   ईमेल आईडी :	pao9.phfwdm.mh@gembuyer.in
		GSTIN   जीएसटीआईएन :	-
		Address   पता:	GENERAL HOSPITAL RATNAGIRI TAL :-RATNAGIRI DIST:- RATNAGIRI, Ratnagiri, MAHARASHTRA-415612, India

Seller Details   विक्रेता विवरण	
GeM Seller ID   जेम विक्रेता आईडी :	1N2J220007144982
Company Name   कंपनी का नाम :	GAYATRI DISTRIBUTOR
Contact No.   संपर्क नंबर :	09404994780
Email ID   ईमेल आईडी :	salviamit54@yahoo.in
Address   पता :	BAJAR WADI,TALAVADE,PACHAL S.O (Ratnagiri),pachal, Ratnagiri, MAHARASHTRA-416704, -
MSME Registration number   एमएसएमई पंजीकरण संख्या :	UDYAM-MH-28-0021919
MSE Social Category   एमएसई सामाजिक श्रेणी :	OCB
MSE Gender   एमएसई लिंग श्रेणी :	Male
GSTIN   जीएसटीआईएन:	27BUEPS7574J1ZV

\*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Buyer

Delivery Instructions   वितरण निर्देश : NA	
Product Details   उत्पाद विवरण	

#	Item Description   आइटम विवरण	Ordered Quantity   आइटम विवरण	Unit   इकाई	Unit Price (INR)   इकाई मूल्य (INR)	Tax Bifurcation (INR)   कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR)   मूल्य (INR में सभी शुल्क और कर सहित)
1	Product Name   उत्पाद का नाम : CHJUAN Attendant Controlled Non Powered Wheel Chair with Fixed Seat Height Brand   ब्रांड : CHJUAN Brand Type   ब्रांड प्रकार : Registered Brand Catalogue Status   कैटलॉग की स्थिति: Catalogue not verified by OEM Selling As   कैसे बेचा जा रहा है : Reseller not verified by OEM Category Name & Quadrant   श्रेणी का नाम और चतुर्थांश : Wheel Chairs (V2) (Q3) Model   मॉडल: MTC WC03 HSN Code   एचएसएन कोड: HSN not specified by seller	2	pieces	10,000	NA	20,000
Total Order Value   कुल ऑर्डर मूल्य (in INR)						20,000

Consignee Detail   परेष्ठी विवरण						
S.No   क्र.सं.	Consignee   परेष्ठी	Item   वस्तु	Lot No.   लॉट नंबर	Quantity   मात्रा	Delivery Start After   दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By   वितरण पूरा कब तक करना है
	Designation   पद : HEMANT DESHMUKH Email ID   ईमेल आईडी : con11.phfwdm.mh@gembuyer.in					

1	Contact   संपर्क : 02352-226303- GSTIN   जीएसटीआईएन : - Address   पता : GENERAL HOSPITAL RATNAGIRI TAL :-RATNAGIRI DIST:- RATNAGIRI, RATNAGIRI, MAHARASHTRA-415612, India	CHJUAN Attendant Controlled Non Powered Wheel Chair with Fixed Seat Height	-	2	30-Dec-2023	14-Jan-2024
<b>Product Specification for CHJUAN Attendant Controlled Non Powered Wheel Chair with Fixed Seat Height</b>						
Specification   विवरण	Sub-Spec   उप-विवरण	Value   मूल्य				
	Low voltage Alarm	NA				
	Hand Rim Outside Diameter (mm)	15				
	Material of Seat	REXION WITH FOAM				
	Total weight of Wheel Chair (Kg)	20				
	Foot rest Material	ALUMINIUM				
	Range of Seat Height Adjustment (mm)	NA				
	Battery Charger output current rating (Amps)	NA				
	Density of Cushion material on armrest, seat and Backrest (Kg/m3)	32				
	Leg Guard Width (mm)	80				
	Back rest with Cushion	Yes				
	Hardness of Axle (HRC)	40 MICRON				
	Hand rim Tube thickness (mm)	NA				
	Front castor Dia (mm)	200				
	Cushion on Seat	With				
	Front castor Swivel Type	Yes				
	Overall Width in unfolded condition of wheel chair (mm)	640				
	Leg guard type	Fixed				
	Slope of Seat (Degree)	5				
	Type of Back rest	Fixed				
	Overall Length (mm)	1120				
	Type of Wheel Hub	CHROME PLATED				
	Hand Rim Material	NA				
	Foldable	No				
	Overall Width in folded condition of the wheelchair (mm)	NA				
	Leg Guard Thickness (mm)	1.6				
	Types of Wheel Chairs	Attendant Controlled Non Powered				
	Material of Handle	MOULDED PLASTIC				
	Frame tube thickness (mm)	1.2				
	Material of Arm Rest	PU				
	Material of Hand Grip	MOULDED RUBBER				
	Material of Cushion on armrest, Seat and Backrest	FOAM				
	Clearance of frame from floor (mm)	100				
	Battery Voltage Rating (Volts)	NA				
	Dia of Axle (mm)	NA				
	Overall Height (mm)	935				
	Range of Width Adjustment (mm)	860				
	Length of Foot Rest (mm)	170				
	Loading Capacity (Kg)	140				
	Rear Wheel Rim Material	MS				
	Thickness of Arm Rest (mm)	20				
	Battery Charger Input Supply Voltage (Volts)	NA				
	Battery Type	NA				
	Battery Capacity Rating (AH)	NA				

Ungrouped	Rear wheel tyre tread width (mm)	25.4
	Material of Axle	MS
	Arm rest Type	Fixed
	Cushion Material Thickness (mm)	50
	Seat Depth (mm)	430
	Material of Folding Mechanism	NA
	Diameter of Tube/ thickness of flat of folding mechanism (mm)	NA
	Type of Braking System	MANUAL
	Rear wheel rim thickness (mm)	1
	Distance between seat and foot rest (mm)	500
	Foot rest surface finish anti slip type	Yes
	Clearance of footrest from floor (mm)	110
	Seat Cushion Material	REXION WITH FOAM
	Motor power rating (Watts)	0
	Finish of Aluminium casts	Buffing
	Hand Rim	With
	Handle for push/pull action of Wheel Chair	Yes
	Thickness of Seat (mm)	1.2
	Slope of the backrest with respect to floor (Degree)	95
	Foot rest thickness (mm)	NA
	Width of foot rest (mm)	SOLID
	Rear wheel tyre type	Solid
	Battery Charger output voltage rating (Volts)	0
	Arm rest height from seat (mm)	375
	Cushion on Arm rest	With
	Number of Speeds (No)	0
	Greadability (Degree)	0
	Material of Back rest	REXION WITH FOAM
	Thickness of Cushion material of Arm rest (mm)	28
	Material of frame	POWDER COATED MS TUBE
	Types of foot rest	Swinging with Height Adjustment
	Speed max (Kmph)	0
	Warranty (Years)	1
	Frame tube Dia (mm)	25.4
	Width of wheel chair	Fixed
	Seat Height	Fixed
	Seat hight from floor at the front (mm)	500
	Speed Selector	NA
	Thickness of back rest (mm)	1.2
	Leg guard Material	ALUMINUM
	Painting of mild steel components	Powder Coated
	Product Code Number	NA
	Drawing available on web	No
	Drawing Number	NA
	Product code available on web	No

**Note | नोट:** Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be

responsible for providing genuine replacement supplies.

## ePBG Detail | ईपीबीजी विवरण

NA

### Terms and Conditions | नियम और शर्तें

#### 1. Special terms and conditions- Version:1 effective from 18-10-2022

1.1

1. **Comprehensive warranty:** Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
2. **Service centres:** Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
3. **Source of supply:** It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
4. **Packing and Marking:** Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
5. **Spare Parts:** Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
6. **Installation, Training, Manuals:** Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
7. **Electrical safety checking:** Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
8. **Software:** All software updates should be provided free of cost during warranty period.
9. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

#### 2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।