

## Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687720242154

Generated Date | अनुबंध तिथि: 30-Dec-2023

Organisation Details   संगठन विवरण		Buyer Details   खरीदार विवरण	
Type   प्रकृति :	State Government	Designation   पद :	Additional chief medical officers
Ministry   मंत्रालय :	-	Contact No.   संपर्क नंबर :	05362-228303-
Department   विभाग :	Medical Health and Family Welfare Department Uttar Pradesh	Email ID   ईमेल आईडी :	buycon3.mhfw.sln@gembuyer.in
Organisation Name   संगठन का नाम :	N/A	GSTIN   जीएसटीआईएन :	-
Office Zone   कार्यालय क्षेत्र :	chief Medical Officer Sultanpur	Address   पता :	CMO Office Opp-RTO Office Amhat Sultanpur, SULTANPUR, UTTAR PRADESH-228001, India

Financial Approval Detail   वित्तीय स्वीकृति विवरण		Paying Authority Details   भुगतान प्राधिकरण विवरण	
IFD Concurrence   आईएफडी सहमति :	No	Role:	PAO
Designation of Administrative Approval   प्रशासनिक अनुमोदन का पदनाम :	CMO Sultanpur	Payment Mode   भुगतान का तरीका:	Internet Banking
Designation of Financial Approval   वित्तीय अनुमोदन का पदनाम :	CMO Sultanpur	Designation   पद :	Add Chief Medical Officer Stores
		Email ID   ईमेल आईडी :	idspsstr@gmail.com
		GSTIN   जीएसटीआईएन :	-
		Address   पता:	CMO Office Opp-RTO Office Amhat Sultanpur, Sultanpur, UTTAR PRADESH-228001, India

Seller Details   विक्रेता विवरण	
GeM Seller ID   जेम विक्रेता आईडी :	NJN1220007053370
Company Name   कंपनी का नाम :	Vaishnavi Enterprises
Contact No.   संपर्क नंबर :	07379057000
Email ID   ईमेल आईडी :	vaishnavienterprises9839@gmail.com
Address   पता :	303 3rd Floor Ganj Plaza 42 Hazratganj, N.K Road, Lucknow, UTTAR PRADESH-226001, -
MSME Registration number   एमएसएमई पंजीकरण संख्या :	-
GSTIN   जीएसटीआईएन:	09AAVF9139J1Z3

\*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Buyer

Delivery Instructions   वितरण निर्देश : NA	
--	--

Product Details   उत्पाद विवरण						
#	Item Description   आइटम विवरण	Ordered Quantity   आइटम विवरण	Unit   इकाई	Unit Price (INR)   इकाई मूल्य (INR)	Tax Bifurcation (INR)   कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR)   मूल्य (INR में सभी शुल्क और कर सहित)
1	Product Name   उत्पाद का नाम : Contec Pulse Oximeter Brand   ब्रांड : Contec Brand Type   ब्रांड प्रकार : Registered Brand Catalogue Status   कैटलॉग की स्थिति: Catalogue not verified by OEM Selling As   कैसे बेचा जा रहा है : Reseller not verified by OEM Category Name & Quadrant   श्रेणी का नाम और चतुर्धारा : Pulse Oximeters (Q3) Model   मॉडल: CONTEC CMSD50 Finger Tip Pulse Oximeter HSN Code   एचएसएन कोड: HSN not specified by seller	50	pieces	3,000	NA	150,000
Total Order Value   कुल ऑर्डर मूल्य (in INR)						150,000

Consignee Detail   प्रेषिती विवरण						
S.No   क्र.सं.	Consignee   प्रेषिती	Item   वस्तु	Lot No.   लॉट नंबर	Quantity   मात्रा	Delivery Start After   दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By   वितरण पूरा कब तक करना है
1	Designation   पद : Additional chief medical officers Email ID   ईमेल आईडी : buycon3.mhfw.sln@gembuyer.in Contact   संपर्क : 05362-228303- GSTIN   जीएसटीआईएन : - Address   पता : CMO Office Opp-RTO Office Amhat Sultanpur, SULTANPUR, UTTAR PRADESH-228001, India	Contec Pulse Oximeter	-	50	30-Dec-2023	14-Jan-2024

Product Specification for Contec Pulse Oximeter		
Specification   विवरण	Sub-Spec   उप-विवरण	Value   मूल्य
Standards	Compliance to certification (US FDA/CE certification will be accepted only when the Indian standards/certification like BIS/CDSO/AERB are not available)	CE
	Certification number and date	G10909720050 26.05.2024
	"Electrical safety conforms to standards for electrical safety"	IEC-60601-1 or equivalent BIS
Performance Parameters	Type of Pulse Oximeter	FINGER TIP
	Should work during motion and very low perfusion conditions	Yes
	Special Signal processing Technology (Motion artifact rejection)	Masimo - SET technology
	SPO2 probes	Disposable
	Oxygen saturation Range	0-100%
	Pulse rate	25-240 BPM
	Display of SPO2 and PR	digital display with plethysmograph
	Accuracy	± 5 %
	Type of Patient	Adult,Pediatric,Neonatal
	Should be shock proof	Yes
	Display (with contrast adjust-ability)	LCD
	Display should be Readable from at least 3 feet	Yes
	Saturation displayed on the screen	Yes
	Pulse Rate displayed on the screen	Yes
	Perfusion Index displayed on the screen	Yes
	Status of battery charging displayed on the screen	Yes
	Sensor off /on status	Yes
	Audible and visual Alarms	No
	Alarm override facility should be present	No
	Trends	48 hrs
	Type of trend display	Graphical
	Data interval in sec	30
	Power source	Battery operated
	Automatic switch from mains to battery in case of power failure	Yes
Probes	RS 232C interface for data communication and transfer	NA
	Should have provisions for wireless and blue tooth connectivity	NA
	Patient extension cable	Not Provided
	Power consumption in watts	9
	Operating Temperature	"Ambient temperature of 0 to 40 deg C and relative humidity of 15 to 90%"
	Weight of the machine in kg	0.05
	Protective splash proof case for clean and storage and safe transport provided	No
	Length of power cable	NA
	Noise level in dB	20
	Display must allow easy viewing in all ambient light levels	Yes
	Non Invasive Hemoglobin	No
	Respiratory Rate (RRP)	No
	Pleth Variable Index (PVI)	No
	Type of probe	Adult,Pediatric,Neonatal
	Probe usage	Disposable
	Number of probes provided (Hint: in case adult , pediatric and neonatal are selected for type of probe all the three have to be given and in case adult & pediatric are selected both are to be given)	1 each

NIBP Parameters	Non invasive blood pressure (NIBP) provided	No
	Type of BP monitoring	NA (If NIBP not provided)
	NIBP range in mmH	NA (If NIBP not provided)
	Cuff size	NA (If NIBP not provided)
	Number of cuffs provided	1 each
	Warranty in years (without probes)	1
	Warranty for probes in years	Not Provided
Reports	Confirmity to Manufacturers Certification	ISO 9001 & ISO 13485
	ISO/ ICMED Certification number and date	Q5 050972 0052 01/03/2022
	Copies of all certifications to be furnished to buyer on demand at time of supplies	Yes
Additional Parameters	Additional Parameter 1	NA
	Additional Parameter 2	NA
	Additional Parameter 3	NA

**Note | टिप्पणी:** Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

#### ePBG Detail | ईपीबीजी विवरण

NA

#### Terms and Conditions | नियम और शर्तें

##### 1. Special terms and conditions- Version:2 effective from 11-11-2022

1.1

- All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organisation (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
- The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
- The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.
- Comprehensive warranty:** Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
- Service centres:** Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
- Source of supply:** It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
- Packing and Marking:** Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination, Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
- Spare Parts:** Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
- Installation, Training, Manuals:** Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
- Electrical safety checking:** Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during

every preventive maintenance call.

11. Software: All software updates should be provided free of cost during warranty period.

12. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

## 2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।