

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687746158459

Generated Date | अनुबंध तिथि: 30-Dec-2023

Organisation Details संगठन विवरण		Buyer Details खरीदार विवरण	
Type प्ररूप :	State Government	Designation पद :	District Sports Officer
Ministry मंत्रालय :	-	Contact No. संपर्क नंबर :	-
Department विभाग :	Sports Department Uttar Pradesh	Email ID ईमेल आईडी :	dysports.ah-up@gov.in
Organisation Name संगठन का नाम :	N/A	GSTIN जीएसटीआईएन :	-
Office Zone कार्यालय क्षेत्र :	Sports	Address पता :	District Sports Office Firozabad , Uttar Pradesh, FIROZABAD, UTTAR PRADESH-283203, India

Financial Approval Detail वित्तीय स्वीकृति विवरण		Paying Authority Details भुगतान प्राधिकरण विवरण	
IFD Concurrence आईएफडी सहमति :	No	Role:	BUYER
Designation of Administrative Approval प्रशासनिक अनुमोदन का पदनाम :	Regional Sports Officer Agra	Payment Mode	Offline
Designation of Financial Approval वित्तीय अनुमोदन का पदनाम :	Regional Sports Officer Agra	Designation पद :	District Sports Officer
		Email ID ईमेल आईडी :	dysports.ah-up@gov.in
		GSTIN जीएसटीआईएन :	-
		Address पता:	District Sports Office Firozabad , Uttar Pradesh, Firozabad, UTTAR PRADESH-283203, India

Seller Details विक्रेता विवरण	
GeM Seller ID जीम विक्रेता आईडी :	LVB9220007642083
Company Name कंपनी का नाम :	SHIV SHAKTI ENTERPRISES
Contact No. संपर्क नंबर :	09193338539
Email ID ईमेल आईडी :	shivshaktienterprisesgem@gmail.com
Address पता :	0,GURANA,POST KHAS,BAGHPAT,, Bagpat, UTTAR PRADESH-250609, -
MSME Registration number एमएसएमई पंजीकरण संख्या :	-
GSTIN जीएसटीआईएन:	09BCDPT2423C1ZV

*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Buyer

Delivery Instructions वितरण निर्देश : NA	
Product Details उत्पाद विवरण	

#	Item Description आइटम विवरण	Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR में सभी शुल्क और कर सहित)
1	Product Name उत्पाद का नाम : HIND Polyester Knitted Track Suits – Sports Brand ब्रांड : HIND Brand Type ब्रांड प्रकार : Registered Brand Catalogue Status कैटलॉग की स्थिति: Catalogue not verified by OEM Selling As कैसे बेचा जा रहा है : Reseller not verified by OEM Category Name & Quadrant श्रेणी का नाम और चतुर्धारा : Track Suit - Sports (Q3) Model मॉडल: KEHLO INDIA TRACKSUIT HSN Code एचएसएन कोड: HSN not specified by seller	30	pieces	700	NA	21,000
Total Order Value कुल ऑर्डर मूल्य (in INR)						21,000

Consignee Detail परेजिती विवरण						
S.No क्र.सं.	Consignee परेजिती	Item वस्तु	Lot No. लॉट नंबर	Quantity मात्रा	Delivery Start After दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By वितरण पूरा कब तक करना है
1	Designation पद : District Sports Officer Email ID ईमेल आईडी : dysports.ah-up@gov.in Contact संपर्क : - GSTIN जीएसटीआईएन : - Address पता : District Sports Office Firozabad , Uttar Pradesh, FIROZABAD, UTTAR PRADESH-283203, India	HIND Polyester Knitted Track Suits – Sports	-	30	30-Dec-2023	14-Jan-2024

Product Specification for HIND Polyester Knitted Track Suits – Sports

Specification विवरण	Sub-Spec उप-विवरण	Value मूल्य
UTILITY	UTILITY	Unisex
COMPONENTS	Components	Complete Set consisting of Upper and Lower
MATERIAL	Fabric (Composition)	Polyester
	Percentage of Blending (in case of Blended Fabric)	Polyester 65 % and Viscose 35 %
	Mass (gram per square mtrs)	120 gram
	Fabric Construction	Knitted
	Weave (In case of Woven Fabric)	Plain
	Any other weave as per buyer's requirements (in case weave is other than already mentioned above)	AS PER BUYER
	Knitting (In case of knitted Fabric)	Plain (Single Jersey) Knitted,
	Ends per dm	50
	Picks per dm	50
	Courses per dm	50
	Wales per dm	50
	Count of knitting yarn	NOT APPLICABLE
	Raising at inner side of Main Fabric	Yes
	Upper Lining	Yes
	Lower Lining	Yes
	Lining Material	100% Polyester Mesh
	Mass of Lining (Gram per Square Meter)	Not Applicable
	Netting mesh No of holes on base & bias within 625 Square millimeter	Not Applicable
	Technical Requirements of Slide Fastener for Upper Closing	Light Duty as per IS 14181 Latest
	Technical Requirements of Slide Fastener for Pocket Closing (For Pockets with Slide Fastener for closing)	Light Duty as per IS 14181 Latest
	Slide Fasteners are BIS Marked	Yes
	Width of Tape Elastic at Waist of Trouser	3.5 cm
	Width of Tape Elastic at Bottom of Upper	3.5 cm
	Technical Requirements of Waist Band	Waist band as per IS 9686- 1980 latest
	Waist Draw Cord	Polypropylene Cord of 4mm dia
	Draw Cord Ends	Fused
	Breaking Strength of Draw Cord	340 N minimum
	Sleeve Ends (Cuff)	Elastic Tape
	Upper provided with Piping	No
	Lower provided with Piping	Yes
	Piping Fabric- Composition	Any other material as per buyer's requirements
	Piping Fabric- Any other material as per buyer's requirements (Other than mentioned above)	AS PER BUYER
	Piping Fabric Mass (gram per square mtrs)	80
	Embroidery Thread	Not Applicable
SIZE	Size	Large (L)
DIMENSIONS OF UPPER	Width Across Chest 25 mm below under arm	55.0 cm (Large)
	Width Across Bottom Opening (relaxed)	48 cm (Large)
	Length at front from top of collar to bottom	68 cm (Large)
	Sleeve length (from center of back to bottom of sleeve	87 cm (Large)
	Sleeve opening relaxed (Cuff) Width	12.5 centimeter
	Front Neck Drop	10 centimeter
	Back Neck Drop	2.5 centimeter
	Length of Slide Fastener	66 cm(Large)

DIMENSIONS OF LOWER	Side Seam Length	107 cm (Large)
	Waist relaxed (Width Across)	45.5 cm (Large)
	Waist stretched (Width Across)	55 cm (Large)
	Seat/ Hip (15 cm below waist band)	55 cm (Large)
	Thigh (at Crotch) (Width Across)	37 cm (Large)
	Bottom Opening (Width Across)	26 centimeter
	Front rise including waist band	29 cm (Large)
	Back rise including waist band	39 cm (Large)
	Length of Waist Tying Cord	170 centimeter
	Bottom Fold (Hem) with full turn in(cm)	1.5
POCKETS	Number of Pockets (Upper)	2 Side Pockets
	Size of Side Pockets-Upper (Length X Width) (cm)	17 cm X 18 cm
	Size of Inside Pocket at Chest- Upper	11 cm X 15 cm
	Side Pocket opening - Upper	15.0 cm
	Side Pocket Closure with Slide Fastener -Upper	Not Applicable
	Number of Pockets (Lower)	2 Side Pockets
	Size of Side Pockets - Lower (Length X Width) (cm)	17 cm X 18 cm
	Side Pocket Opening- Lower	15 centimeter
	Pocket Closure with Slide Fastener - Lower	Side Pockets with Slide Fastener
	Material of Pockets	Main Basic Fabric
COLLAR	Collar Type	Stand and Fall Type, Made of two layers of self material
	Collar Reinforcement	Without Reinforcement
SLEEVE	Sleeve Type	Set In Sleeve
PIPING	Position and Dimensions of Piping on Upper	AS PER BUYER
	Position and Dimensions of Piping on Lower	AS PER BUYER
STITCHING	Sewing Thread	145 d tex X 3, Polyester
	Raw edges, if any shall be bound by overlock stitching	Yes
	Waist band stitching of Upper	Stitched in single rows with chain stitch on the elastic
	Sleeve Bottom (Cuff) Stitching	Stitched in single rows with chain stitch on the elastic
	Waist band stitching of Lower	Stitched in single rows with chain stitch on the elastic
	Lining seams	Inverted
	Bartack Stitching (Reinforcement Stitching) at stress bearing areas	Pocket opening, Centre of Waist Band Seam and bottom hem and other stress bearing areas
	Tunnel at Waist Band for Lower	Two holes stitched to allow the draw cord with insertion free movement
	Stitches per dm (min)	36
COLOUR/ PRINT	Colour	Multicolour/ Contrasting Pannels / Any other colour as per buyer's requirements
	Multicolour/ Contrasting Pannels / Any other colour as per buyer's requirements	AS PER BUYER
	Sublimation Printing (for 100 % polyester only)	Sublimation Print as per buyer's requirements
	Sublimation Print as per buyer's requirements	AS PER BUYER
	Colourfastness to Light (IS 2454)	5
	Colourfastness to Washing (IS/ ISO 105-C10, Test- C (3))	Change in Colour- 4; Staining of Adjacent Fabric- 3-4
	Colourfastness to Rubbing (IS 766)	Dry- 4 / Wet- 3
	Colourfastness to perspiration (IS 971)	4
	Colour of Mesh Lining	Same as colour of the base fabric
	Any other colour of Mesh Lining as per buyer's requirements	AS PER BUYER
	Colourfastness to Washing (IS/ISO 105-C10, Test- C (3))- Mesh Lining	Not Applicable
	Colourfastness to perspiration (IS 971)- Mesh Lining	Not Applicable

	Colour of Piping Material	Any other colour as per buyer's requirements
	Any other colour as per buyer's requirements	AS PER BUYER
OTHER REQUIREMENTS	Pilling Resistant [after 5 hours Test as per IS 10971 (Part 1)], min	4
	Dimensional stability to washing, Shrinkage or Elongation Percentage, max (IS 2977 latest), in lengthwise and widthwise direction	1
LOGO AND MARKING	Logo/ Totem Marking	As per buyer's requirements
	Type of Logo	Printed
	Number of Logos on Upper	1
	Number of Logos on Lower	Not Applicable
	Size, Design and Location of Logo as per buyer's requirement	AS PER BUYER
TEST REPORT	Availability of Test Report from designated AHSP/ NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification	No
	Test Report No	NOT APPLICABLE
	Test Report Date	NOT APPLICABLE
	Name of the Lab	NOT APPLICABLE
	Address of the Lab	NOT APPLICABLE
	Test reports to be furnished to buyer on demand, if claimed to be available	Not applicable
ADVANCE SAMPLE	Agree to provide Advance Sample(s) for buyer's approval before commencement of supply	Yes

Note | नोट: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ePBG Detail | ईपीबीजी विवरण

NA

Terms and Conditions | नियम और शर्तें

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।