

## Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687704477989

Generated Date | अनुबंध तिथि: 11-Jan-2024

<b>Organisation Details   संगठन विवरण</b>		<b>Buyer Details   खरीदार विवरण</b>				
Type   प्ररूप :	Central Autonomous	Designation   पद :	Administrative Officer			
Ministry   मंत्रालय :	Ministry of Agriculture and Farmers Welfare	Contact No.   संपर्क नंबर :	731-2476188-			
Department   विभाग :	Department of Agricultural Research and Education (DARE)	Email ID   ईमेल आईडी :	priyanka.sawan@icar.gov.in			
Organisation Name   संगठन का नाम :	Indian Council of Agricultural Research (ICAR)	GSTIN   जीएसटीआईएन :	23BPLN01400A1DP			
Office Zone   कार्यालय क्षेत्र:	Icar- Indian Institute Of Soybean Research, Indore	Address   पता :	ICAR-Indian Institute of Soybean Research, Khandwa Road, Near Crystal I.T. Park, Indore-452001(M.P.),, INDORE, MADHYA PRADESH-452001, India			
<b>Financial Approval Detail   वित्तीय स्वीकृति विवरण</b>		<b>Paying Authority Details   भुगतान प्राधिकरण विवरण</b>				
IFD Concurrence   आईएफडी सहमति :	No	Role:	PAO			
Designation of Administrative Approval   प्रशासनिक अनुमोदन का पदनाम:	Director	Payment Mode   भुगतान का तरीका:	Offline			
Designation of Financial Approval   वित्तीय अनुमोदन का पदनाम :	Director	Designation   पद :	Finance and Accounts officer			
		Email ID   ईमेल आईडी :	ravindra.kumar2@icar.gov.in			
		GSTIN   जीएसटीआईएन :	N			
		Address   पता:	ICAR-Indian Institute of Soybean Research, Khandwa Road, Near Crystal I.T. Park, Indore-452001(M.P.),, INDORE, MADHYA PRADESH-452001, India			
<b>Seller Details   विक्रेता विवरण</b>						
GeM Seller ID   जेम विक्रेता आईडी :	QXPT220005712574					
Company Name   कंपनी का नाम :	HEALTHTECH SOLUTION					
Contact No.   संपर्क नंबर :	09314883362					
Email ID   ईमेल आईडी :	gem.healthtechsolutionjpr@gmail.com					
Address   पता :	ROOM NO.-1, PLOT NO.-32 FIRST FLOOR, VIDHYUT NAGAR - A AJMER ROAD, JAIPUR, Jaipur, RAJASTHAN-302017, -					
MSME Registration number   एमएसएमई पंजीकरण संख्या :	-					
GSTIN   जीएसटीआईएन:	08AANFH0271K1Z6					
<b>*GST / Tax invoice to be raised in the name of   जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Buyer</b>						
<b>Delivery Instructions   वितरण निर्देश : NA</b>						
<b>Product Details   उत्पाद विवरण</b>						
#	Item Description   आइटम विवरण	Ordered Quantity   आइटम विवरण	Unit   इकाई	Unit Price (INR)   इकाई मूल्य (INR)	Tax Bifurcation (INR)   कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR)   मूल्य (INR में सभी शुल्क और कर सहित)
1	<b>Product Name   उत्पाद का नाम :</b> Neuation Refrigerated Centrifuge with Full color touch screen interface display <b>Brand   ब्रांड :</b> Neuation <b>Brand Type   ब्रांड प्रकार :</b> Registered Brand <b>Catalogue Status   कैटलॉग की स्थिति:</b> OEM verified catalogue <b>Selling As   कैसे बेचा जा रहा है :</b> OEM verified Reseller <b>Category Name &amp; Quadrant   श्रेणी का नाम और चतुर्थांश :</b> Refrigerated Centrifuge For General And Research Purpose (Q3) <b>Model   मॉडल:</b> M24PR <b>HSN Code   एचएसएन कोड:</b> HSN not specified by seller	1	pieces	249,900	NA	249,900
Total Order Value   कुल ऑर्डर मूल्य (in INR)						249,900
<b>Consignee Detail   परेषिती विवरण</b>						
S.No   क्र.सं.	Consignee   परेषिती	Item   वस्तु	Lot No.   लॉट नंबर	Quantity   मात्रा	Delivery Start After   दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By   वितरण पूरा कब तक करना है
	Designation   पद : CONSIGNEE Email ID   ईमेल आईडी : sukhram.vasuniya@icar.gov.in Contact   संपर्क : 731-2437905-	Neuation Refrigerated				

1	GSTIN   जीएसटीआईएन : N Address   पता : Central Store, ICAR-Indian Institute of Soybean Research, Khandwa Road, Near Crystal I.T. Park, Indore-452001(M.P.), INDORE, MADHYA PRADESH-452001, India	Centrifuge with Full color touch screen interface display	-	1	11-Jan-2024	26-Jan-2024
Product Specification for Neuation Refrigerated Centrifuge with Full color touch screen interface display						
Specification   विनिर्देश	Sub-Spec   उप-विनिर्देश	Value   मूल्य				
Standards	Conformity to standards	BIS				
	Certificate date and number	NA				
Performance Parameters	Purpose	To Centrifuge different kinds of samples in different Testing Labs and research Labs at room Temperature				
	Centrifuge design	Bench Top				
	Weight including Rotor in kgs	140				
	Maximum RPM with no load	12000 to 15000 or above				
	"Number of steps of RPM Variation available in the settings (correspondingly RCF also varies) "	1				
	RPM setting accuracy	plus minus 5%				
	Type of Motor	With Carbon Brushless				
	Accessories	Spanner to tight or loose Nut of Rotor on Motor shaft head puller, spare rotor nuts ,fuse-2, Instruction Manual Book ,installation CD				
	Type of lid lock	Electronic lid locking with automatic lid opening at end of run				
	Maximum Noise level whemn working at 1 meter distance in db	60				
	Ambient operating Temperature range in Degree centigrade Celsius and humidity range	0 to 50 and Relative humidity 15 to 90%				
	Rotor imbalance diagnostics and automatic stop if required	Yes				
	No of acceleration and deceleration profiles in built for rotor speed while automatic braking	Acceleration & Deceleration time to be less than 15 sec				
	Maximum timer set point	60 minutes				
	Parameters to be displayed by the digital display	RPM,RCF,Set time,Run time,Rotor running indication ,imbalancing if any				
	Display Type	Full color touch screen interface				
	Speed controller	Microprocessor controlled pre programmed speed controller which can control RPM as well as RCF				
	Speed Control tolerance in case of set speed (Plus minus RPM ) in percentage	15				
	Temperature controller	Micro processor based PID Digital temperature controller cum Indicator, (With LCD Display) to control the Temperature from +40° C up to -20°C				
	Configuration of Rotor supplied with centrifuge machine	swing out and angle rotor				
	Rotor Feature with reference to Autoclavability	Autoclavable Rotor @121 Degree Celsius				
	Type of Tubes which can be used with centrifuge machine	Polypropylene Centrifuge tubes and Glass centrifuge tubes				
	Size of rotor supplied with centrifuge in ml	"24x1.5ml(for angle rotor) RPM 16000"				
	Maximum RCF	1500				
	Power supply	220 Volts 50 Hz AC ± 10%				
	Power consumption in watts	220				
	Length of the Centrifuge in mm	40				
	Width of the Centrifuge in mm	40				
	Height of of the Centrifuge in mm	40				
	Length of Power cord in meters	0				
	Refrigerant should be CFC free	Yes				
	Temperature of refrigerator in degree Celsius	upto -20°C				
	Cooling arrangement	Through suitable compressor, radiator, Cooling fan and its Cooling Kit				
	Temperature control accuracy	± 2°C				
	Warranty period for equipment & Rotor (on site and comprehensive warranty) in years	1				

	Maximum Noise level when working at 1 meter distance in db	40
Material Parameters	Assembly Material for manufacture of Centrifuge	Die cast Aluminum, Aluminum sheet, Stainless Steel, CRC Steel, Plastic and Rubber
	"Lid Material of Centrifuge "	CRC Steel finish with powder coating or stove painting or ABS Plastic of injection moulding
	Body material of Centrifuge	C.R.C Steel Finish with Powder Coating/ Stove Painting.
	Front Panel of centrifuge	CRC Steel finish with powder coating or stove painting or ABS Plastic of injection moulding
	Centrifuge Bowl material in Centrifuge	Double walled with PUF Insulation to avoid loss of Cooling. Inner Chamber made of 304 Quality Stainless Steel Moulded
	Material of Rotor	Titanium
Additional Parameters	Condensed Water Drainage System	Yes
	The Equipment shall be installed and demonstrated before Acceptance	No(No installation and demonstration required and consignee can install)
	Servo Controller Voltage Stabilizer supplied with Item	No
	Servo stabilizer ratings in KVA	Not supplied
	Warranty of stabilizer in years	NA(If no stabilizer provided)
	Auto cut off	Yes
	Timer provided	NA
Reports	Certifications of Manufacturer	ISO 9001:2015
	ISO Certificate date and number	NA
	Copies of all certifications and reports to be provided to buyer on demand at time of supplies	Yes

#### ePBG Detail | ईपीबीजी विवरण

NA

#### Terms and Conditions | नियम और शर्तें

##### 1. Special terms and conditions- Version:3 effective from 11-11-2022

##### 1.1

- All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organisation (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
- The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
- The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.
- Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
- Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
- Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
- Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
- Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.  
OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
- Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any

requirements regarding the installations, training and manuals the same shall also be applicable.

10. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
11. Software: All software updates should be provided free of cost during warranty period.
12. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

## 2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।