

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687745697669

Generated Date | अनुबंध तिथि: 09-Jan-2024

Organisation Details | संगठन विवरण

Type | प्ररूप : Central Government
Ministry | मंत्रालय : Ministry of Communications
Department | विभाग : Department of Posts
Organisation Name | संगठन का नाम : Department of Posts
Office Zone | कार्यालय क्षेत्र : 110001

Buyer Details | खरीदार विवरण

Designation | पद : Sr Supdt of Post Offices
Contact No. | संपर्क नंबर : 011-24671592-
Email ID | ईमेल आईडी : donewdelhisouthwest.dl@indiapost.gov.in
GSTIN | जीएसटीआईएन : 07AAAGH0037B2Z5
Address | पता : Sr. Supdt of Post offices, New Delhi South West Division,
NEW DELHI, DELHI-110021, India

Financial Approval Detail | वित्तीय स्वीकृति विवरण

IFD Concurrence | आईएफडी सहमति : No
Designation of Administrative Approval | AD(MO)
प्रशासनिक अनुमोदन का पदनाम : AD(MO)
Designation of Financial Approval | AD(MO)
वित्तीय अनुमोदन का पदनाम : AD(MO)

Paying Authority Details | भुगतान प्राधिकरण विवरण

Role : PAO
Payment Mode | Offline
भुगतान का तरीका : Offline
Designation | पद : Senior Postmaster
Email ID | ईमेल आईडी : srprmsnho-dl@indiapost.gov.in
GSTIN | जीएसटीआईएन : -
Address | पता : Sr. Supdt of Post offices, New Delhi South West Division,
Chanakya Puri, New Delhi -110021,
South West Delhi, DELHI-110021, India

Seller Details | विक्रेता विवरण

GeM Seller ID | जेम विक्रेता आईडी : 99DZ210002282288
Company Name | कंपनी का नाम : SANSKAR IT SECURITY
Contact No. | संपर्क नंबर : 09868422151
Email ID | ईमेल आईडी : suraksha24x7news@gmail.com
Address | पता : H NO. 52, GALI NO,15 PRESS ENCLAVE PART-III,D.K MOHAN GARDEN,UTTAM NAGAR,
West Delhi, DELHI-110059, -
MSME Registration number | एमएसएमई पंजीकरण संख्या : UDYAM-DL-11-0009579
MSE Social Category | एमएसई सामाजिक श्रेणी : ST
MSE Gender | एमएसई लिंग श्रेणी : Male
GSTIN | जीएसटीआईएन : 07CNOPK4449L1ZC

*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Buyer

Delivery Instructions | वितरण निर्देश : NA

Product Details | उत्पाद विवरण

#	Item Description आइटम विवरण	Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR में सभी शुल्क और कर सहित)
1	Product Name उत्पाद का नाम : Sparsh 2MP BULLET CAMERA Brand ब्रांड : Sparsh Brand Type ब्रांड प्रकार : Registered Brand Catalogue Status कैटलॉग की स्थिति : OEM verified catalogue Selling As कैसे बेचा जा रहा है : OEM verified Reseller Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : Camera for CCTV System (Q2) Model मॉडल : SC-IB20B-63P HSN Code एचएसएन कोड : HSN not specified by seller	6	pieces	2,200	NA	13,200
Total Order Value कुल ऑर्डर मूल्य (in INR)						13,200

Consignee Detail | परेषिती विवरण

S.No क्र.सं.	Consignee परेषिती	Item वस्तु	Lot No. लॉट नंबर	Quantity मात्रा	Delivery Start After दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By वितरण पूरा कब तक करना है
	Designation पद : Sr Supdt of Post Offices Email ID ईमेल आईडी : donewdelhisouthwest.dl@indiapost.gov.in Contact संपर्क : 011-24671592-					

1	GSTIN जीएसटीआईएन : 07AAAGH0037B2Z5 Address पता : Sr. Supdt of Post offices, New Delhi South West Division, Chanakya Puri, New Delhi -110021, NEW DELHI, DELHI-110021, India	Sparsh 2MP BULLET CAMERA	-	6	09-Jan-2024	24-Jan-2024
Product Specification for Sparsh 2MP BULLET CAMERA						
Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य				
IMAGE SENSOR	Image Sensor Type	CMOS				
	Image Sensor Size	0.37 inch				
	Camera Image Sensing capacity (Picture Mode)	2MP				
	Resolution	4K HD (3840 X 2160 Pixel)				
	Day/Night Capable	Yes				
	IR illumination Range(mtr)	30				
CAMERA TYPE	Type of Camera Housing	BULLET CAMERA				
	IP Camera	Yes				
	PTZ Camera	No				
OPTICS	Lens Type	Fixed				
	Focal Length(mm)	6				
	Iris Control	Yes				
	Focus Mode	NA				
VIDEO	Frame Rate (fps)	30,25				
	Video Compression	H.264,H.265+,H.265				
	Video Streaming	Dual compressed stream				
PAN / TILT / ZOOM	Panning Range	NA				
	Pan Speed (deg/sec)	320				
	Tilt Range below horizontal (deg)	NA				
	Tilt Range above horizontal (deg)	NA				
	Tilt Speed (deg/sec)	90				
	Optical Zoom	NA				
	Digital Zoom	16X				
AUDIO	Audio Support	Yes				
	Audio Compression	G.711				
	Audio Streaming	One-Way				
	Number of Audio Input Channel	1				
	Number of Audio Output Channel	1				
	External Microphone Support	No				
ALARM	Alarm Support	No				
	Number of Alarm Digital Input	NA				
	Number of Alarm Relay Output	NA				
	Pre/Post Alarm Buffer	No				
SECURITY	Multi Level User ID/Password	Yes				
	IP Address Filtering	No				
	Encrypted Data Transmission	HTTPS (SSL/TSL)				
PERFORMANCE	Minimum Illumination for Capturing Color Image	0.01 lux				
	Electronic Shutter Speed(sec)	1/50 to 1/10000				
	WDR (Wide Dynamic Range)	80 dB				
	SNR (Signal to Noise Ratio)	50-60				
	Auto Exposure	Auto Level Control				
	White Balance (Indoor/Out door/Manual Selectable)	Yes				
	Auto Gain Control (On/Off selectable)	Yes				

FEATURES	Back Light Compensation	Yes
	Remote Administration (Remote configuration and status using web based tool)	Yes
	Remote System Update Over Network	Yes
	PC Client (PC application client with a channel recording feature support)	Yes
	Web Client (Viewer through HTTP system configuration)	Yes
	On Screen Display in English	Yes
	ONVIF Support	(Profile S and G)
	Presets	0
	Group Touring	0
	Privacy Zones	4
NETWORK AND INTERFACE	Supported Protocols	TCP/IP,UDP,RTP,RSTP,RTCP,HTTP,DNS,DDNS,DHCP,FTP,NTP,SMTP,UPnP,IGMP,802.1X,IPv6,IPv4
	IP Support	Dynamic,Static
	Signal Processing	Digital Signal Process
	IPv6 ready	Yes
	Wireless	No
	Simultaneous Connections	20
STORAGE	On Board SD Card Support	No
	SD Card Memory(GB)	NA
HOUSING	Installation Type	Outdoor
	Material of the Housing construction	Plastic
	Protection	IP 66
	Vandal Resistant Housing	No
	If Yes, IK rating	NA
	Mounting bracket	Wall Mounted
	Weight	270 gram
	Dimensions (mm x mm x mm)	157mm x107mm x77mm
POWER SUPPLY	Power Input	12 V DC
	Power Consumption	12 Watt
	Suitable Adapter Shall be Supplied to Make the Equipment Work on 230 V (+/- 10 %), 50 Hz	Yes
OPERATING CONDITIONS	Operating Temperature Range	- 30 to +60 deg C
	Relative Humidity Non Condensing (%)	95
WARRANTY / SERVICES	Warranty	1 year
	Time for Replacement of Defective Product During Warranty Period	72 hour
	Supply of Compatible drivers and software included	No
ENVIRONMENTAL / CERTIFICATION	Availability of facility & infrastructure for verification of all parameters, features, and capability with Seller	No
	Availability of facility to test signal to noise ratio of camera at 0-01 lux	No
	Conformity to Dry Heat test at 55 degree C for 16 hours as per IS :9000 latest	No
	Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest	No
	Conformity to Cold test at -10 / -20 degree C for 4 hours as per IS: 9000 latest, as applicable	No
	BIS Registration for safety general requirements as per IS 13252 (Part 1):latest	Yes
	Availability of Type Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	Yes

Test Report Number and Date	R-87005371
Name and Address of Test Lab	BIS
Certification	FCC,CE,BIS

ePBG Detail | ईपीबीजी विवरण

NA

Terms and Conditions | नियम और शर्तें

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।