

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687722948210

Generated Date | अनुबंध तिथि: 05-Jan-2024

Organisation Details संगठन विवरण	Buyer Details खरीदार विवरण
Type प्ररूप : State Government	Designation पद : Dy Mamlatdar
Ministry मंत्रालय : -	Contact No. संपर्क नंबर : 02772-244123-
Department विभाग : Revenue Department Gujarat	Email ID ईमेल आईडी : buycon277.rdg.gj@gembuyer.in
Organisation Name संगठन का नाम : N/A	GSTIN जीएसटीआईएन : 24AHMM06625D1DF
Office Zone कार्यालय क्षेत्र : Mamlatdar Office Himatnagar	Address पता : Mamlatdar Office, Bahumali Building, Himatnagar, SABARKANTHA, GUJARAT-383001, India

Financial Approval Detail वित्तीय स्वीकृति विवरण	Paying Authority Details भुगतान प्राधिकरण विवरण
IFD Concurrence आईएफडी सहमति : No	Role : BUYER
Designation of Administrative Approval प्रशासनिक अनुमोदन का पदनाम : Collector Sabarkantha	Payment Mode भुगतान का तरीका : Offline
Designation of Financial Approval वित्तीय अनुमोदन का पदनाम : Collector Sabarkantha	Designation पद : Dy Mamlatdar
	Email ID ईमेल आईडी : buycon277.rdg.gj@gembuyer.in
	GSTIN जीएसटीआईएन : 24AHMM06625D1DF
	Address पता : Mamlatdar Office, Bahumali Building, Himatnagar, Sabarkantha, GUJARAT-383001, India

Seller Details विक्रेता विवरण	
GeM Seller ID जेम विक्रेता आईडी : C796200001101615	Company Name कंपनी का नाम : A.D.SONS INFOTECH
Contact No. संपर्क नंबर : 09825071007	Email ID ईमेल आईडी : yakubmemon@hotmail.com
Address पता : 38,Vyapar Bhawan,Near Collector Office,Nyay mandir Road, Himmatnagar, GUJARAT-383001, -	MSME Registration number एमएसएमई पंजीकरण संख्या : UDYAM-GJ-21-0001885
MSE Social Category एमएसई सामाजिक श्रेणी : General	MSE Gender एमएसई लिंग श्रेणी : Male
GSTIN जीएसटीआईएन : 24ABLP2986P1ZU	

*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Buyer

Delivery Instructions | वितरण निर्देश : NA

#	Item Description आइटम विवरण	Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR) में सभी शुल्क और कर सहित
1	Product Name जयाद का नाम : PRAMA 2MP BULLET CAMERA Brand ब्रांड : PRAMA Brand Type ब्रांड प्रकार : Registered Brand Catalogue Status कैटलॉग की स्थिति : OEM verified catalogue Selling As कैसे बेचा जा रहा है : OEM verified Reseller Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : Camera for CCTV System (Q2) Model मॉडल : PT-NC120D3-IUF(D)-WITH-3.6mm HSN Code एचएसएन कोड : HSN not specified by seller	6	pieces	3,575	NA	21,450
Total Order Value कुल ऑर्डर मूल्य (in INR)						21,450

Consignee Detail परेषिती विवरण						
S.No क्र.सं.	Consignee परेषिती	Item वस्तु	Lot No. लॉट नंबर	Quantity मात्रा	Delivery Start After दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By वितरण पूरा कब तक करना है
1	Designation पद : Dy Mamlatdar Email ID ईमेल आईडी : buycon277.rdg.gj@gembuyer.in Contact संपर्क : 02772-244123- GSTIN जीएसटीआईएन : 24AHMM06625D1DF Address पता : Mamlatdar Office, Bahumali Building, Himatnagar,	PRAMA 2MP BULLET CAMERA	-	6	05-Jan-2024	20-Jan-2024

Product Specification for PRAMA 2MP BULLET CAMERA

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
IMAGE SENSOR	Image Sensor Type	CMOS
	Image Sensor Size	0.37 inch
	Camera Image Sensing capacity (Picture Mode)	2MP
	Resolution	Full HD (1920 x 1080 Pixel), HD (1280 x 720 Pixel)
	Day/Night Capable	Yes
	IR illumination Range(mtr)	30
CAMERA TYPE	Type of Camera Housing	BULLET CAMERA
	IP Camera	Yes
	PTZ Camera	No
OPTICS	Lens Type	Fixed
	Focal Length(mm)	3.6
	Iris Control	Fixed iris
	Focus Mode	Manual
VIDEO	Frame Rate (fps)	25,30
	Video Compression	H.264,H.265,H.265+, MJPEG
	Video Streaming	Dual compressed stream
PAN / TILT / ZOOM	Panning Range	NA
	Pan Speed (deg/sec)	NA
	Tilt Range below horizontal (deg)	NA
	Tilt Range above horizontal (deg)	NA
	Tilt Speed (deg/sec)	NA
	Optical Zoom	NA
	Digital Zoom	16X
AUDIO	Audio Support	Yes
	Audio Compression	G.726,G.722.1,G.711,G711ulaw,G711alaw,PCM,AAC
	Audio Streaming	One-Way
	Number of Audio Input Channel	1
	Number of Audio Output Channel	NA
External Microphone Support	No	
ALARM	Alarm Support	Yes
	Number of Alarm Digital Input	NA
	Number of Alarm Relay Output	NA
	Pre/Post Alarm Buffer	No
SECURITY	Multi Level User ID/Password	Yes
	IP Address Filtering	No
	Encrypted Data Transmission	HTTPS (SSL/TSL)
PERFORMANCE	Minimum Illumination for Capturing Color Image	0.01 lux
	Electronic Shutter Speed(sec)	1/3 to 1/10000
	WDR (Wide Dynamic Range)	DWDR
	SNR (Signal to Noise Ratio)	40-50
	Auto Exposure	Auto Level Control
	White Balance (Indoor/Out door/Manual Selectable)	Yes
	Auto Gain Control (On/Off selectable)	Yes
	Back Light Compensation	Yes
	Remote Administration (Remote configuration and status using web based tool)	Yes

FEATURES	Remote System Update Over Network	Yes
	PC Client (PC application client with a channel recording feature support)	Yes
	Web Client (Viewer through HTTP system configuration)	Yes
	On Screen Display in English	Yes
	ONVIF Support	Yes
	Presets	0
	Group Touring	0
	Privacy Zones	4
NETWORK AND INTERFACE	Supported Protocols	UDP,SNMP,IGMP,DHCP,RTP,RSTP,HTTP,SMTP,FTP,ICMP,QoS,NTP,TCP/IP,UPnP
	IP Support	Static,Dynamic
	Signal Processing	Digital Signal Process
	IPv6 ready	Yes
	Wireless	No
	Simultaneous Connections	6
STORAGE	On Board SD Card Support	Yes
	SD Card Memory(GB)	64
HOUSING	Installation Type	Indoor
	Material of the Housing construction	Alluminium
	Protection	IP67
	Vandal Resistant Housing	No
	If Yes, IK rating	NA
	Mounting bracket	Wall Mounted
	Weight	270 gram
	Dimensions (mm x mm x mm)	177.6 x 66.2 x 67.8
POWER SUPPLY	Power Input	12 V DC,PoE
	Power Consumption	6.5 Watt
	Suitable Adapter Shall be Supplied to Make the Equipment Work on 230 V (+/- 10 %), 50 Hz	NA
OPERATING CONDITIONS	Operating Temperature Range	- 30 to +60 deg C
	Relative Humidity Non Condensing (%)	95
WARRANTY / SERVICES	Warranty	3 year
	Time for Replacement of Defective Product During Warranty Period	72 hour
	Supply of Compatible drivers and software included	Yes
ENVIRONMENTAL / CERTIFICATION	Availability of facility & infrastructure for verification of all parameters, features, and capability with Seller	Yes
	Availability of facility to test signal to noise ratio of camera at 0-01 lux	Yes
	Conformity to Dry Heat test at 55 degree C for 16 hours as per IS :9000 latest	Yes
	Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest	Yes
	Conformity to Cold test at -10 / -20 degree C for 4 hours as per IS: 9000 latest, as applicable	Yes
	BIS Registration for safety general requirements as per IS 13252 (Part 1):latest	Yes
	Availability of Type Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	No
	Test Report Number and Date	AT Time of supply
	Name and Address of Test Lab	AT Time of supply
	Certification	BIS

BIS license of the product | उत्पाद का बीआईएस लाइसेंस: 71014834

ePBG Detail | ईपीबीजी विवरण

NA

Terms and Conditions | नियम और शर्तें

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।