

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687719310442

Generated Date | अनुबंध तिथि: 06-Jan-2024

Organisation Details | संगठन विवरण

Type | प्ररूप : Central Autonomous
Ministry | मंत्रालय : Ministry of Education
Department | विभाग : Department of School Education and Literacy
Organisation Name | संगठन का नाम : KENDRIYA VIDYALAYA SANGATHAN
Office Zone | कार्यालय क्षेत्र : Kendriya Vidyalaya No 2 Binnaguri

Buyer Details | खरीदार विवरण

Designation | पद : SSA
Contact No. | संपर्क नंबर : 03563-259452-
Email ID | ईमेल आईडी : buyer-1243@kvs.gov.in
GSTIN | जीएसटीआईएन : 19CALK03836A1DU
Address | पता : Kendriya Vidyalaya No. 2 Binnaguri Cantt, JALPAIGURI, WEST BENGAL-735232, India

Financial Approval Detail | वित्तीय स्वीकृति विवरण

IFD Concurrence | आईएफडी सहमति : No
Designation of Administrative Approval | प्रशासनिक अनुमोदन का पदनाम : Principal
Designation of Financial Approval | वित्तीय अनुमोदन का पदनाम : PRINCIPAL

Paying Authority Details | भुगतान प्राधिकरण विवरण

Role : BUYER
Payment Mode | भुगतान का तरीका : Offline
Designation | पद : SSA
Email ID | ईमेल आईडी : buyer-1243@kvs.gov.in
GSTIN | जीएसटीआईएन : 19CALK03836A1DU
Address | पता : Kendriya Vidyalaya No. 2 Binnaguri Cantt, Jalpaiguri, WEST BENGAL-735232, India

Seller Details | विक्रेता विवरण

GeM Seller ID | जेम विक्रेता आईडी : D784190001006015
Company Name | कंपनी का नाम : INTEGRATED SOLUTIONS
Contact No. | संपर्क नंबर : 07755979730
Email ID | ईमेल आईडी : poonamniam42@yahoo.in
Address | पता : 1992, C/O G. N. BHOSALE, HANUMAN NAGAR, SHIVAJI UNIVERSITY, UJALAIWADI, Kolhapur, MAHARASHTRA-416004, -
MSME Registration number | एमएसएमई पंजीकरण संख्या : UDYAM-MH-15-0012736
MSE Social Category | एमएसई सामाजिक श्रेणी : General
MSE Gender | एमएसई लिंग श्रेणी : Female
GSTIN | जीएसटीआईएन : 27AXKPN6464G1Z1

*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Consignee

Delivery Instructions | वितरण निर्देश : NA

Product Details | उत्पाद विवरण

| # | Item Description आइटम विवरण | Ordered Quantity आइटम विवरण | Unit इकाई | Unit Price (INR) इकाई मूल्य (INR) | Tax Bifurcation (INR) कर विभाजन (INR) | Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR) में सभी शुल्क और कर सहित) |
|--|--|-------------------------------|-------------|-------------------------------------|---|--|
| 1 | <p>Product Name उत्पाद का नाम : ViKTRON Sanitary Napkins Incinerator Machine with Smoke Control Unit Brand ब्रांड : ViKTRON Brand Type ब्रांड प्रकार : Registered Brand Catalogue Status कैटलॉग की स्थिति : Catalogue not verified by OEM Selling As कैसे बेचा जा रहा है : Reseller not verified by OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : Sanitary Napkins Incinerator Machine with Smoke Control Unit (Q3) Model मॉडल : IS/VIK/INCIN/100-200(16-25)T/0007 HSN Code एचएसएन कोड : HSN not specified by seller</p> | 2 | pieces | 9,499 | NA | 18,998 |
| Total Order Value कुल ऑर्डर मूल्य (in INR) | | | | | | 18,998 |

Consignee Detail | परेषिती विवरण

| S.No क्र.सं. | Consignee परेषिती | Item वस्तु | Lot No. लॉट नंबर | Quantity मात्रा | Delivery Start After दिनांक के बाद डिलीवरी शुरू करना है | Delivery To Be Completed By वितरण पूरा कब तक करना है |
|----------------|--|--------------------------------------|--------------------|-------------------|---|--|
| | Designation पद : SSA Email ID ईमेल आईडी : buyer-1243@kvs.gov.in Contact संपर्क : 03563-259452- | ViKTRON Sanitary Napkins Incinerator | | | | |

| 1 | GSTIN जीएसटीआईएन : 19CALK03836A1DU Address पता : Kendriya Vidyalaya No. 2 Binnaguri Cantt, JALPAIGURI, WEST BENGAL-735232, India | Machine with Smoke Control Unit | - | 2 | 06-Jan-2024 | 21-Jan-2024 |
|--|--|------------------------------------|---|---|---------------|--|
| Product Specification for ViKTRON Sanitary Napkins Incinetator Machine with Smoke Control Unit | | | | | | |
| Specification विनिर्देश | Sub-Spec उप-विनिर्देश | | | | Value मूल्य | |
| GENERAL | Type | | | | | Wall Mountable |
| | Purpose | | | | | Burn used Sanitary Napkins to sterile ash and stop automatically |
| | Color | | | | | Blue |
| | Operation Mode | | | | | Electronically operated, fully Automatic |
| | Loading Type | | | | | Front loading |
| | Stand provided | | | | | Yes |
| | Number of chambers | | | | | Two |
| | Trap Door available | | | | | Yes |
| | All MS parts Powder coated | | | | | Yes |
| | Spare parts should be available for Minimum 5 years from date of supply | | | | | Yes |
| | All electrical parts are ISI Marked | | | | | Yes |
| DIMENSIONS OF MAIN UNIT | Thickness of thermal Insulation material (mm) | | | | | 25 millimeter |
| | Thickness of MS/SS sheet of housing cabinet (external) (mm) | | | | | 1.2 millimeter |
| | Thickness of MS/SS sheet of burning chamber (internal) (mm) (Min) | | | | | 5 millimeter |
| | Machine Width(mm) | | | | | 200-300 |
| | Machine Depth (mm) | | | | | 201-300 |
| | Machine Hight(mm) | | | | | 200-500 |
| | Machine Weight(kg) | | | | | 5-15 |
| | Door width(mm) | | | | | 151-200 |
| | Door height(mm) | | | | | 101-150 |
| | Thickness of door including insulation (mm) | | | | | 40 millimeter |
| | Internal/burning chamber shape | | | | | Vertical cylindrical |
| | Flexible emission Outlet pipe dia (mm) | | | | | 40 millimeter |
| | Detachable ash tray length (mm) | | | | | 151-200 |
| | Detachable ash tray width (mm) | | | | | 100-150 |
| | Detachable ash tray height (mm) | | | | | 16-30 |
| | Stand Height (mm) | | | | | 0 millimeter |
| | Stand Width (mm) | | | | | NA for wall mountable |
| | Stand Depth (mm) | | | | | NA for wall mountable |
| MATERIAL OF MACHINE UNIT | Material of Housing cabinet (External) | | | | | Mild Steel(CRCA) sheet |
| | Material of Burning chamber (Internal) | | | | | Mild Steel(CRCA) sheet |
| | Finish of MS parts of cabinet | | | | | Epoxy anti rust proof painting for superior finish |
| | Material of Thermal Insulation | | | | | High Density Ceramic Fiber sheet |
| CONSTRUCTIONAL FEATURES | Thermal insulation of burning chamber housed in outer chamber | | | | | Yes |
| | Burning Chamber tray provided | | | | | Yes |
| | Emission Outlet pipe location | | | | | Top of machine |
| | Means of connecting the unit outlet with flue gas emission pipe | | | | | Clamped |
| | Type of door lock provided | | | | | Magnetic lock |
| | Temperature indicator provided | | | | | Yes |
| | Timer provided | | | | | Yes |
| | | | | | | |

| | | |
|--------------------------------|---|--|
| CONTROL & FUNCTIONAL FEATURES | Auto cut-off temperature display | Yes |
| | Digital display to see actual and set temperature | Yes |
| | Minimum Burning temperature (degree C) | 800 |
| | Burning Capacity per day (Number of Napkins) | 100-200 |
| | Burning Capacity at a time (Number of Napkins) | 26-50 |
| | Residue Ash per Napkin (gms) | 1 gram |
| | Burning time of full capacity Napkins/pads (minutes) (Max) | 10 minute |
| | Skin temperature of the unit under operation (deg C) | 0-15 |
| | Installation, training, demonstration and plumbing included | Yes |
| ELECTRICAL AND SAFETY FEATURES | Automatic digital controller for time | Yes |
| | Automatic digital controller for temperature | Yes |
| | Equipment ON/OFF indicator provided | Yes |
| | Power supply | 230v +/-10%, 50Hz, Single phase, AC supply |
| | Electrical Power Consumption(Watt) | 500-1000 |
| | Minimum length of power chord to be supplied along with machine (mtr) | 2 meter |
| | Type of Heater | Ceramic heater containing coil |
| | Power saver (auto power cut-off) | Yes |
| | Safety MCB provided (16A to 30A) | Yes |
| | Protection against electric shock when checked as per IS:302-1/2008 | Yes |
| | Minimum Insulation Resistance (IR) at 500 VDC (Mega Ohm) | 2 |
| | Maximum Electrical Insulation and Leakage current as per IS:302-1/2008, (mA) | 0.21 |
| | Maximum Earthing continuity test when tested as per IS:302-1/2008 (Ohm) | 0.1 |
| | HV test at 1000 V rms for 1 Sec when tested as per IS:302-1/2008 | No breakdown shall occur during the test |
| SMOKE CONTROL UNIT (SCU) | Type of SCU (Smoke Control Unit) | Top mounted |
| | Material of housing of Smoke Control Unit (SCU) | Mild Steel(CRCA) cabinet |
| | Finish of MS parts of SCU cabinet | Epoxy anti rust proof painting for superior finish |
| | Overall height of SCU (mm) | 300 |
| | Overall width of SCU (mm) | 100-300 |
| | Overall depth of SCU (mm) | 100-300 |
| | Number of chambers for filtration of smoke emission | Two |
| | Both carbon Control and Foul odour Control Chambers for filtration of smoke emission | Yes |
| | Number of filters in Carbon control chamber | One |
| | Type of filters in Carbon control chamber | Activated Carbon filter |
| | Number of filters in Odour control chamber | One |
| | Type of filters in Odour control chamber | Activated Carbon filter |
| | Blower type | "Centrifugal, direct driven" |
| | Blower RPM | 1800 |
| | Power supply of SCU | 230v +/-10%, 50Hz, Single phase, AC supply |
| | Minimum length of flexible emission outlet pipe to be supplied along with machine (mtr) | 3 |
| | Cost of additional flexible emission outlet pipe, if required on actuals to be paid by the user | Yes |
| | Conformity to CPCB, Min of Environment & Forests standard, Solid Waste Management Rules (SWM), 2016 | Yes |
| | Particulates (Half hourly average) (mg/Nm3) (Max) | 50 |
| | HCl (Half hourly average) (mg/Nm3) (Max) | 50 |
| | SO2 (Half hourly average) (mg/Nm3) (max) | 200 |
| | CO (Half hourly average) (mg/Nm3) (Max) | 100 |
| | CO (Daily average) (mg/Nm3) (Max) | 50 |

| | | |
|---|---|------------|
| EMISSION STANDARD FOR SMOKE | Total Organic Carbon (Half hourly average) (mg/Nm3) (Max) | 20 |
| | HF (Half hourly average) (mg/Nm3) (Max) | 4 |
| | "Nox (NO and NO2 expressed as NO2) (Half hourly average) (mg/Nm3) (Max)" | 400 |
| | Total dioxins and furans (6 to 8 hours sampling basis, Please refer guidelines for 17 concerned congeners for toxic equivalence values to arrive at total toxic equivalence) (ng TEQ/Nm3) (Max) | 0.1 |
| | Cd + Th + their compounds (Sampling time anywhere between 30 minutes and 8 hours) (mg/Nm3) (Max) | 0.05 |
| | Hg and its compounds (Sampling time anywhere between 30 minutes and 8 hours) (mg/Nm3) (Max) | 0.05 |
| | Sb+As+Pb+Cr+Co+Cu+Mn+Ni+V+their compounds (Sampling time anywhere between 30 minutes and 8 hours) (mg/Nm3) (Max) | 0.5 |
| | Loss on ignition (max) (% dry weight of the material) | 5 |
| PACKING | Packing | Carton Box |
| MARKING AND INSTRUCTIONS | The appliance is marked as per IS:302-1/2008 | Yes |
| CERTIFICATION | Submission of Test Report from Central Govt/CSIR Lab/NABL/ILAC accredited Lab specifically containing Electrical & Electronic parameters,Thermal insulation material of burning chamber in addition to declared specification parameter at time of supply | Yes |
| | Submission Test Report for equipment for compliance of Flue gas emission and ash upon combustion of Sanitary Napkins/Pads to Central Pollution Control Board (CPCB) norms from NABL accredited lab/CSIR Lab at the time of supply | Yes |
| | Certification Available | Other |
| | Certificate for Manufacturing premises available | ISO |
| | Compliance certificate is to be furnished after conducting comprehensive performance test by the supplier | Yes |
| | Submission of all the certifications to the buyer along with supplies | Yes |
| PERFORMANCE REQUIREMENTS | Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue) | 1 |
| <p>Note टिप्पणी:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p> | | |
| <p>ePBG Detail ईपीबीजी विवरण</p> | | |
| <p>NA</p> | | |
| <p>Terms and Conditions नियम और शर्तें</p> | | |
| <p>1. Special terms and conditions- Version:2 effective from 03-11-2023</p> | | |
| <p>1.1 1. Comprehensive warranty:</p> <p>Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares,. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables .Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.</p> | | |
| <p>2. Service centres:</p> <p>Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address ,telephone numbers, e mails etc at time of making the supplies .It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.</p> | | |
| <p>3. Source of supply:</p> <p>It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.</p> | | |
| <p>4. Packing and Marking:</p> <p>Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take in to consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed .Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date , brief description of goods including quantity ,. Packing list reference number , country of origin of goods and any other relevant details.</p> | | |
| <p>5. Spare Parts:</p> <p>Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM . It shall be ensured that the required spares are available for</p> | | |

purchase at least for 10 years from date of supplies .In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.

OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied

6. Installation, Training, Manuals:

Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and Supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations , training and manuals the same shall also be applicable.

7. Electrical safety checking:

Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.

8. Software:

All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।