

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687731125971

Generated Date | अनुबंध तिथि: 08-Jan-2024

Organisation Details संगठन विवरण		Buyer Details खरीदार विवरण																
Type प्ररूप :	State Government	Designation पद :	SDO PR	Contact No. संपर्क नंबर :	-													
Ministry मंत्रालय :	-	Email ID ईमेल आईडी :	shyamlal.pan@hry.gov.in	GSTIN जीएसटीआईएन :	-													
Department विभाग :	Department of Panchayati Raj	Address पता :	O/o Executive Engineer Panchayati Raj, Charkhi Dadri First floor in the office of BD&PO Dadri, Charkhi Dadri, HARYANA-127306, India															
Organisation Name संगठन का नाम :	CHARKHI DADRI District Panchayats																	
Office Zone कार्यालय क्षेत्र:	Executive Engineer Panchayati Raj Charkhi Dadri																	
Financial Approval Detail वित्तीय स्वीकृति विवरण		Paying Authority Details भुगतान प्राधिकरण विवरण																
IFD Concurrence आईएफडी सहमति:	Yes	Role:	BUYER	Payment Mode	Offline													
Designation of Administrative Approval प्रशासनिक अनुमोदन का पदनाम:	SDO (PR) Charkhi Dadri	Designation पद :	SDO PR															
Designation of Financial Approval वित्तीय अनुमोदन का पदनाम :	Sub-Divisional Officer, (PR) Charkhi Dadri.	Email ID ईमेल आईडी :	shyamlal.pan@hry.gov.in	GSTIN जीएसटीआईएन :	06RTKE02506A1D8													
					O/o Executive Engineer Panchayati Raj, Charkhi Dadri First floor in the office of BD&PO Dadri, Charkhi Dadri, HARYANA-127306, India													
Seller Details विक्रेता विवरण																		
GeM Seller ID जेम विक्रेता आईडी :	IGQR200001562790	Address पता :	1716 DLF Phase 4, Gurugram,Deepak bhardwaj, DLF Phase 4, Village/Town:- Gurugram, City:- Gurugram, Gurgaon, HARYANA-122009, India															
Company Name कंपनी का नाम :	M/s Deepak Bhardwaj	MSME Registration number एमएसएमई पंजीकरण संख्या :	UDYAM-HR-05-0000714															
Contact No. संपर्क नंबर :	08010889244	MSE Social Category एमएसई सामाजिक श्रेणी :	General															
Email ID ईमेल आईडी :	bhardwaj.deepak11@gmail.com	MSE Gender एमएसई लिंग श्रेणी :	Male															
Address पता :																		
GSTIN जीएसटीआईएन:																		
*GST / Tax invoice to be raised in the name of जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Buyer																		
Delivery Instructions वितरण निर्देश : NA																		
Product Details उत्पाद विवरण																		
#	Item Description आइटम विवरण	Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR में सभी शुल्क और कर सहित)												
1	Product Name उत्पाद का नाम : Promark Sit Up Board Double Station Brand ब्रांड : Promark Brand Type ब्रांड प्रकार : Registered Brand Catalogue Status कैटलॉग की स्थिति: Catalogue not verified by OEM Selling As कैसे बेचा जा रहा है : Reseller not verified by OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : Sit Up Board - Outdoor Gym Equipment (Q3) Model मॉडल : Sit Up Board HSN Code एचएसएन कोड : HSN not specified by seller	1	pieces	18,950	NA	18,950												
Total Order Value कुल ऑर्डर मूल्य (in INR)						18,950												
Consignee Detail परेष्ठी विवरण																		
S.No क्र.सं.	Consignee परेष्ठी	Item वस्तु	Lot No. लॉट नंबर	Quantity मात्रा	Delivery Start After दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By वितरण पूरा कब तक करना है												
	Designation पद : SDO PR Email ID ईमेल आईडी : shyamlal.pan@hry.gov.in																	

1	Contact संपर्क : - GSTIN जीएसटीआईएन : - Address पता : O/o Executive Engineer Panchayati Raj, Charkhi Dadri First floor in the office of BD&PO Dadri, Charkhi Dadri, HARYANA-127306, India	Promark Sit Up Board Double Station	-	1	08-Jan-2024	23-Jan-2024
Product Specification for Promark Sit Up Board Double Station						
Specification स्पेसिफिकेशन		Sub-Spec उप-विवरण	Value मूल्य			
TYPE		Name of the product	Sit Up Board			
		Type	Double Station			
SIZE/ DIMENSIONS		Length	2500 millimeter			
		Width	2000 millimeter			
		Height	1000 millimeter			
MATERIAL		Type of Back Rest	Set of Rectangular Flat Pipes			
		Material of Back Rest	Mild Steel Plate			
		Thickness of Back Rest	10 millimeter			
		Governing Specification for GI Pipes	BIS specification No IS 1239 (Part 1)- 2004, latest			
		All the GI Pipes are ISI marked	Yes			
		Main Frame/Central Pipe	125mm Nominal Bore G.I. Pipe			
		Main Frame/Central Pipe, Class as per IS 1239	Heavy			
		Main Frame/Central Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness	100 mm NB with 3.6 mm Thickness			
		Grade of Material as per table 2 of IS 1161	Not Applicable			
		Foot Rest Pipe	50mm Nominal Bore G.I. Pipe			
		Foot Rest Pipe , Class as per IS 1239	Heavy			
		Foot Rest Pipe (As per as per Clause 3, of IS 1161) , Nominal Bore & Wall Thickness	40 mm NB with 2.9 mm Thickness			
		Grade of Material as per table 2 IS 1161	Not Applicable			
		Back Rest Frame Pipe and Connecting Links	40 mm Nominal Bore G.I. Pipe			
		Back Rest Frame Pipe and Connecting Links, Class as per IS 1239	Heavy			
		Back Rest Frame Pipe and Connecting Links (As per Clause 3, of IS 1161) Nominal Wall & Thickness	32 mm NB with 2.6 mm Thickness			
		Grade of Material (as per table 2 of IS 1161)	Not Applicable			
		Leg Support Pipe	50mm Nominal bore G.I. pipe			
		Leg Support Pipe , Class as per IS 1239	Heavy			
		Leg Support Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness	40 mm NB with 2.9 mm Thickness			
		Grade of Material per table 2 of IS 1161	Not Applicable			
		Foundation Pipes with anchoring	750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm			
		Nominal Bore of Foundation Pipe	150mm			
		Foundation Pipe, Class as per IS 1239	Heavy			
		Foundation Pipe Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness	100 mm NB with 3.6 mm Thickness			
		Grade of Material (as per table 2 of IS 1161)	Not Applicable			
		M S Foundation Plate Thickness	10 millimeter			
		Galvanization of all Pipes	Zinc coating on the tubes shall be in accordance with IS 4736 latest.			
		Nuts and Bolts for Assembly	G.I.			
		Closing Caps of open ends of the pipes, bearings, bushes and base	Fibre Reinforced Plastic			
		Thickness of closing caps (min)	2 millimeter			
		All Plastic Components	U V stabilised, weather resistance			
COLOUR	Colour		As per buyer's requirements			
	Paint// Finish		Powder Coated, UV resistant			
	Paint Coating Thickness (min)		80 micrometer			

OTHER REQUIREMENTS	Other Requirement	Ergonomic Design, Equipment shall be free from entrapments and sharp edges, Installation Instructions must be provided
	Installation	Included
	Safety and quality Requirements	European Standard EN 16630: 2015 latest
	Instruction Plate	Stainless Steel, Size 150 X 230 X 0.7mm, with indelible printing
CERTIFICATION	Certification (Safety and Quality Requirements)	No
	Registration No and Validity of Registration	-
APPROVAL	Drawing depicting detailed dimensions and foundation details shall be got approved from buyer before installation, if desired by buyer	Yes
WARRANTY	Warranty (years)	2 year

Note | टिप्पणी: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ePBG Detail | ईपीबीजी विवरण

NA

Terms and Conditions | नियम और शर्तें

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंटे आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।