Contract|अनुबंध



Contract No|अनुबंध क्रमांक: GEMC-511687733777116 Generated Date|अनुबंध तिथि: 08-Jan-2024

Organisation Details|संगठन विवरण

Type|प्ररूप : State Government

Ministry|मंत्रालय :

Department | विभाग : School Education Department Jammu and Kashmir

Organisation Name|संगठन का नाम : Directorate of School Education

Office Zone|कार्यालय क्षेत्र: Government Girls High School Fatehgarh

Buyer Details|खरीदार विवरण

Designation|पद : Jr Assistant Contact No.|संपर्क नंबर : 01952-000000-

Email ID|ईमेल आईडी : gghs.fatehgarh@jk.gov.in

GSTIN|जीएसटीआईएन: -

Address|पता : Government Girls High School Fatehgarh,
BARAMULLA, JAMMU & KASHMIR-193101, India

Financial Approval Detail|वित्तीय स्वीकृति विवरण

IFD Concurrence|आईएफडी सहमति :

Designation of Administrative Approval

प्रशासनिक अनुमोदन का पदनाम:

Designation of Financial Approval

वित्तीय अनुमोदन का पदनाम :

Paying Authority Details|भुगतान प्राधिकरण विवरण

Role: BUYER

Payment Mode| भुगतान का तरीका:

Designation | पद : Jr Assistant

Email ID|ईमेल आईडी : gghs.fatehgarh@jk.gov.in

GSTIN|जीएसटीआईएन : -

Address|पता: Government Girls High School Fatehgarh, Baramulla, JAMMU & KASHMIR-193101, India

Seller Details|विक्रैता विवरण

GeM Seller ID|जेम विक्रैता आईडी : 4VJ0220006268312 Company Name|कंपनी का नाम : AU COMPUTERS Contact No.|संपर्क नंबर : 09419787220

Email ID | ईमेल आईडी : aucomputers21@gmail.com

Address। पता : 01,KHAWAJA BAGH,KHAWAJA BAGH BARAMULLA,

Baramulla, JAMMU & KASHMIR-193101, -

HEADMASTER

HEADMASTER

MSME Registration number|एमएसएमई पंजीकरण संख्या : UDYAM-JK-03-0010029

MSE Social Category|एमएसई सामाजिक श्रेणी : General MSE Gender।एमएसई लिंग श्रेणी : Male

GSTIN|जीएसटीआईएन: 01DZRPB3426E1ZT

*GST / Tax invoice to be raised in the name of|जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Buyer

Delivery Instructions | वितरण निर्देश : NA

Product Details|उत्पाद विवरण

	#	Item Description आइटम विवरण	Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR में सभी शुल्क और कर सहिते)
	1	Product Name उत्पाद का नाम : Unbranded Polyester Blended with Cotton Knitted Track Suits – Sports Brand ब्रांड : NA Brand Type ब्रांड प्रकार : Unbranded Catalogue Status कैटलॉग की स्थिति: Catalogue not verified by OEM Selling As कैसे बेचा जा रहा है : Reseller not verified by OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थाश : Track Suit - Sports (Q3) Model मॅांडल: ALCIS TRACK SUIT HSN Code एचएसएन कोड: HSN not specified by seller	24	pieces	950	NA	22,800
1	Total Order Value कुल ऑर्डर मूल्य (in INR)						22,800

Consignee Detail|परेषिती विवरण

S.No क्र.सं.	Consignee परेषिती	Item वस्तु	Lot No. लॉट नंबर	Quantity मात्रा	Delivery Start After दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By वितरण पूरा कब तक करना है
1	Designation पद : Jr Assistant Email ID ईमेल आईडी : gghs.fatehgarh@jk.gov.in Contact संपर्क : 01952-000000- GSTIN जीएसटीआईएन : -	Unbranded Polyester Blended with Cotton Knitted Track Suits –	-	24	08-Jan-2024	23-Jan-2024

Product Specification for Unbranded Polyester Blended with Cotton Knitted Track Suits – Sports					
Specification ॉनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य			
ITILITY	UTILITY	Unisex			
OMPONENTS	Components	Complete Set consisting of Upper and Lower			
	Fabric (Composition)	Polyester Blended with Cotton			
	Percentage of Blending (in case of Blended Fabric)	Polyester 50 % and Cotton 50 %			
	Mass (gram per square mtrs)	120 gram			
	Fabric Construction	Knitted			
	Weave (In case of Woven Fabric)	Not Applicable			
	Any other weave as per buyer's requirements (in case weave is other than already mentioned above)	NA			
	Knitting (In case of knitted Fabric)	Plain (Single Jersey) Knitted,			
	Ends per dm	AS PER BUYER			
	Picks per dm	AS PER BUYER			
	Courses per dm	AS PER BUYER			
	Wales per dm	AS PER BUYER			
	Count of knitting yarn	AS PER BUYER			
	Raising at inner side of Main Fabric	Yes			
	Upper Lining	Yes			
	Lower Lining	Yes			
	Lining Material	100% Polyester Mesh			
1ATERIAL	Mass of Lining (Gram per Square Meter)	55			
ii (i Ei W	Netting mesh No of holes on base & bias within 625 Square millimeter	155			
	Technical Requirements of Slide Fastener for Upper Closing	Medium special duty Open End as per IS 14181 Latest			
	Technical Requirements of Slide Fastener for Pocket Closing (For Pockets with Slide Fastner for closing)	Medium special duty Open End as per IS 14181 Latest			
	Slide Fastners are BIS Marked	Not Applicable			
	Width of Tape Elastic at Waist of Trouser	3.5 cm			
	Width of Tape Elastic at Bottom of Upper	3.5 cm			
	Technical Requirements of Waist Band	Waist band as per IS 9686- 1980 latest			
	Waist Draw Cord	Polypropylene Cord of 4mm dia			
	Draw Cord Ends	Fused			
	Breaking Strength of Draw Cord	340 N minimum			
	Sleeve Ends (Cuff)	Elastic Tape			
	Upper provided with Piping	Yes			
	Lower provided with Piping	Yes			
	Piping Fabric- Composition	100 percent Polyester			
	Piping Fabric- Composition Piping Fabric- Any other material as per buyer's requirements (Other than mentioned above)	100 percent Polyester NA			
	Piping Fabric- Any other material as per buyer's requirements (Other than mentioned above)	NA NA			
ZE	Piping Fabric- Any other material as per buyer's requirements (Other than mentioned above) Piping Fabric Mass (gram per square mtrs)	NA 80			
ZE	Piping Fabric- Any other material as per buyer's requirements (Other than mentioned above) Piping Fabric Mass (gram per square mtrs) Embroidery Thread	NA 80 Polyester			
ZE	Piping Fabric- Any other material as per buyer's requirements (Other than mentioned above) Piping Fabric Mass (gram per square mtrs) Embroidery Thread Size	NA 80 Polyester Medium (M)			
ZE	Piping Fabric- Any other material as per buyer's requirements (Other than mentioned above) Piping Fabric Mass (gram per square mtrs) Embroidery Thread Size Width Across Chest 25 mm below under arm	NA 80 Polyester Medium (M) 52.5 cm (Medium)			
ZE IMENSIONS F UPPER	Piping Fabric- Any other material as per buyer's requirements (Other than mentioned above) Piping Fabric Mass (gram per square mtrs) Embroidery Thread Size Width Across Chest 25 mm below under arm Width Across Bottom Opening (relaxed)	NA 80 Polyester Medium (M) 52.5 cm (Medium) 46 cm (Medium)			

	Back Neck Drop	2 centimeter
	Length of Slide Fastener	64 cm(Medium)
	Side Seam Length	104.5 cm (Medium)
	Waist relaxed (Width Across)	43 cm (Medium)
	Waist stretched (Width Across)	52.5 cm (Medium)
	Seat/ Hip (15 cm below waist band)	52.5 cm (Medium)
DIMENSIONS	Thigh (at Crotch) (Width Across)	36 cm (Medium)
OF LOWER	Bottom Opening (Width Across)	22 centimeter
	Front rise including waist band	28 cm (Medium)
	Back rise including waist band	38 cm (Medium)
	Length of Waist Tying Cord	155 centimeter
	Bottom Fold (Hem) with full turn in(cm)	2.0
	Number of Pockets (Upper)	2 Side Pockets
	Size of Side Pockets-Upper (Length X Width) (cm)	17 cm X 18 cm
	Size of Inside Pocket at Chest- Upper	Not Applicable
	Side Pocket opening - Upper	15.0 cm
DO CUETO	Side Pocket Closure with Slide Fastener -Upper	Yes
POCKETS	Number of Pockets (Lower)	2 Side Pockets
	Size of Side Pockets - Lower (Length X Width) (cm)	17 cm X 18 cm
	Side Pocket Opening- Lower	15 centimeter
	Pocket Closure with Slide Fastener - Lower	Side Pockets with Slide Fastener
	Material of Pockets	Main Basic Fabric
	Collar Type	Stand and Fall Type, Made of two layers of self material
COLLAR	Collar Reinforcement	With Canvas Reinforcement
SLEEVE	Sleeve Type	Set In Sleeve
PIPING	Position and Dimensions of Piping on Upper	AS PER BUYER
	Position and Dimensions of Piping on Lower	AS PER BUYER
	Sewing Thread	145 d tex X 3, Polyester
	Raw edges, if any shall be bound by overlock stitching	Yes
	Waist band stitching of Upper	Stitched in single rows with chain stitch on the elastic
	Sleeve Bottom (Cuff) Stitching	Stitched in single rows with chain stitch on the elastic
	Waist band stitching of Lower	Stitched in single rows with chain stitch on the elastic
STITCHING	Lining seams	Not Applicable
	Bartack Stitching (Reinforcement Stitching) at stress bearing areas	Pocket opening, Centre of Waist Band Seam and bottom hem and other stress bearing areas
	Tunnel at Waist Band for Lower	Two holes stitched to allow the draw cord with insertion fre movement
	Stitches per dm (min)	36
COLOUR/ PRINT	Colour	Multicolour/ Contrasting Pannels / Any other colour as per buyer's requirements
	Multicolour/ Contrasting Pannels / Any other colour as per buyer's requirements	NA
	Sublimation Printing (for 100 % polyester only)	Sublimation Print as per buyer's requirements
	Sublimation Print as per buyer's requirements	AS PER BUYER
	Colourfastness to Light (IS 2454)	5
	Colourfastness to Washing (IS/ ISO 105-C10, Test- C (3))	Change in Colour- 4; Staining of Adjacent Fabric- 3-4
	Colourfastness to Rubbing (IS 766)	Dry- 4 / Wet- 3
	Colourfastness to perspiration (IS 971)	4
	Colour of Mesh Lining	Same as colour of the base fabric

	Colourfastness to Washing (IS/ISO 105-C10, Test- C (3))- Mesh Lining	Not Applicable		
	Colourfastness to perspiration (IS 971)- Mesh Lining	Not Applicable		
	Colour of Piping Material	Any other colour as per buyer's requirements		
	Any other colour as per buyer's requirements	ACCEPTED		
OTHER	Pilling Resistant [after 5 hours Test as per IS 10971 (Part 1)], min	4		
REQUIREMENTS	Dimensional stability to washing, Shrinkage or Elongation Percentage, max (IS 2977 latest), in lengthwise and widthwise direction	1		
	Logo/ Totem Marking	As per buyer's requirements		
	Type of Logo	Embroidery		
LOGO AND MARKING	Number of Logos on Upper	2		
	Number of Logos on Lower	Not Applicable		
	Size, Design and Location of Logo as per buyer's requirement	As per buyer		
	Availability of Test Report from designated AHSP/ NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification	No		
	Test Report No	NA		
TEST REPORT	Test Report Date	NA		
	Name of the Lab	NA		
	Address of the Lab	NA		
	Test reports to be furnished to buyer on demand, if claimed to be available	Not applicable		
ADVANCE SAMPLE	Agree to provide Advance Sample(s) for buyer's approval before commencement of supply	Yes		

Note | टिप्पणी:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ePBG Detail | ईपीबीजी विवरण

NA

Terms and Conditions|नियम और शर्तें

- 1. General Terms and Conditions-
- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।