Contract|अनुबंध

Contract No|अनुबंध क्रमांक: GEMC-511687723301148
Generated Date|अनुबंध तिथि : 08-Jan-2024

Organisation Details|संगठन विवरण

Type|प्ररूप :	Central Government
Ministry|मंत्रालय :	Ministry of Railways
Department|विभाग :	Indian Railways
Organisation Name|संगठन का नाम :	Northern Railway
Office Zone|कार्यालय क्षेत्र:	Northern Railway

Buyer Details|खरीदार विवरण

Designation|पद :	AMM NRCH
Contact No.|संपर्क नंबर :	011-23364227-
Email ID|ईमेल आईडी :	manish.garg74@gov.in
GSTIN|जीएसटीआईएन :	07AAAGM0289C1ZL
Address|पता :	NR CENTRAL HOSPITAL, BASANT LANE, NDLS, CENTRAL DELHI, DELHI-110055, India

Financial Approval Detail|वित्तीय स्वीकृति विवरण

IFD Concurrence|आईएफडी सहमति:	No
Designation of Administrative Approval| प्रशासनिक अनुमोदन का पदनाम:	PCMD/NR
Designation of Financial Approval| वित्तीय अनुमोदन का पदनाम :	FA&CAO/EXP/BH/NDLS

Paying Authority Details|भुगतान प्राधिकरण विवरण

Role:	BUYER
Payment Mode| भुगतान का तरीका:	Railways
Designation|पद :	AMM NRCH
Email ID|ईमेल आईडी :	manish.garg74@gov.in
GSTIN|जीएसटीआईएन :	07AAAGM0289C1ZL
Address|पता:	NR CENTRAL HOSPITAL, BASANT LANE, NDLS, NEW DELHI, DELHI-110055, India

Seller Details|विक्रेता विवरण

GeM Seller ID|जेम विक्रेता आईडी :	913T230009811983
Company Name|कंपनी का नाम :	GUPTA'S INDUSTRIES
Contact No.|संपर्क नंबर :	09990360946
Email ID|ईमेल आईडी :	guptasindustries.info@gmail.com
Address|पता :	GROUND FLOOR, HOUSE NO -B-405,OLD WZ244/9/1FA, BLK-WZ,SUDARSHAN PARK,Sudarshan Park, New Delhi, West Delhi, DELHI-110015, -
MSME Registration number|एमएसएमई पंजीकरण संख्या :	-
GSTIN|जीएसटीआईएन:	07MKLPS0710E1Z2

*GST / Tax invoice to be raised in the name of|जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Consignee

Delivery Instructions|वितरण निर्देश : NA

Product Details|उत्पाद विवरण

#	Item Description|आइटम विवरण	Ordered Quantity| आइटम विवरण	Unit | इकाई	Unit Price (INR)| इकाई मूल्य (INR)	Tax Bifurcation (INR)| कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR)| मूल्य (INR में सभी शुल्क और कर सहित)
1	**Product Name|उत्पाद का नाम :** SHALYA LCD Electro Cautery Machine with 3 bipolar modes **Brand|ब्रांड :** SHALYA **Brand Type|ब्रांड प्रकार :** Registered Brand **Catalogue Status|कैटलॉग की स्थिति:** OEM verified catalogue **Selling As|कैसे बेचा जा रहा है :** OEM verified Reseller **Category Name & Quadrant|श्रेणी का नाम और चतुर्थांश :** Electro Cautery Machine (Q2) **Model|मॉडल:** Shalya Sigma+ **HSN Code|एचएसएन कोड:** HSN not specified by seller	1	pieces	499,000	NA	499,000
Total Order Value |कुल ऑर्डर मूल्य (in INR)						**499,000**

Consignee Detail|परेषिती विवरण

S.No|क्र.सं.	Consignee|परेषिती	Item|वस्तु	Lot No.| लॉट नंबर	Quantity|मात्रा	Delivery Start After| दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By| वितरण पूरा कब तक करना है
1	Designation|पद : CNS I NRCH Email ID|ईमेल आईडी : kuljinder.k11@gov.in Contact|संपर्क : - GSTIN|जीएसटीआईएन : - Address|पता : NR CENTRAL HOSPITAL, BASANT LANE, NDLS, CENTRAL DELHI, DELHI-110055, India	SHALYA LCD Electro Cautery Machine with 3 bipolar modes	-	1	08-Jan-2024	23-Jan-2024

Product Specification for SHALYA LCD Electro Cautery Machine with 3 bipolar modes

Specification|विनिर्देश	Sub-Spec|उप-विनिर्देश	Value|मूल्य
Standards	Confirmity to Safety and Quality Standards	European CE (with verified number)
	Certification date and number	16.12.2019 and IN19/818843701
Performance Parameters	Microprocessor controlled Surgical Generator	Yes
	Conformity to stanadard for electrical safety & Electromagnetic compatibility	IEC-60601-1-2:2001 Standard or IS-13450
	Type of Output of Electro Surgical Generator	Monopolar and Bipolar outputs designed for all surgical procedures including general surgery, gynecology, minimal invasive surgery, Orthopaedic and Oral surgery
	Machine Should be able to monitor changes in tissue impedance continuously and adjusts power	Yes
	Low cut mode of the Monopolar Out put	For delicate tissue or Laparoscopic cases having at least power of 300 watts or more
	Pure cut mode of monopolar Out put	For clean, precise cut in general surgery having at least power of 200 W or more
	Blend mode of Monopolar output cutting mode	For cutting with homeostasis having at least power of 200W or more.
	Adjustability of out put power indifferent cut modes	depending on tissue density by less than 15% or 5 w whichever is greater
	No of coagulation modes available	3
	Maximum power in coagulation mode	120 w
	No of Bipolar modes available	3
	Maximum power of Bipolar mode	80 w
	Patient plate monitoring facility	Yes
	Bipolar current meter	Yes
	Power efficiency	98 or more than 98
	Availibility of Advance Cutting modes	For skin incision
	"audio visual alarm and deactivate output Facility if contact between patient and patient plate is not proper"	Yes
	Automatic stop facility in case of any error	Yes
	Number of hand switch for monopolar mode	2
	Number of foot switch for monopolar mode	2
	No of hand switch for Bipolar mode	1
	No of foot switch for bipolar mode	1
	Type of key board for power settings	Touch screen
	Type of Display	LCD
	No of segments of display	4
	Display for power	individual display for Bipolar and Monopolar cut and Monopolar coagulation
	RF leakage current in mA	149
	Power supply	230V (+ / - 15%) 50Hz
	Tropicalization: operating Temp and humidity	upto 40Deg. C and relative humidity up to 85%
	Overall dimensions in mm x mm x mm	380 x 310 x 120
	Weight in kg	7
	Instruction Manual	Yes
	Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	5
Additional Parameters	Availability of trolley with lockable Castor wheel	No
	Monopolar Foot Switch supplied	1
	Bipolar Foot Switch	1
	Hand Switching Pencil	Reusable
	Number hand switching pencil	1
	Patient plate	Reusable

	Number of patient plate	1
	Bipolar forceps	Not supplied
	Forceps cord	1
	universal adaptor	1
	Leep Electrodes	Not supplied
Reports	ISO certification for Manufacturer	Yes
	ISO certification date and number	29-03-2019 and IN 15/92699
	Availability of test report from central govt/ NABL/ILAC accredited lab covering all parameters	Yes
	Test report number if test report not available put NA	TUV/PTL/19-20/EMC/0057
	Test report date if test report not available put NA	05.11.2019
	Name of test lab if test report not available put NA	TUV India Private Limited
	Address of test lab if test report not available put NA	Anjani Palladium,203 & 204, 2nd floor, Pune
	Copies of all certifications and reports to be provided to buyer on demand at time of supplies	Yes

ePBG Detail | ईपीबीजी विवरण

NA

Terms and Conditions|नियम और शर्तें

1. Special terms and conditions- Version:5 effective from 18-11-2022

1.1

1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by *Central Drugs Standard Control Organisation* (*CDSCO*), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
2. The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
3. The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.
4. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
5. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address,telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled.Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
6. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
7. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
8. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
9. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
10. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
11. Software: All software updates should be provided free of cost during warranty period.
12. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions (“GTC”), whenever there are any conflicting provisions.

2. General Terms and Conditions-

2.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Signature Not Verified
Digitally Signed.
Name: MANISH KUMAR GARG
Date: 08-Jan-2024 12:12:39