Contract|अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687711375513 Generated Date | अनुबंध तिथि: 08-Jan-2024

Organisation Details | संगठन विवरण

Type|प्ररूप : State Government

Ministry|मंत्रालय :

Panchavat and Rural Development Department Madhya Department|विभाग :

Organisation Name|संगठन का

Office Zone|कार्यालय क्षेत्र: JANPAD PANCHAYAT SOHAGPUR Buyer Details | खरीदार विवरण

Designation|पद : AAO

Contact No.|संपर्क नंबर : 07575-278340jpsohhos-mp@nic.in Email ID|ईमेल आईडी :

GSTIN|जीएसटीआईएन :

JANPAD PANCHAYAT SOHAGPUR, Address|पता:

Paying Authority Details|भुगतान प्राधिकरण विवरण

PAO

HOSHANGABAD, MADHYA PRADESH-461771, India

Financial Approval Detail|वित्तीय स्वीकृति विवरण

IFD Concurrence|आईएफडी सहमति :

Designation of Administrative Approval प्रशासनिक अनुमोदन का पदनाम:

Designation of Financial Approval|

वित्तीय अनुमोदन का पदनाम :

ceo

No

ceo

Role: Payment Mode|

Address|पता:

Internet Banking भुगतान का तरीका:

Designation|पद : BLOCK COORDINATOR Email ID|ईमेल आईडी : buycon 3067. prddmp.mp@gembuyer.in

GSTIN|जीएसटीआईएन :

JANPAD PANCHAYAT SOHAGPUR,

Hoshangabad, MADHYA PRADESH-461771, India

Seller Details|विक्रैता विवरण

GeM Seller ID|जेम विक्रैता आईडी : B7D4180000527938 Company Name|कंपनी का नाम : A R SOLUTIONS Contact No.|संपर्क नंबर : 09826008575

Email ID|ईमेल आईडी : ar solution sbpl @gmail.com

PLOT NO 121 SECOND FLOOR, NEAR SBI, ZONE II, MP NAGAR,

Address|पता: Bhopal, MADHYA PRADESH-462011, -

NA

MSME Registration number|एमएसएमई पंजीकरण संख्या : UDYAM-MP-10-0000141

MSE Social Category|एमएसई सामाजिक श्रेणी :

MSE Gender|एमएसई लिग श्रेणी : NA

23ABGFA1937R1Z5 GSTIN|जीएसटीआईएन:

*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Consignee

Delivery Instructions | वितरण निर्देश : NA

Product Details|उत्पाद विवरण

#	Item Description आइटम विवरण	Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR में सभी शुल्क और कर सहित)
1	Product Name उत्पाद का नाम : Matrix PABX System-EPABX COMPLETE AS PER DETAILED SPECIFICATION with extensions NA analog trunk (FXO) 4 Brand ब्रांड : Matrix Brand Type ब्रांड प्रकार : Registered Brand Catalogue Status कैटलॉग की स्थिति: OEM verified catalogue Selling As कैसे बेचा जा रहा है : OEM verified Reseller Category Name & Quadrant श्रेणी का नाम और चतुर्थाश : PABX System - EPABX (V2) (Q2) Model मॉडल: MATRIX VISIONPRO412 HSN Code एचएसएन कोड: HSN not specified by seller	1	pieces	24,999	NA	24,999
Total Order Value कुल ऑर्डर मूल्य (in INR)				24,999		

Consignee Detail|परेषिती विवरण

S.No क्र.सं.	Consignee परेषिती	Item वस्तु	Lot No. लॉट नंबर	Quantity मात्रा	Delivery Start After दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By वितरण पूरा कब तक करना है
	Designation पद : AAO Email ID ईमेल आईडी : jpsohhos-mp@nic.in Contact संपर्क : 07575-278340-	Matrix PABX System- EPABX COMPLETE AS PER DETAILED				

	1	GSTIN जीएसटीआईएन : -	SPECIFICATION with	-	1	08-Jan-2024	23-Jan-2024
		Address पता : JANPAD PANCHAYAT SOHAGPUR,	extensions NA analog				
ı		HOSHANGABAD, MADHYA PRADESH-461771, India	trunk (FXO) 4				

Product Specification for Matrix PABX System-EPABX COMPLETE AS PER DETAILED SPECIFICATION with extensions NA analog trunk (FXO) 4

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
MAIN DISTRIBUTION	MDF (Number of Pair)	NA
	Integrated Protection Module (IPM)	NO
FRAME(MDF)	if yes,Number of Integrated Protection Module (IPM)	NA
EXTENSION AND TRUNK/JUNCTION	EPABX system Implementation Technology/Architecture	Hybrid (Microprocessor based also supporting SIP extension)
	Number of Analogue Extensions /FXS ports	NA
	Expandable upto(TDM ports/FSX ports)	NA
	Number of Digital Extensions	NA
	Number of Analogue Junction/FXO ports	4
	Number of SIP Extensions	NA NA
	SIP Extensions Expandable upto	NA NA
	Number of SIP Trunks (CHANNELS)	NA
	Number of PRI TRUNKS	NA
CARDS SUPPORTED	Type of Cards Supported	NA
GATEWAYS SUPPORTED	Gateway Types supported	NA
BUYER SPECIFIC REQUIREMENT	Type of Epabx Artitecture implementation Gateways	NA NA
	Type of Operator Console	NA NA
CONSOLE	Number of Operator Console	NA
CONSOLE	Number of Direct Station Console (Selection Keys per Console)	NA NA
	"Total Number of Servers Included in the Supply"	NA (for hybrid / Conventional EPABX)
	"Number of Hot Standby Servers out of Total Servers, included in the Scope of Supply"	NA (for hybrid / Conventional EPABX)
	Server Form Factor	NA (for hybrid / Conventional EPABX)
	Rack Size (RU) / Space Required for each Server	NA (for hybrid / Conventional EPABX)
	Processor Make	NA (for hybrid / Conventional EPABX)
	Processor Configuration & Description	NA
SERVER SPECIFICATIONS / REQUIREMENTS (applicable only in case of Sever Based Category EPABX , Not for Hybrid &	Total Number of processor	NA (for hybrid / Conventional EPABX)
	Number of Redundant Processors Included in the Total Number of Processor	NA (for hybrid / Conventional EPABX)
Conventional EPABX)	Number of Cores per Processor	NA (for hybrid / Conventional EPABX)
	Type of RAM	NA (for hybrid / Conventional EPABX)
	RAM Size (in GB)	NA (for hybrid / Conventional EPABX)
	Type of Hard Disk Drive	NA (for hybrid / Conventional EPABX)
	Capacity of Hard Disk Drive (in TB) (Hint:SAS, NL SAS, SSD, SATA, etc)	NA (for hybrid / Conventional EPABX)
	Capacity of Flash Drive (in GB) (Hint: for Flash Drive)	NA (for hybrid / Conventional EPABX)
	Hot Swap Components	NA (for hybrid / Conventional EPABX)
	Network Interface	NA (for hybrid / Conventional EPABX)
		I

I	Type of Licence	NA	
	Name of Softwares	NA	
	Name of the OEM	MATRIX	
	OEM Model	MATRIX VISIONPRO412	
SOFTWARES	OEM Part Number of offered Model	300000441	
	Software Description	NA	
	Software Version	NA	
	Date of Launch of Version	NA	
	Free supports/updates during validity of license	NA	
SOFTWARE FEATURES	SALIENT SOFTWARE FEATURES	Analog Extention/FXS with Number of Software / Licences Commensurate / Equal to the Numb Analog Extension/FXS Offered under "EXTENSION AND TRUNK / JUNCTION", Analog Junction/FX with Number of Software / Licences Commensurate / Equal to the Number of Analog Junction/I Offered under "EXTENSION AND TRUNK / JUNCTION"	
	Any other features of Software	NA	
	Number of Audio Conference Participants Supported	NA	
	Number of Media Channel/Ports	NA	
	Number of IP-TDM Concurrent Calls(2 users per call) Supported	NA	
	Call Buffer Memory System	No	
	If Call Buffer Memory Available,Number of Records	NA	
	Voice Mail Support	No	
	If Voice Mail facility required, Number of Voice Mail Channels for concurrent calls	NA	
	Number Voice Mail Users	NA	
	Available for Voice Mail, Number of Hours of Recording	NA	
GENERAL FEATURES OF EPABX SYSTEM	Auto Attendant Facility	Yes	
	If Auto Attendant facility, Number of Auto Attendant Channels for concurrent calls	NA	
	ASMDR/CDR (hint : Automatic Station Message Detailed Record / Call Detailed Record)	Yes	
	Voice Logger	NA	
	If YES, Number of Simultaneous Calls that can be Recorded in Voice Logger	NA NA	
	Security Feature(for server based)	NA	
	Supported Functionalities (for server based)	NA	
	Supported Codecs	G711,G729	
	Any other features (Minimum 100 characters limit)	NA	
SYSTEM/EXTENSION/ATTENDANT CONSOLE FEATURES	System Features	Automatic Route Selection facility, DID facility(Direct inward dialing), DOD facility(Direct outward dialing), DISA facility(Direct inward station access), Multi Level Voice DISA facility, Privacy of Call, Caller ID information for both internal and external callers (over Analogue, ISDN PRI), unique authorization codes for every users, Automatic call back, Call waiting, Music-on-hold facility, Call budgeting, Least cost routing, Mix-mode dialing, Provision for remote logins, Extension to Extension dialing	
	Extension Features	Call forwarding,Consultation Hold,Brokers Call,Automatic call transfer,Conference call,Call pick up,Call re routing,Auto call disconnection,Dynamic STD Lock,Paging on key phone,Password control,Virtual Telephony,Howler Tone,Call parking,Auto answer/Auto off,Emergency call facility,Missed/Dialed/Received Call Lists,Last Caller Call back,Password display suppression,Personal Identification Number,Hotline,Preset Conference Calls,Direct Call billing in rupees,Call billing printout,Calling line identification(CLI),Remote Maintenance,Other Extension features	
	Attendant Console Features	Answering an incoming call,Call queuing,Serial Call,Call waiting display,Automatic Call Distribution,Call Hold,Trunk offering,Night service,Head phone connectivity,Other Attendants console Features	
j.		!	

	Voice Prompts and Announcement	No
	If yes, Number of Levels of IVRS	NA
	Supply Voltage	230V AC,50Hz
	Supply Voltage for Media Gateway (For Server based)	230V AC,50Hz
	Provision for Inbuilt Battery Charging Arrangement for providing Battery Backup	NA
POWER SOURCE	FCBC	NA
	If yes, minimum current Rating of FCBC at chrging voltage of 48V (Ampere)	NA
	Protection against over current and accidental reversal of polarity on the input side and against over current and over voltage on the output side	YES
	Minimum Operating Temperature (°C)	0
OPERATING CONDITIONS	Maximum Operating Temperature(°C)	45
	Operating Humidity (RH) @ 40 °C (%)	95
	TEC approval as per the latest TEC specifications	Yes
TEST REPORT/ CERTIFICATION	Type of lab which carried out Test of Complete Product to prove the conformity of product as per specification	Govt Lab
	Agree to provide all relavant documents Test Report / TEC/suuporting document /reports etc to the buyer at the time of bidding or on demand (Buyer to check the availability of TEC (ER) Certificate under MTCTE for the model procured)	YES
	Installation and Commissioning	Yes (Covered under Scope of supply)
INSTALLATION AND	Chemical Earthing to achieve resistance < 20hm	No
OMMISSIONING	Recommendation / Information regarding Supporting Hardware Required to meet the Performance / Capabilities of the System	PROPER VENTILATION
	The scope of supply include one set of operation and maintenance manual for each equipment	YES
OPERATION & MAINTENANCE	Operation & Maintenance Terminal	NA
SUPPORT	Training provided to buyers	YES
	If YES,Details of training	On site training for 3 days
	Packing List	12SLT+BEETELPHONES
ERVICES	Comprehensive Warranty (YEARS)	1 year
	Complianee to STC of the product (hint: uploaded as QR/Specification)	YES
Seller Specification Docu	ment विक्रैता विशिष्टता दस्तावेज़:	
	mkn	.gem.gov.in/uploaded_documents/cms/tp/home_info_data_tele_pa74534564/51/16/877/CategorySc

1. Verified and Signed Tp document

 $\label{lem:mkp.gem.gov.in/uploaded_documents/cms/tp/home_info_data_tele_pa74534564/51/16/877/CategorySchema/tp_document/2021/4/27/stc-of-epabx-27-04-2021-final-pdf_2021-04-27-22-29-16_21fcff651c26fe0dbe6\\ c8b5204d37ca0.pdf$

ePBG Detail | ईपीबीजी विवरण

NA

Terms and Conditions|नियम और शर्तें

- 1. Special terms and conditions- Version: 2 effective from 02-11-2022
- 1.1 This category pertains to the products covered under Mandatory Testing and Certification of Telecom Equipment (MTCTE) by TEC, DoT(www.tec.gov.in) notified vide Indian Telegraph (Amendment) Rules, 2017. Sellers to ensure compliance of the MTCTE certificate against Essential Requirement (ER) for the model offered on GeM Portal. Procuring Authorities to check compliance of model procured against the applicable ER issued by TEC under MTCTE.

In addition, procuring entities should also ensure that if the product is covered under Public Procurement (Preference to Make in India (PPP-MII)) Policy of DOT notified vide Gazette Notification dated 29th August 2018 as amended from time to time, it should also comply to the certification against applicable Generic Requirement (GR)/ Interface Requirement (IR) if issued by TEC.

- 2. General Terms and Conditions-
- 2.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।