

## Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687757100722

Generated Date | अनुबंध तिथि: 08-Jan-2024

Organisation Details   संगठन विवरण		Buyer Details   खरीदार विवरण				
Type   प्ररूप :	Central Government	Designation   पद :	AMM G2			
Ministry   मंत्रालय :	Ministry of Railways	Contact No.   संपर्क नंबर :	-			
Department   विभाग :	Indian Railways	Email ID   ईमेल आईडी :	ammg2@cr.railnet.gov.in			
Organisation Name   संगठन का नाम :	Central Railway	GSTIN   जीएसटीआईएन :	27AAAGM0289C2ZI	OFFICE OF PCMM, CENTRAL RAILWAY NEW ADMINISTRATIVE		
Office Zone   कार्यालय क्षेत्र :	Central Railway Stores Deptt	Address   पता :	BUILDING, 1ST FLOOR D.N. ROAD, CST MUMBAI, RAIGARH(MH), MAHARASHTRA-400001, India			
Financial Approval Detail   वित्तीय स्वीकृति विवरण		Paying Authority Details   भुगतान प्राधिकरण विवरण				
IFD Concurrence   आईएफडी सहमति :	No	Role:	BUYER			
Designation of Administrative Approval   प्रशासनिक अनुमोदन का पदनाम :	ACMD	Payment Mode   भुगतान का तरीका:	Railways			
Designation of Financial Approval   वित्तीय अनुमोदन का पदनाम :	Sr AFA(EXP)	Designation   पद :	AMM G2			
		Email ID   ईमेल आईडी :	ammg2@cr.railnet.gov.in			
		GSTIN   जीएसटीआईएन :	27AAAGM0289C2ZI	OFFICE OF PCMM, CENTRAL RAILWAY NEW ADMINISTRATIVE		
		Address   पता:	BUILDING, 1ST FLOOR D.N. ROAD, CST MUMBAI, Mumbai - City, MAHARASHTRA-400001, India			
Seller Details   विक्रेता विवरण						
GeM Seller ID   जेम विक्रेता आईडी :	F33D180000093702					
Company Name   कंपनी का नाम :	RELIABLE FURNITURE MUMBAI CITY					
Contact No.   संपर्क नंबर :	09821325377					
Email ID   ईमेल आईडी :	reliablefurniture@rediffmail.com					
Address   पता :	SHOP NO.17,MANU MARKET,M. G.,GHATKOPAR WEST, Mumbai, MAHARASHTRA-400086, -					
MSME Registration number   एमएसएमई पंजीकरण संख्या :	UDYAM-MH-18-0178448					
MSE Social Category   एमएसई सामाजिक श्रेणी :	General					
MSE Gender   एमएसई लिंग श्रेणी :	Male					
GSTIN   जीएसटीआईएन:	27AAEPP0561D1Z0					
*GST / Tax invoice to be raised in the name of   जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Consignee						
Delivery Instructions   वितरण निर्देश : NA						
Product Details   उत्पाद विवरण						
#	Item Description   आइटम विवरण	Ordered Quantity   आइटम विवरण	Unit   इकाई	Unit Price (INR)   इकाई मूल्य (INR)	Tax Bifurcation (INR)   कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR)   मूल्य (INR में सभी शुल्क और कर सहित)
1	Product Name   उत्पाद का नाम : GODREJ INTERIO 3-Bay Sprocket Chain Drive Mechanism Mobile Storage Compactors Brand   ब्रांड : GODREJ INTERIO Brand Type   ब्रांड प्रकार : Registered Brand Catalogue Status   कैटलॉग की स्थिति: OEM verified catalogue Selling As   कैसे बेचा जा रहा है : OEM verified Reseller Category Name & Quadrant   श्रेणी का नाम और चतुर्थांश : Mobile Storage Compactors (Q3) Model   मॉडल: Godrej Interio APO K.D Optimizer 3 Bay Drive Type HSN Code   एचएसएन कोड: HSN not specified by seller	1	pieces	497,930	NA	497,930
Total Order Value   कुल और्डर मूल्य (in INR)						497,930
Consignee Detail   परेष्ठी विवरण						
S.No   क्र.सं.	Consignee   परेष्ठी	Item   वस्तु	Lot No.   लॉट नंबर	Quantity   मात्रा	Delivery Start After   दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By   वितरण पूरा कब तक करना है
	Designation   पद : ACMD HQ Email ID   ईमेल आईडी : acmdhq@cr.railnet.gov.in					

1	Contact   संपर्क : -67454288- GSTIN   जीएसटीआईएस : - Address   पता : Office of the Principal Chief Medical Director, 3rd floor, Annex building CST, RAIGARH(MH), MAHARASHTRA-400001, India	GODREJ INTERIO 3-Bay Sprocket Chain Drive Mechanism Mobile Storage Compactors	-	1	08-Jan-2024	22-Feb-2024
---	---	--	---	---	-------------	-------------

#### Product Specification for GODREJ INTERIO 3-Bay Sprocket Chain Drive Mechanism Mobile Storage Compactors

Specification   विवरण	Sub-Spec   उप-विवरण	Value   मूल्य
GENERIC	Category Note	Compactors i.e. Mobile / Movable Storage Systems of configuration as per detailed specifications. One quantity / piece of offered configuration include specified / offered number of Rows of Single Faced Fixed end unit, Single Faced Movable end Unit and double sided / double faced movable Dual unit covering all bays. Prices quoted are for the entire solution comprising of end units and specified numbers of movable units and the corresponding quantities of Rails, Drive Mechanisms and all other components necessary to make the Compactor / Mobile Storage System operational. The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).
	Number of Bays (One bay represents one storage almirah / body in one row - Please see representative layout diagram for understanding) (=A)	3-Bay
	Type of Drive	Sprocket Chain Drive Mechanism
	Number of Single Faced / Static Rows (=B) (Units / Cabinets open at one side (with or without doors) and closed on other side - covering all bays) - (Please see representative layout diagram for understanding)	1
	Number of Single Faced Movable Rows (=C) (Units / Cabinet open at one side (with or without doors) and closed on other side covering all bays) (Please see representative layout diagram for understanding)	1
	Number of Double Faced / Dual / Twin Movable Rows (=D) (open on both sides (with or without doors) covering all bays) (Total number of available Bodies / Almirahs = A x (B + C + 2D)	2
	Number of Shelves in Each Almirah / Body of the single faced fixed / static bodies	4 Shelves/5 Compartments
	Number of Shelves in Each Almirah / Body of the double faced movable bodies	4 Shelves/5 Compartments
	Number of Shelves in Each Almirah / Body of the single faced movable bodies	4 Shelves/5 Compartments
	Load Carrying Capacity of Each Shelf of the single faced fixed / static bodies in Kg	70 kg
	Load Carrying Capacity of Each Shelf of the Movable bodies in Kg	40 kg
	Load bearing capacity of under structure and base frame	1200 Kg
	Delivery Condition of Movable Storage System File	Knock down
	Free Assembly and Installation Commissioning of knocked down supply	Yes
	Shelves in the cabinets	Adjustable
	Wheels / Bearings - Every Base	

	frame fitted with (The bearing used should be heavy duty - self aligning	Cast Iron wheels and Anti Friction Ball bearings
	Number of pairs of Wheels in Every Base frame	3
	Minimum number of pairs of Bearings in Every Base frame	6
	Drive cover included on Body	YES
	Indexing arrangement	2 MM thick clear transparent acrylic sheet and having other dimension of 155MM/106MM
	Anti rust treatment	YES
	Stud	Main and add on construction
GUIDE RAIL	Number of guide rail rows	3
	Number of 915 mm Rail Pieces per Rail Row	1
	Number of 1830 mm Rails Pieces per Rail Row	0
	Number of 2745 mm Rails Pieces per Rail Row	1
	Guide rail provided with	Square bar Stopper (to stop derailment of unit)
DOORS and LOCKING	Separate Door Provided with each Cabinet / Body / Almirah	NO
	Total Number of Almirahs / Bodies	18
	Total Number of Almirahs / Bodies with Door	0
	Central Locking System for locking entire compactor unit	YES
	Safety Lock for each Movable Body	YES
	Separate door lock for each section	YES
	Fitting of stopper	Fitted to the rail
MATERIAL	Handle	High Quality polyurathene(PU) with three attractive arms, Wheel Type
	M S Sheet Thickness of the Cabinet Body (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Shelf Panels (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Door Panels (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	Height of base frame $\pm 2$ (mm)	75 mm
	Height of track and moving clearance $\pm 2$ (mm)	55 mm
	Material of Stud	NA
	Material of base frame - should be one piece welded frame (proper antirust surface treatment )	Hot Rolled Sheet 3.15MM thick Confmg. to IS:1079/Latest
	Material of guide rail	Consists of J-Section 2MM thick H R Sheet and 25MM thick square bright bar both connected by screws
	Material of 'C' Channel	H R Sheet 2MM thick confmg. to IS:2062/Latest
	Drive cover material	1MM thick CRCA confmg. to IS:513/Latest and box type construction
	Number of Folds in Shelf Panels	12 Nos.
	Overall Height of the Cabinet from the ground in mm $\pm 20$ (mm)	2080 mm
	Depth of the single faced fixed / static bodies Cabinet $\pm 10$ (mm)	450 mm
	Depth of the single faced	

DIMENSION	movable bodies Cabinet ±10(mm)	450 mm
	Depth of the movable bodies Cabinet ±10(mm)	915 mm
	Width of the single faced fixed / static bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	915 mm
	Width of the movable bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	915 mm
	Minimum Excess Rail Length in addition to Filing Cabinet Covering ( For Aisle working) (mm)	915 mm
	Pitch of all the shelves (+/- 2 MM)	25.4 mm
	Aisle space inside of units	760 mm
	Height of Drive cover unit ± 10 mm	1210 mm
	Depth of Drive cover unit ± 10 mm	74.5 mm
	Width of Drive cover unit of single faced fixed/movable ± 10 mm	457 mm
	Width of Drive cover unit of Double faced movable ± 10 mm	915 mm
PAINT	Paint	Powder Coating
	Colour of Paint	AS PER BUYER CHOICE
WARRANTY	Warranty Period IN NUMBER OF YEARS	1 - Year
CERTIFICATION	Test reports to be furnished to buyer on demand	NO
	OEM of offered product having BIFMA membership	YES
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/45001:2018 certified	YES
	Green guard certification	YES

#### Seller Specification Document | विक्रीता विशेषता दस्तावेज़:

1. <a href="#">Applicable Drawing Document</a>	mkp.gem.gov.in/uploaded_documents/cms/tp/home_offi_of64586874_orga_mobi/51/16/877/CategorySc hema/gem_dgsnd_drawing_document/2019/1/16/representative-drawing-of-mobile-storage_2019-01-16-10-39-16_9d6a2f10ff69cd78478c2958c64018ae.pdf
ePBG Detail   ईपीबीजी विवरण	
NA	
Terms and Conditions   नियम और शर्तें	

## 1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।