

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687736150951

Generated Date | अनुबंध तिथि: 09-Jan-2024

Organisation Details | संगठन विवरण

Type | प्ररूप : State Government
Ministry | मंत्रालय : -
Department | विभाग : Animal Husbandry Department Uttar Pradesh
Organisation Name | संगठन का नाम : N/A
Office Zone | कार्यालय क्षेत्र : Director Administration & Development

Buyer Details | खरीदार विवरण

Designation | पद : Buyer Basti
Contact No. | संपर्क नंबर : 05542-247125-247125
Email ID | ईमेल आईडी : ram.38502@gov.in
GSTIN | जीएसटीआईएन : -
Address | पता : Room no. 35, Vikas Bhawan 3rd floor, Basti, BASTI, UTTAR PRADESH-272001, India

Financial Approval Detail | वित्तीय स्वीकृति विवरण

IFD Concurrence | आईएफडी सहमति : No
Designation of Administrative Approval | प्रशासनिक अनुमोदन का पदनाम : CVO
Designation of Financial Approval | वित्तीय अनुमोदन का पदनाम : CVO

Paying Authority Details | भुगतान प्राधिकरण विवरण

Role : BUYER
Payment Mode | भुगतान का तरीका : Offline
Designation | पद : Buyer Basti
Email ID | ईमेल आईडी : ram.38502@gov.in
GSTIN | जीएसटीआईएन : -
Address | पता : Room no. 35, Vikas Bhawan 3rd floor, Basti, Basti, UTTAR PRADESH-272001, India

Seller Details | विक्रेता विवरण

GeM Seller ID | जेम विक्रेता आईडी : 35EP230008176333
Company Name | कंपनी का नाम : K B ENTERPRISES
Contact No. | संपर्क नंबर : 08756872761
Email ID | ईमेल आईडी : mohdjunaaid2326@gmail.com
Address | पता : 00, SUMBABAGH, SANDILA, SANDILA, Hardoi, UTTAR PRADESH-241204, -
MSME Registration number | एमएसएमई पंजीकरण संख्या : UDYAM-UP-35-0015770
MSE Social Category | एमएसई सामाजिक श्रेणी : OBC
MSE Gender | एमएसई लिंग श्रेणी : Male
GSTIN | जीएसटीआईएन : 09BTDPJ5504M1ZH

*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Buyer

Delivery Instructions | वितरण निर्देश : AS PER RULE

Product Details | उत्पाद विवरण

#	Item Description आइटम विवरण	Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR) में सभी शुल्क और कर सहित
1	<p>Product Name उत्पाद का नाम : RLESCIENTIFIC--RELIABLE LAB EQUIPMENT CO. Electro-Mechanical (Motorized) Delivery Bed</p> <p>Brand ब्रांड : RLESCIENTIFIC--RELIABLE LAB EQUIPMENT CO.</p> <p>Brand Type ब्रांड प्रकार : Unregistered Brand</p> <p>Catalogue Status कैटलॉग की स्थिति : Catalogue not verified by OEM</p> <p>Selling As कैसे बेचा जा रहा है : Reseller not verified by OEM</p> <p>Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : Delivery Bed (Q3)</p> <p>Model मॉडल : RLE-219 C</p> <p>HSN Code एचएसएन कोड : HSN not specified by seller</p>	1	pieces	190,000	NA	190,000
Total Order Value कुल ऑर्डर मूल्य (in INR)						190,000

Consignee Detail | परेषिती विवरण

S.No क्र.सं.	Consignee परेषिती	Item वस्तु	Lot No. लॉट नंबर	Quantity मात्रा	Delivery Start After दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By वितरण पूरा कब तक करना है
1	<p>Designation पद : DyCVO</p> <p>Email ID ईमेल आईडी : buyer28.ahdup.up@gembuyer.in</p> <p>Contact संपर्क : 05542-247125-</p> <p>GSTIN जीएसटीआईएन : -</p>	RLESCIENTIFIC--RELIABLE LAB EQUIPMENT CO. Electro-	-	1	09-Jan-2024	24-Jan-2024

Address पता : Room no. 35, Vikas Bhawan 3rd floor, Basti, BASTI, UTTAR PRADESH-272001, India		Mechanical (Motorized) Delivery Bed			
Product Specification for RLESCIENTIFIC--RELIABLE LAB EQUIPMENT CO. Electro-Mechanical (Motorized) Delivery Bed					
Specification विनिर्देश	Sub-Spec उप-विनिर्देश		Value मूल्य		
Standards	Conformity to standard for product		European CE		
	Certification number and date		1001-1509 (10-10-2025)		
	Conformity to standard for Electromagnetic compatibility & safety		IEC-60601-1-2:2001 Standard /IS 13450		
Performance Parameters	Purpose		It used in Obstetrics/Gynecology deparment for baby delivery in labour room with comfortable requirment of patient and easy accessible professional need for delivery team		
	Bed movement functionality		Control with remote		
	Type of delivery bed actuator		Electro-Mechanical (Motorized)		
	Type of mechanism for controlling angular motion of bed		Hydraulic mechanism		
	Type of mechanism for fuctioning or controlling height of bed		Hydraulic mechanism		
	Number of section provided in bed top		3		
	Large perineal cut in C shape must be provided in seat section		Yes		
	Side safety belt provided		Yes		
	Type of side panel		Swing Up Down type		
	Number of Side panel		2		
	Head panel/Board provided		Yes		
	Shape of Head panel		D-type		
	Type of Head Panel		Detachable type		
	Foot panel provided		Yes		
	Shape of Foot panel		D-type		
	Type of foot Panel		Detachable type		
	Provision to convert bed in to table		Yes		
	Good grip provided to head/foot or side panel		Yes		
	Delivery bed should be Hand grip /push grip handles on both side		Yes		
	Adjustable leg rest provided		Yes		
	Lithotomy position & padded knee crutches provided		Yes		
	Slots for IV rod a head section provided		Yes		
	Chromium plated IV rod provided		Yes		
	Number of hooks provided in IV Rod		2		
	Power of motor in HP		0.5 hp		
	Availability of Noiseless, non rusting swivel castor wheel/ roller with for easy Mobility & Steering		Yes		
	Braking and locking mechanism provided in castor roller		Yes		
	No of caster to which braking system provided		2		
	Corner buffer provided in all four corner to protect patient from collision shock		Yes		
	Functionality of Foot side panel		Detachable type		
	Safe working load capacity of delivery bed in kg		150		
	Facility of instant non powered/mechanical CPR(Cardiopulmonary Resuscitation) release at the head end for emergency		NA		
	Urine Bag holder provided		NA		
	Mattress provided with delivery bed		Yes		
	Mattress foam of the Bed should be with Anti Microbial agent incorporated into all components that assists in Prohibiting growth of bacteria & fungi and easy to clean		Yes		
	Mattress shall be made of High resilient & bio-density foam		Yes		
	Operating temperature & Humidity		10 -40 Degree Celsius and relative humidity of 15-90%		

	"Power Supply "	Single phase 220-240 Volt, 50 Hz (AC Supply)
	Spares Pair of Bed Ends, detachable supplied	Not supplied
	Spares Mattress	Not supplied
	Facility of Resettable overcurrent breaker shall be fitted for protection	Yes
	Electric Shock Protection level	Class-B/Class -1
	Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	3
	Base frame and support frame should be fabricated using metallic square / rectangular section of adequate cross section and thickness to provide high structural strength and stability	Yes
	Delivery Bed should be made up of high quality metal, pretreated with materials providing good finish, scratch resistant, bacteriostatic coating	Yes
	Type of powder/Paint coating done to delivery Bed frame,top & side panel	Epoxy Polyester Coating 50-60 microns (In Case of MS)
	Process used for pre chemically treatment of metallic bed component	Dip tank processes (In Case of MS)
	Provision of easily cleaning /sterilize(Especially Blood Stains)/maintenance to delivery Bed	Yes
	Product instruction manual shall be supplied	Yes
	Demonstration of equipment and training to be provided after completing supplies before Acceptance	Yes
Material Parameters	Material for the frame of bed	MS
	Material Side Safety belt	Velcro
	Material for Head & Foot Panel/Board	ABS Plastic
	Material for Bed top Section	MS
	Material of wheels	Polyester
	Material for IV Rod	SS
	Material for bowl	SS
	Material for waste receptacle bucket	SS
	Material for delivery Bed Mattress	PU Foam
Dimensional Parameters	Maximum Adjustable Back Rest Angle in Degree	60
	Maximum Trendlenburg Angle in Degree	30
	Maximum Reverse Trendlenburg Angle in Degree	30
	Adjustable bed height in mm with 5% tolerance	550-850
	Diameter of Castor Roller in mm	100
	Clearance between Bed Base frame and Floor surface in mm	125
	Maximum thickness of Mattress in mm with tolerance of plus minus 2mm	65
	Approx foam Density in kg/m3 tolerance	30-50
	Therapeutic Weight limit for mattress in kg	125
	Length range of delivery bed in mm	2001-2150
	Width range of delivery bed in mm	800-900
	Weight of delivery Bed in Kg	95
Reports	Availability of ISO certification for manufacturer	Yes
	ISO certification No and Date if ISO certificate not available then put NA	9001:2015 (10-10-2025)
	Copies of certificates and other certifications to be furnished to buyer on demand at time of supplies	Yes
ePBG Detail ईपीबीजी विवरण		
NA		
Terms and Conditions नियम और शर्तें		
1. Special terms and conditions- Version:2 effective from 25-10-2023		

- 1.1
1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organisation (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
 2. The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
 3. The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.
 4. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
 5. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
 6. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
 7. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
 8. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.
OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
 9. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
 10. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
 11. Software: All software updates should be provided free of cost during warranty period.
 12. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।