

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687729125447

Generated Date | अनुबंध तिथि: 09-Jan-2024

Organisation Details संगठन विवरण	Buyer Details खरीदार विवरण
Type प्ररूप : State Government Ministry मंत्रालय : - Department विभाग : Panchayats and Rural Housing Department Gujarat Organisation Name संगठन का नाम : N/A Office Zone कार्यालय क्षेत्र : Taluka Panchayat Office KALOL	Designation पद : Talati Veda Contact No. संपर्क नंबर : 22850-45625- Email ID ईमेल आईडी : buycon3219.prhdg.gj@gembuyer.in GSTIN जीएसटीआईएन : - Office Name :- "Taluka Panchayat Office, KALOL Taluka.KALOL Dist.GANDHINAGAR" Pin Code :- 382721 Taluko :- KALOL Dist :- GANDHINAGAR Office LandLine :- 02764-223950 Email Id :- tdokalol223950@gmail.com, GANDHI NAGAR, GUJARAT-382721, India
Address पता :	

Financial Approval Detail वित्तीय स्वीकृति विवरण	Paying Authority Details भुगतान प्राधिकरण विवरण
IFD Concurrence आईएफडी सहमति : No Designation of Administrative Approval प्रशासनिक अनुमोदन का पदनाम : TDO Designation of Financial Approval वित्तीय अनुमोदन का पदनाम : TDO	Role: BUYER Payment Mode भुगतान का तरीका : Offline Designation पद : Talati Veda Email ID ईमेल आईडी : buycon3219.prhdg.gj@gembuyer.in GSTIN जीएसटीआईएन : - Office Name :- "Taluka Panchayat Office, KALOL Taluka.KALOL Dist.GANDHINAGAR" Pin Code :- 382721 Taluko :- KALOL Dist :- GANDHINAGAR Office LandLine :- 02764-223950 Email Id :- tdokalol223950@gmail.com, Gandhi Nagar, GUJARAT-382721, India
Address पता :	

Seller Details विक्रेता विवरण	
GeM Seller ID जेम विक्रेता आईडी : 5WN9210002975546 Company Name कंपनी का नाम : GANGOTRI ENTERPRISES Contact No. संपर्क नंबर : 09913378866 Email ID ईमेल आईडी : LOKESHMAHESHWARI9663@GMAIL.COM Address पता : SHOP NO 4,PLOT NO 441, BINORI APPARTMENT,SECTOR 23-24,SECTOR 23, Gandhi Nagar, GUJARAT-382024, - MSME Registration number एमएसएमई पंजीकरण संख्या : UDYAM-GJ-09-0012681 MSE Social Category एमएसई सामाजिक श्रेणी : General MSE Gender एमएसई लिंग श्रेणी : Male GSTIN जीएसटीआईएन : 24APRPM3471R1Z1	

*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Buyer

Delivery Instructions | वितरण निर्देश : NA

Product Details उत्पाद विवरण						
#	Item Description आइटम विवरण	Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR में सभी शुल्क और कर सहित)
1	Product Name उत्पाद का नाम : Unbranded 2000 liter (Tank capacity) Tractor Trailer mounted Suction cum Jetting Machine Brand ब्रांड : NA Brand Type ब्रांड प्रकार : Unbranded Catalogue Status कैटलॉग की स्थिति : Catalogue not verified by OEM Selling As कैसे बेचा जा रहा है : Reseller not verified by OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : Tractor Trailer Mounted Suction Cum Jetting Machine as per IS 13496, IS 8213, IS 11387 (Q3) Model मॉडल : Tractor Trailer Mounted Jetting Machine HSN Code एचएसएन कोड : HSN not specified by seller	1	pieces	350,000	NA	350,000
Total Order Value कुल ऑर्डर मूल्य (in INR)						350,000

Consignee Detail परेषिती विवरण						
S.No	Consignee परेषिती	Item वस्तु	Lot No.	Quantity	Delivery Start After दिनांक के बाद	Delivery To Be Completed

क्र.सं.		लॉट नंबर	मात्रा	डिलीवरी शुरू करना है	By वितरण पूरा कब तक करना है
1	Designation पद : Talati Veda Email ID ईमेल आईडी : buycon3219.prhdg.gj@gembuyer.in Contact संपर्क : 22850-45625- GSTIN जीएसटीआईएन : - Address पता : Office Name :- "Taluka Panchayat Office, KALOL Taluka.KALOL Dist.GANDHINAGAR" Pin Code :- 382721 Taluko :- KALOL Dist :- GANDHINAGAR Office LandLine :- 02764-223950 Email Id :- tdokalol223950@gmail.com, GANDHI NAGAR, GUJARAT-382721, India	-	1	09-Jan-2024	24-Jan-2024

Product Specification for Unbranded 2000 liter (Tank capacity) Tractor Trailer mounted Suction cum Jetting Machine

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
Certification	Trailer confirming to IS 8213:2000 (latest) and AIS 112 (latest)	Yes
	Conforming to IS:13496 for Suction Machine for cleaning Sewers, Manholes and ancillary structures provided on sewer line and closed storm water drains	Yes
	Conforming to IS:11387 for high pressure jetting machine for sewer cleaning	Yes
	Necessary clearance from RTO to be obtain before supply of Trailer mounted Suction cum Jetting Machine	Yes
	Form 22 A - For compliance with pollution standards, safety standards of components and road worthiness as per CMVR Rules	Yes
	Availability of test reports for all critical components from the manufacturer or OEM of Jetting Pumps, vacuum pumps, power takeoff unit, Jetting Hose etc shall be from any ILAC /NABL accredited / Central Govt Lab To be furnished to buyers on demand	Yes
	Availability of Test report from approved Laboratory to prove conforming to specification as per AIS 112 for trailers to be furnished to buyer on demand	Yes
Generic Parameters	Type of Trailer mounted machines	Suction cum jetting
	GVW of Trailer	3000 kilogram
	Wheel base	500 millimeter
	Payload capacity of trailer	3000 kilogram
	Make and Model of Vacuum Pump	EQUIL
	Make and Model of Jetting Pump	EQUIL
	Make and Model of Jetting Hose	EQUIL
	Make and Model of PTO	TRACTOR PTO
	Make and Model of Hydraulic Motor	EQUIL
	Make and Model of Hydraulic Pump	EQUIL
	Make and Model of Suction Hose	EQUIL
	Make and Model of Jetting Hose	EQUIL
Mount Type	Tractor Trailer mounted	
	Capacity of split shaft PTO (Kgm)	150
	Overall Length	4500 millimeter
	Overall Width	1250 millimeter
	Equipment Length	2500 millimeter
	Equipment Height	1200 millimeter
	Equipment Rear Over Hang	No
	If Yes, Declare Equipment Rear Over Hang	200 millimeter
	Derrick Arm Available	Yes
	Vacuum Pump - Rotary Vane / Sliding Vane	Yes
	Vacuum Pump Flow (Cu-m/hr)	0
	Vacuum Pump Power	0 horsepower
	Rated RPM at Max Vacuum Pump Power	2
	Vacuum Relief Valve Size	1300 millimeter
	Vacuum Suction Depth (as per IS:13496 latest)	8 meter
	Suction Hose - Lightweight, heavy duty ,reinforced ,PVC along with quick connect coupling arrangement	Yes
Suction Hose Internal Diameter (as per IS:13946 latest)	0 millimeter	
Suction Hose Length	3 meter	

Constructional
Parameters

Number of Suction Hose (Nos)	5
Safety Equipments	PROVIDED
Silencer/ Filter(Micro Strainer)	Yes
Exhaust Silencer and injection cooling air Inlet Silencer/ Filter	Yes
Blower Outlet and Air- Exhaust Silencer	Yes
Check valve	Yes
Vacuum Limitation Valve	Yes
Drain Off valve	Yes
High Pressure Jetting Pump With pressure regulating Arrangement	Yes
Jetting Pump - Triplex plunger reciprocating pump	Yes
Working Pressure Range of Jetting Pump	200 bar
Water Flow for Pump of Jetting Machine (LPM)	220
Pressure Relief Valve Size	5 millimeter
Jetting hose inner Diameter (Capable of withstanding one point five times the maximum pressure generated by the pump)	20 millimeter
Jetting Hose Length	80 meter
Number of Nozzles for removing Blockage (Conical Head)	1
Number of Nozzles for Flushing Sewer lines(Round Head)	1
Number of balanced Nozzles for dry silt	1
Total Tank Capacity (sludge tank+water tank)	2000 liter
Water storage Tank Capacity	500 liter
Sludge Storage Tank capacity	1500 liter
Maximum working pressure of Jetting Hose	160 bar
Minimum Burst pressure of Jetting Hose	430 bar
Thickness of tank plate (It shall be designed at a safety factor of 4 times the operating pressure)as per IS 13496	5 millimeter
Material of tank	Mild Steel (Grade-A) Confirming to IS 2062 latest
Surface preparation and finish of tank's Exterior - sanded prior to spray painting and spray painted with two coats of superior quality anti corrosive primer and two coats of enamel metal paint	Yes
Surface preparation and finish of Tank's Interior - clean water two coats anti corrosive primer & two coats of grey enamel paint & Sludge shall be with two coats of epoxy paint to resist corrosion	Yes
Provision for locking and unlocking arrangement of rear gate of tank, to be operated hydraulically for quick tipping and cleaning	Yes
Hose Reel Drive operated by hydraulic motor	Yes
Dished Head	Yes
Tank Rear Door Opening by hydraulic system	Yes
Reinforcement rings in pipes	Yes
Hydraulic Pump Type	Gear Type
Water Level Indicator Type (with safety coverage)	PROVIDED
Water Level Indicator Nos	2
Thickness of Cover for Engine, Pump and Hose Reel compartment	3 millimeter
Material of Cover for Engine, Pump and Hose Reel compartment	MS Sheet
Full bore Quick Acting Valves in the sewage path	Yes
Air Pumps to safeguard the pump from overloading	Yes
Make and Model of Air Pump	EQUIL
Sludge Trap between the Air Pump and the Tank	Yes
Float cut out valve to seal the pump suction line	Yes
Lubricating system for reducing friction loss	Yes
Three sewer cleaning nozzles with varying rearward angles	Yes
One nozzle extension for easy fixing of the hose and the nozzle	Yes
Two stop tank strainer elements	Yes

	Two sets of operation and service manuals and spare parts lists	Yes
	Hose guide	Yes
	Counter	Yes
Performance Parameters	Warranty Time	24 month
	Warranty Distance	15000 kilometer
	No of Free Service (with consumable)	6
<p>Note टिप्पणी: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>ePBG Detail ईपीबीजी विवरण</p>		
<p>NA</p>		
<p>Terms and Conditions नियम और शर्तें</p>		
<p>1. General Terms and Conditions-</p> <p>1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.</p> <p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p>		
<p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p> <p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p>		