



Generated Date | अनुबंध तिथि: 10-Jan-2024

## Organisation Details | संगठन विवरण

### Buyer Details | खरीदार विवरण

Financial Approval Detail | वित्तीय स्वीकृति विवरण

Paying Authority Details | भुगतान प्राधिकरण विवरण

### Seller Details | विक्रेता विवरण

\*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवाइस पेश किया जाएगा - Buyer

Delivery Instructions | वितरण निर्देश : NA

Product Details | उत्पाद विवरण

#	Item Description   आइटम विवरण	Ordered Quantity   आइटम विवरण	Unit   इकाई	Unit Price (INR)   इकाई मूल्य (INR)	Tax Bifurcation (INR)   कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR)   मूल्य (INR में सभी शुल्क और कर सहित)
1	<b>Product Name</b>   उत्पाद का नाम : Whetstone Attendant Controlled Non Powered Wheel Chair with Fixed Seat Height <b>Brand</b>   ब्रांड : Whetstone <b>Brand Type</b>   ब्रांड प्रकार : Registered Brand <b>Catalogue Status</b>   कैटलॉग की स्थिति: Catalogue not verified by OEM <b>Selling As</b>   कैसे बेचा जा रहा है : Reseller not verified by OEM <b>Category Name &amp; Quadrant</b>   श्रेणी का नाम और चतुर्थांश : Wheel Chairs (V2) (Q3) <b>Model</b>   मॉडल: KSE <b>HSN Code</b>   एचएसएन कोड: HSN not specified by seller	87	pieces	4,970	NA	432,390
Total Order Value   कुल ऑर्डर मूल्य (in INR)						432,390
Consignee Detail   परेषिती विवरण						
S.No   क्र.सं.	Consignee   परेषिती	Item   वस्तु	Lot No.   लॉट नंबर	Quantity   मात्रा	Delivery Start After   दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By   वितरण पूरा कब तक करना है
	Designation   पद : - Email ID   ईमेल आईडी : buycon134.epddup.up@gembuyer.in	Whetstone Attendant				

1	Contact   संपर्क : - GSTIN   जीएसटीआईएन : - Address   पता : vikas bhawan, RAMPUR, UTTAR PRADESH-244901, India	Controlled Non Powered Wheel Chair with Fixed Seat Height	-	87	10-Jan-2024	25-Jan-2024
Product Specification for Whetstone Attendant Controlled Non Powered Wheel Chair with Fixed Seat Height						
Specification   विनिर्देश	Sub-Spec   उप-विनिर्देश			Value   मूल्य		
	Low voltage Alarm			NA		
	Hand Rim Outside Diameter (mm)			15		
	Material of Seat			REXINE		
	Total weight of Wheel Chair (Kg)			20		
	Foot rest Material			PLASTIC		
	Range of Seat Height Adjustment (mm)			0		
	Battery Charger output current rating (Amps)			N/A		
	Density of Cushoin material on armrest,seat and Backrest (Kg/m3)			N/A		
	Leg Guard Width (mm)			100		
	Back rest with Cushion			No		
	Hardness of Axle (HRC)			20		
	Hand rim Tube thickness (mm)			1.6		
	Front castor Dia (mm)			175		
	Cushion on Seat			With		
	Front castor Swivel Type			Yes		
	Overall Width in unfolded condition of wheel chair (mm)			650		
	Leg guard type			Fixed		
	Slope of Seat (Degree)			5		
	Type of Back rest			Foldable		
	Overall Length (mm)			1040		
	Type of Wheel Hub			MILD STEEL HUB		
	Hand Rim Material			MILD STEEL		
	Foldable			Yes		
	Overall Width in folded condition of the wheelchair (mm)			650		
	Leg Guard Thickness (mm)			1.6		
	Types of Wheel Chairs			Attendant Controlled Non Powered		
	Material of Handle			MILD STEEL		
	Frame tube thickness (mm)			1.2		
	Material of Arm Rest			PU FOAM		
	Material of Hand Grip			PLASTIC		
	Material of Cushion on armrest, Seat and Backrest			REXINE		
	Clearance of frame from floor (mm)			110		
	Battery Voltage Rating (Volts)			N/A		
	Dia of Axle (mm)			12		
	Overall Height (mm)			930		
	Range of Width Adjustment (mm)			0		
	Length of Foot Rest (mm)			400		
	Loading Capacity (Kg)			100		
	Rear Wheel Rim Material			MILD STEEL		
	Thickness of Arm Rest (mm)			12		
	Battery Charger Input Supply Voltage (Volts)			N/A		
	Battery Type			NA		
	Battery Capacity Rating (AH)			N/A		

Ungrouped	Rear wheel tyre tread width (mm)	25
	Material of Axle	MILD STEEL
	Arm rest Type	Fixed
	Cushion Material Thickness (mm)	65
	Seat Depth (mm)	430
	Material of Folding Mechanism	MS PIPE
	Diameter of Tube/ thickness of flat of folding mechanism (mm)	22
	Type of Braking System	MANUAL
	Rear wheel rim thickness (mm)	2
	Distance between seat and foot rest (mm)	440
	Foot rest surface finish anti slip type	Yes
	Clearance of footrest from floor (mm)	110
	Seat Cushion Material	REXINE
	Motor power rating (Watts)	N/A
	Finish of Aluminium casts	Buffing
	Hand Rim	With
	Handle for push/pull action of Wheel Chair	Yes
	Thickness of Seat (mm)	1.2
	Slope of the backrest with respect to floor (Degree)	95
	Foot rest thickness (mm)	1.2
	Width of foot rest (mm)	150
	Rear wheel tyre type	Solid
	Battery Charger output voltage rating (Volts)	N/A
	Arm rest height from seat (mm)	375
	Cushion on Arm rest	With
	Number of Speeds (No)	N/A
	Greadability (Degree)	N/A
	Material of Back rest	REXINE
	Thickness of Cushion material of Arm rest (mm)	12
	Material of frame	MILD STEEL
	Types of foot rest	Swinging without Height Adjustment
	Speed max (Kmph)	N/A
	Warranty (Years)	1
	Frame tube Dia (mm)	25.4
	Width of wheel chair	Fixed
	Seat Height	Fixed
	Seat hight from floor at the front (mm)	500
	Speed Selector	NA
	Thickness of back rest (mm)	1.2
	Leg guard Material	MILD STEEL
	Painting of mild steel components	Powder Coated
	Product Code Number	954
	Drawing available on web	No
	Drawing Number	N/A
	Product code available on web	No
ePBG Detail   ईपीबीजी विवरण		
Advisory Bank   सलाहकार बैंक :		State Bank of India

The bidder shall furnish ePBG as applicable as per bid's terms and conditions | बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा

## Terms and Conditions | नियम और शर्तें

### 1. Special terms and conditions- Version:1 effective from 18-10-2022

#### 1.1

1. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
2. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
3. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
4. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
5. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
6. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
7. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
8. Software: All software updates should be provided free of cost during warranty period.
9. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

### 2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

### 3. Buyer Added Bid Specific Terms and Conditions-

#### 3.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

#### 3.2 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

#### 3.3 Turnover:

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

#### 3.4 Turnover:

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

**3.5 Certificates:**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

**3.6 Certificates:**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

**3.7 Certificates:**

To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid):

IS:7454

.

**3.8 Forms of EMD and PBG:**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Zila Divyangjan Sashaktikaran Adhikari, Rampur

payable at

Rampur

.

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

**3.9 Forms of EMD and PBG:**

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

Zila Divyangjan Sashaktikaran Adhikari, Rampur

payable at

Rampur

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

**3.10 Warranty:**

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।