

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687754969522

Generated Date | अनुबंध तिथि: 10-Jan-2024

| Organisation Details संगठन विवरण | Buyer Details खरीदार विवरण |
|---|--|
| Type प्ररूप: Central Autonomous Ministry मंत्रालय: Ministry of Education Department विभाग: Department of School Education and Literacy Organisation Name संगठन का नाम: Navodaya Vidyalaya Samiti Office Zone कार्यालय क्षेत्र: JAWAHAR NAVODAYA VIDYALAYA PADMI MANDLA MP | Designation पद: SHANKAR PRASAD Contact No. संपर्क नंबर: 62668-37725- Email ID ईमेल आईडी: buyer32.nvsn.mp@gembuyer.in GSTIN जीएसटीआईएन: 23JBPJ00204B1DC Address पता: VILLAGE PADMI, MANDLA MP, MANDLA, MADHYA PRADESH-481661, India |

| Financial Approval Detail वित्तीय स्वीकृति विवरण | Paying Authority Details भुगतान प्राधिकरण विवरण |
|---|---|
| IFD Concurrence आईएफडी सहमति: No Designation of Administrative Approval प्रशासनिक अनुमोदन का पदनाम: PRINCIPAL Designation of Financial Approval वित्तीय अनुमोदन का पदनाम: PRINCIPAL | Role: BUYER Payment Mode भुगतान का तरीका: Offline Designation पद: SHANKAR PRASAD Email ID ईमेल आईडी: buyer32.nvsn.mp@gembuyer.in GSTIN जीएसटीआईएन: 23JBPJ00204B1DC Address पता: VILLAGE PADMI, MANDLA MP, Mandla, MADHYA PRADESH-481661, India |

| Seller Details विक्रेता विवरण | |
|--|--|
| GeM Seller ID जेम विक्रेता आईडी: 52BD200001499403 Company Name कंपनी का नाम: NIHARIKA TRADERS Contact No. संपर्क नंबर: 08090945915 Email ID ईमेल आईडी: ramnathkasaudhan365@gmail.com Address पता: 1, PATEL NAGAR, MANKAPUR GONDA, MANKAPUR, Gonda, UTTAR PRADESH-271302, - MSME Registration number एमएसएमई पंजीकरण संख्या: UDYAM-UP-31-0010940 MSE Social Category एमएसई सामाजिक श्रेणी: General MSE Gender एमएसई लिंग श्रेणी: Male GSTIN जीएसटीआईएन: 09AOGPK3967A1ZY | |

*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Buyer

Delivery Instructions | वितरण निर्देश: NA

| Product Details उत्पाद विवरण | | | | | | |
|--|---|-------------------------------|-------------|-------------------------------------|---|---|
| # | Item Description आइटम विवरण | Ordered Quantity आइटम विवरण | Unit इकाई | Unit Price (INR) इकाई मूल्य (INR) | Tax Bifurcation (INR) कर विभाजन (INR) | Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR में सभी शुल्क और कर सहित) |
| 1 | Product Name उत्पाद का नाम: SAI ENTERPRISE Laboratory Steel Furniture Island bench with table top Brand ब्रांड: SAI ENTERPRISE Brand Type ब्रांड प्रकार: Registered Brand Catalogue Status कैटलॉग की स्थिति: Catalogue not verified by OEM Selling As कैसे बेचा जा रहा है: Reseller not verified by OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश: Laboratory Steel Furniture (Q3) Model मॉडल: BIOLOGY LABORATORY TABLE HSN Code एचएसएन कोड: HSN not specified by seller | 20 | pieces | 4,500 | NA | 90,000 |
| Total Order Value कुल ऑर्डर मूल्य (in INR) | | | | | | 90,000 |

| Consignee Detail परेषिती विवरण | | | | | | |
|----------------------------------|--|--|--------------------|-------------------|---|--|
| S.No क्र.सं. | Consignee परेषिती | Item वस्तु | Lot No. लॉट नंबर | Quantity मात्रा | Delivery Start After दिनांक के बाद डिलीवरी शुरू करना है | Delivery To Be Completed By वितरण पूरा कब तक करना है |
| 1 | Designation पद: SHANKAR PRASAD Email ID ईमेल आईडी: buyer32.nvsn.mp@gembuyer.in Contact संपर्क: 62668-37725- GSTIN जीएसटीआईएन: 23JBPJ00204B1DC | SAI ENTERPRISE Laboratory Steel Furniture Island bench | - | 20 | 10-Jan-2024 | 24-Feb-2024 |

Address | पता : VILLAGE PADMI, MANDLA MP,
MANDLA, MADHYA PRADESH-481661, India

with table top

Product Specification for SAI ENTERPRISE Laboratory Steel Furniture Island bench with table top

| Specification विनिर्देश | Sub-Spec उप-विनिर्देश | Value मूल्य |
|------------------------------------|--|---|
| GENERIC | Type of Lab furniture | Island bench with table top |
| | Type of Frame for installation of bench | C type frame |
| | Type of laboratories furniture and allied accessories | Modular |
| | Cabinet design | Facilitating future equipment retrofits and full reconfigurations without requiring any major modification to the structure |
| | Ground clearance ± 5 mm | 50 mm |
| | Table back bottom skirting | N.A |
| | Rear panel | N.A |
| | Provision of Electrical raceway | No |
| | Provision of Electrical points | No |
| | Provision of modular type reagent rack | N.A |
| | Provision of Electrical service panels | N.A |
| | Provision of Gas service panels | N.A |
| | Provision of Verticals | N.A |
| | Verticals (single) | N.A |
| | Verticals (double) | N.A |
| | Mini Vertical Service channel connector | N.A |
| | Provision of blower (to remove airborne contaminants) | No |
| | Provision of ducting (for purpose of ventilation) | No |
| | Scope of supply (offer price to include all cost components) | Furnishing/Installation all the laboratories furnitures and allied accessories along with the supporting structures |
| | Transportation /freight charges | Offer prices are on free delivery at consignee site |
| Approval of laboratory layout plan | After award of contract, seller shall have to get submitted layout plan within 10 days to get approved from buyer. Buyer shall convey his approval or otherwise within 10 days after submission of layout plan. If there is delay in approval of plan from buyer side, the D.P shall be regularized for the period of delay in plan approval | |
| | Type of Frame | C type Frame - One piece Deep Drawn moulded in EDD CRCA C' frame work with 50 mm width x 50 mm height and epoxy powder coated with self adjusting levellers (No tubular construction) - 2 numbers per table |
| | Each moulded C frame leg have a load carrying capacity | 600 Kgs. |
| | Material of Frame | Galvanized (Zinc coated) GI steel sheet double skin pass |
| | Thickness of Frame | 1.2 mm |
| | Cabinets body (casing) material | GI steel sheets |
| | Thickness of Cabinet frame cover panel | 1.1 mm |
| | Base Cabinets UDL (uniformly distributed load) | 300 Kgs |
| | Drawers support brackets shelves slides thickness | 1.1 mm |
| | Side cover panels material | 1.1 mm |
| | Side cover panels thickness | 1.1 mm |
| | Handles thickness | 1.1 mm |
| | Sandwich type metal shutters (within filled sound deadening material) made up of | GI steel sheets epoxy powder coated |
| | Sandwich type metal shutters thickness | 1.1 mm |
| | Shelves and Drawers load carrying capacity | 40 Kgs |
| | Overall load carrying capacity of Cabinet | 80 Kg (40 Kgs. On each shelf and 40 Kgs. On bottom) |
| | Rear panel material | GI steel sheets epoxy powder coated |
| | Rear panel material thickness | 1.1 mm |

| | | |
|-----------------------|---|--|
| MATERIAL | Vertical construction (for reagent racks) | N.A |
| | Verticals provided with | N.A |
| | Each Verticals with Nylon levellers bolts (for levelling) | N.A |
| | All Verticals with top caps in plastic | N.A |
| | Reagent shelves bracket made up of | N.A |
| | Glass for framed sliding and swinging doors | N.A |
| | Glass for reagent shelves | N.A |
| | Drawers and Doors pulls | Made up of aluminium presser die cast (PDC) handles |
| | Minimum length of handle | 320 mm epoxy powder coated |
| | Hinges | Made up of SS 304 5 digit knuckle butt hinges (at least 95 degree opening) compliant to SEFA 8M standard |
| | Minimum thickness of hinges raw material | 2 mm |
| | Number of hinges for shutters / doors under 36 inches in height | N.A |
| | Number of hinges for shutters / doors over 36 inches in height | N.A |
| | Locks | N.A |
| | "O" ring over the lock barrel | N.A |
| | Shelf supports | Power coated shelf support clips |
| | Drawer slides | N.A |
| | Legs made up of | N.A |
| | Leg size | N.A |
| | Service pipe supports | L type supports duly perforated |
| | Service pipe supports made up of | 32 mm x 2 mm thick GI flats slotted at a particular pitch epoxy coated |
| | Work tops | Acid resistant granite 18 mm thick |
| | Colour of work top | As per Buyer's choice |
| | Granites edges | Half rounded mouldings on all working sides of the edges |
| | Worktop placed on | 4 mm thick neoprene rubber stop back (placed in between table tops and table frames work |
| | Electrical points | N.A |
| | Modular type reagent rack | N.A |
| DIMENSION | Size of side benches/Island benches (LxWxH) | 1200 mm X 600 mm X 900 mm |
| | C Type Fixed Under Bench Cabinet size | N.A |
| | C Type Sliding Under Bench Cabinet size | N.A |
| | Electrical raceway size | N.A |
| | Electrical service panels slideable size | N.A |
| | Size of Verticals | N.A |
| SIDE SINK ACCESSORIES | Sink made up of | N.A |
| | Sink Size | N.A |
| | Number of Sink | N.A |
| | Water fitting | N.A |
| | Splash guard | N.A |
| | Peg board | N.A |
| | Eye Wash fountain (table mounted) | N.A |
| | Storage unit | N.A |
| BLOWER | Exhaust system | N.A |
| | Fan made up of | N.A |
| | Condensate drain tube | N.A |
| | Air suction Capacity | N.A |
| | Fan mounted on | N.A |

| | | |
|--|---|---------------------|
| | Motor | N.A |
| | Motor speed | N.A |
| | Casing made up of | N.A |
| | Impeller (forward curved centrifugal type) made up of | N.A |
| DUCTING | Ducting made up of | N.A |
| | Size of ducting | N.A |
| LAB STEEL STOOL | Stool with backrest | No |
| | Revolving type stool | No |
| | Provision of adjustable height | N.A |
| | At bottom of legs of stool | N.A |
| | Seat made up of | N.A |
| | Backrest made up of | N.A |
| | Provision of prongs legs | N.A |
| | Colour shade of the table | N.A |
| STEEL PAINT FINISH AND PERFORMANCES | Furniture finish (C frame, GI steel sheet and Aluminum alloy structure) except table top | Epoxy powder coated |
| | Making and drilling holes in table top for accommodating the electrical gas | Yes |
| | Dry Film thickness (test by Elecometer or DFT meter as per ASTM-D 1186-93, IS 13871 : 1993, IS 101) | 35 micron (minimum) |
| | Gloss at 600 reflection (test by Gloss meter as per ASTM-D 523-89 RA 1994 ISO 2813, DIN-67530, IS 13871:1993, IS 101) | 70 ± 5 units |
| | Scratch hardness [test by Scratch hardness tester as per BS-3900PART E2 1970 , IS 101 (part-5/SEC-2) 1988, IS 13871 : 1993] | 3 Kgs |
| | Impact resistance (Test by Impact tester as per ASTM-D2794-93, BS-3900 Part E3 1979, IS 101, JIS K 5400 – 1979, IS 13871 : 1993) | 275 Kg.cm |
| | Cross cut adhesion (Test method : DIN 53151 , ISO 2409 , ASTM D 3002 ASTM D 3359 JIS K 5400-1979, IS 13871 : 1993) | 1x1 mm |
| | Flexibility (test by Cylindrical mandrel bending tester as per DIN-53152, ISO 1519 ASTM D 522 BS 3900 Part E1, IS 101 Part-5 SEC-2 1988) | 3.25 mm |
| | Erichsen Cupping (Test by Erichsen Cupping tester as per JIS K-5400-1990, IS 101 (part5 Sec2) 1988, IS 13871 : 1993 | 8 mm |
| | Salt Spray (Test by Salt Spray chamber as per IS 101 (part 6 Sec 1) 1988, ASTM B117-95, IS 13871:1993 | 1000 hours |
| TEST REPORT | Availability of Test certificate of the furniture system as per SEFA 8M duly certified by SEFA approved laboratory to prove conformity of products to the specification | No |
| | Test Report Number - Must declare, if test report available | NA |
| | Name of the Lab - must declare, if test report available | NA |
| <p>Note टिप्पणी: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p> | | |
| <p>ePBG Detail ईपीबीजी विवरण</p> | | |
| <p>NA</p> | | |

Terms and Conditions | नियम और शर्तें

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।