

## Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687787956188

Generated Date | अनुबंध तिथि: 10-Jan-2024

Organisation Details   संगठन विवरण	Buyer Details   खरीदार विवरण
Type   प्ररूप : State Government	Designation   पद : SSI
Ministry   मंत्रालय : -	Contact No.   संपर्क नंबर : 07792-231868-
Department   विभाग : Rural Industries Department Madhya Pradesh	Email ID   ईमेल आईडी : buyer9.dsgmpb.mp@gembuyer.in
Organisation Name   संगठन का नाम : Directorate of Sericulture Government of Madhya Pradesh	GSTIN   जीएसटीआईएन : -
Office Zone   कार्यालय क्षेत्र : Bhopal	Address   पता : Office of the District Sericulture Officer, Near Doordarshan Tower, Jhirna Road, NARSINGHPUR, MADHYA PRADESH-487001, India

Financial Approval Detail   वित्तीय स्वीकृति विवरण	Paying Authority Details   भुगतान प्राधिकरण विवरण
IFD Concurrence   आईएफडी सहमति : No	Role : PAO
Designation of Administrative Approval   प्रशासनिक अनुमोदन का पदनाम : District Sericulture Officer	Payment Mode   भुगतान का तरीका : Offline
Designation of Financial Approval   वित्तीय अनुमोदन का पदनाम : District Sericulture Officer	Designation   पद : Assistant Director
	Email ID   ईमेल आईडी : serimal@mp.nic.in
	GSTIN   जीएसटीआईएन : N
	Address   पता : Office of the District Sericulture Officer, Near Doordarshan Tower, Jhirna Road, NARSINGHPUR, MADHYA PRADESH-487001, India

Seller Details   विक्रेता विवरण	
GeM Seller ID   जेम विक्रेता आईडी : 47E0180000546611	Company Name   कंपनी का नाम : CHHAYA TRADING CORPN.
Contact No.   संपर्क नंबर : 09415221935	Email ID   ईमेल आईडी : shubham21935@gmail.com
Address   पता : 0, LOHTA ROAD, KERAKATPUR, BEHIND VARANASI PUBLIC SCHOOL, Varanasi, UTTAR PRADESH-221007, -	MSME Registration number   एमएसएमई पंजीकरण संख्या : -
GSTIN   जीएसटीआईएन : 09AKXPP2661H1ZH	

\*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Buyer

Delivery Instructions | वितरण निर्देश : NA

#	Item Description   आइटम विवरण	Ordered Quantity   आइटम विवरण	Unit   इकाई	Unit Price (INR)   इकाई मूल्य (INR)	Tax Bifurcation (INR)   कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR)   मूल्य (INR) में सभी शुल्क और कर सहित
1	<b>Product Name</b>   उत्पाद का नाम : Unbranded Shade Net House Flat Shape With Fogging system <b>Brand</b>   ब्रांड : NA <b>Brand Type</b>   ब्रांड प्रकार : Unbranded <b>Catalogue Status</b>   कैटलॉग की स्थिति : Catalogue not verified by OEM <b>Selling As</b>   कैसे बेचा जा रहा है : Reseller not verified by OEM <b>Category Name &amp; Quadrant</b>   श्रेणी का नाम और चतुर्थांश : Shade Net House (Q3) <b>Model</b>   मॉडल : NA <b>HSN Code</b>   एचएसएन कोड : HSN not specified by seller	150	square meter	125	NA	18,750
Total Order Value   कुल ऑर्डर मूल्य (in INR)						18,750

Consignee Detail   परेषिती विवरण						
S.No   क्र.सं.	Consignee   परेषिती	Item   वस्तु	Lot No.   लॉट नंबर	Quantity   मात्रा	Delivery Start After   दैनिक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By   वितरण पूरा कब तक करना है
1	Designation   पद : SSI Email ID   ईमेल आईडी : buyer9.dsgmpb.mp@gembuyer.in Contact   संपर्क : 07792-231868- GSTIN   जीएसटीआईएन : -	Unbranded Shade Net House Flat Shape With	-	150	10-Jan-2024	24-Feb-2024

Address|पता : Office of the District Sericulture Officer, Near Doordarshan Tower, Jhirna Road, NARSINGHPUR, MADHYA PRADESH-487001, India

Fogging system

**Product Specification for Unbranded Shade Net House Flat Shape With Fogging system**

Specification  विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
GENERIC	Product description	A Shade house is a structure enclosed by agro nets or any other woven material to allow required sunlight, moisture and air to pass through the gaps
	Required / Offered size in the range of	200 square meter to 560 square meter
	Shape	Flat Shape
	Bays width	8 Meter x 4 Meter
	Corridor size	2 Meter
	Side height	3 Meter
	Center height	4 Meter
	Grid size	8 meter x 4 meter
	Covering material (to be fixed top and all four sides)	UV stabilized 75 % shade net
	Colour of Shade net	Green
	Humidity / irrigation	With Fogging system
	Measuring unit	Offer price is rate per Square Meter. While ordering, Buyer to order for quantity equal to area in square meter required to be covered.
STRUCTURE (COMPLETE SET)	All structures (including Rafters, Purlins and Trusses) made up of	GI steel pipe - all galvanized (zinc coated) conforming to IS 1239 (Part 1) / latest
	All pipes, Nuts and other metallic parts (such as fittings, Clamps and Screws etc)	Should be anti-corrosive, humidity resistant conforming to IS 1239 (Part 1) / latest
	Nut bolt size (galvanized)	10 mm
	Clamps	2 mm thick GI strip of 180 GSM zinc coated
	Column (Main and Corridor)	GI pipe of length 4 meter and Outer dia 60 mm with 2 mm thickness
	Top pipe grid (purlin)	GI pipe of length 6 meter and Outer dia 48 mm with 2 mm thickness
	Border purlins	GI pipe of length 4 meter and Outer dia 42 mm with 2 mm thickness
	Intermediary purlin	6 meter and 4 meter
	Locking profile made up of (To fix Shading nets to the structure)	Extruded Aluminium profile (made of alloy aluminium suitable for double spring locking)
	Zig-Zag spring made up of (to lock and hold nets in aluminium profile)	2 mm thick steel coated with plastic
	GI wire grid for crop support	Provision of 12 gauge GI wires at a spacing of 0.75 meter in the direction of the crop row supported by 10 gauge GI wire and suitable tightener should be provided
FOUNDATION / CIVIL WORK	Foundation work	Foundation, including poles, trusses, pillars and concrete work at site shall be the responsibility of the Seller and Seller shall Install / Erect and Commission the structure on the foundation
	Foundation pipe	GI pipe of length 1.2 meter and outer dia 60 mm with 2 mm thickness
	Corridor pipe	GI pipe of length 1.2 meter and outer dia 42 mm with 2 mm thickness
	Foundation poles and trusses	The vertical poles and trusses of structure will be done with telescopic insertion method
	CC foundation	1 :4:8 and 20 mm BT metal
	CC pillar	12 inch x 12 inch will have 2.5 feet below actual ground level with 600 mm dia
ANTE ROOM	ANTE Room size (length x width x height)	2 meter x 2 meter x 2 meter
	Number of Doors	Two sliding door (diagonally opposite to each other) : interior and exterior
	Size of interior and exterior sliding door	4 feet X 7 feet
	Interior sliding door and exterior hinge type door made up of	Anodized aluminium section with 6 mm thick polycarbonate sheet
	Provision of locking facility with both door (interior and exterior door)	For Exterior door only
	Overhead anti-leak four way foggers	N.A
	Working pressure for fogging system	N.A
	Density (One fogger)	0.3 square meter to 0.4 square meter for propagation

FOGGING SYSTEM	Type of Fogger	N.A
	Fogger discharge range	7 litre/hour
	Pipe	N.A
	Motor - one number with electric cable connection and fitted with arrangement of protection from rainwater	N.A
	Filter (Screen)	N.A
	Pressure meter	10 bar rating
	Arrangement of return gutter	N.A
	Provision of Control valve assembly	N.A
	Provision of Flush valve	N.A
	Provision of ISI mark Water tank of appropriate size	N.A
DRIP IRRIGATION	Net work pipes (PVC pipes conforming to IS 4985 : 2000 as amended up to date)	N.A
	Fitting and accessories	N.A
	Inline tube - conforming to IS 13488 / latest	N.A
	LLDPE lateral pipe	N.A
	Head connector	N.A
	Barbed connector	N.A
	Filtration system	N.A
	Dripper (used to control the discharge of water from the lateral to the plants)	2 litre / hours (with 30 cm dripper to dripper distance self flushing)
	Air release valve (for Long lasting and safe operation of the system)	Yes
	Control valve (for timely opening and closing system)	Yes
WARRANTY	Warranty period in number of years (from the date of installation)	2
TRAINING	Training provision by Seller	No Training
CERTIFICATION	Plastic material used in Poly house should be tested conforming to the standard for Quality Assurance	By NABL approved Lab
	Structural material used in Poly house should be tested conforming to the standard for Quality Assurance	By NABL approved Lab
<p><b>Note   टिप्पणी:</b> Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p><b>ePBG Detail   ईपीबीजी विवरण</b></p>		
<p><b>NA</b></p>		
<p><b>Terms and Conditions   नियम और शर्तें</b></p>		
<p><b>1. General Terms and Conditions-</b></p>		
<p>1.1 This contract is governed by the <a href="#">General Terms and Conditions</a>, conditions stipulated to this Product/Service as provided in the Marketplace.</p>		
<p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p>		
<p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p>		
<p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p>		