

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687729890343

Generated Date | अनुबंध तिथि: 10-Jan-2024

Organisation Details संगठन विवरण		Buyer Details खरीदार विवरण				
Type प्ररूप :	State Government	Designation पद :	Store incharge pharmacist 1			
Ministry मंत्रालय :	-	Contact No. संपर्क नंबर :	07682-248312-			
Department विभाग :	Public Health and Family Welfare Department Madhya Pradesh	Email ID ईमेल आईडी :	buycon.nrhм.mp@gembuyer.in			
Organisation Name संगठन का नाम :	National Rural Health Mission (NRHM)	GSTIN जीएसटीआईएन :	-			
Office Zone कार्यालय क्षेत्र:	District Hospital Chhatarpur	Address पता :	Distt Hospital near chhatrasal chouk panna road chhatarpur, CHHATARPUR, MADHYA PRADESH-471001, India			
Financial Approval Detail वित्तीय स्वीकृति विवरण		Paying Authority Details भुगतान प्राधिकरण विवरण				
IFD Concurrence आईएफडी सहमति :	No	Role:	BUYER			
Designation of Administrative Approval प्रशासनिक अनुमोदन का पदनाम:	CIVILE SURGEON CUM CHIEF SUPERINTENDENT HOSPI TAL CHHATARPUR MP	Payment Mode भुगतान का तरीका:	Offline			
Designation of Financial Approval वित्तीय अनुमोदन का पदनाम :	CIVILE SURGEON CUM CHIEF SUPERINTENDENT HOSPI TAL CHHATARPUR MP	Designation पद :	Store incharge pharmacist 1			
		Email ID ईमेल आईडी :	buycon.nrhम.mp@gembuyer.in			
		GSTIN जीएसटीआईएन :	-			
		Address पता:	Distt Hospital near chhatrasal chouk panna road chhatarpur, CHHATARPUR, MADHYA PRADESH-471001, India			
Seller Details विक्रेता विवरण						
GeM Seller ID जेम विक्रेता आईडी :	2BP0220007618572					
Company Name कंपनी का नाम :	siddhivinayak enterprises					
Contact No. संपर्क नंबर :	07898630551					
Email ID ईमेल आईडी :	siddhivinayake58@gmail.com					
Address पता :	WARD NO 29, CHHATARPUR, NAZAR BAG, KISHOR SAGAR MARG, Village/Town:- CHHATARPUR, City:- CHHATARPUR, CHHATARPUR, MADHYA PRADESH-471001, India					
MSME Registration number एमएसएमई पंजीकरण संख्या :	UDYAM-MP-12-0007717					
MSE Social Category एमएसई सामाजिक श्रेणी :	General					
MSE Gender एमएसई लिंग श्रेणी :	Male					
GSTIN जीएसटीआईएन:	23CTTPA9227P1Z1					
*GST / Tax invoice to be raised in the name of जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Buyer						
Delivery Instructions वितरण निर्देश : OK						
Product Details उत्पाद विवरण						
#	Item Description आइटम विवरण	Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR में सभी शुल्क और कर सहित)
1	Product Name उत्पाद का नाम : Unbranded Steel Body Floor Standing with integral caster wheels Mosquito Breeding Proof Desert Cooler Brand ब्रांड : NA Brand Type ब्रांड प्रकार : Unbranded Catalogue Status कैटलॉग की स्थिति: Catalogue not verified by OEM Selling As कैसे बेचा जा रहा है : Reseller not verified by OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : MOSQUITO BREEDING PROOF DESERT COOLER (Q3) Model मॉडल: UTTAM-60-DSRT HSN Code एचएसएन कोड: HSN not specified by seller	1	pieces	19,990	NA	19,990
Total Order Value कुल ऑर्डर मूल्य (in INR)						19,990
Consignee Detail परेषिती विवरण						
S.No क्र.सं.	Consignee परेषिती	Item वस्तु	Lot No. लॉट नंबर	Quantity मात्रा	Delivery Start After दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By वितरण पूरा कब तक करना है
	Designation पद : Store incharge pharmacist 1					

1	Email ID ईमेल आईडी : buycon.nrhm.mp@gembuyer.in Contact संपर्क : 07682-248312- GSTIN जीएसटीआईएन : - Address पता : Distt Hospital near chhatrasal chouk panna road chhatarpur, CHHATARPUR, MADHYA PRADESH-471001, India	Unbranded Steel Body Floor Standing with integral caster wheels Mosquito Breeding Proof Desert Cooler	-	1	10-Jan-2024	25-Jan-2024
Product Specification for Unbranded Steel Body Floor Standing with integral caster wheels Mosquito Breeding Proof Desert Cooler						
Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य				
CAPACITY / TYPE	Nominal Air Capacity (Cubic meter per hour)	5000				
	Maximum Power Consumption at zero static pressure	350 Watts for 5000 nominal capacity				
	Type of Air Cooler Body	Steel Body				
	Type of Fitting	Floor Standing with integral caster wheels				
DESIGN APPROVAL / CERTIFICATION	Design Approval agency	Not approved by any agency				
	Design Approavl letter number	UTM/60/DSRT				
	Design Approval letter Date	17-May-2021				
	Conformity to Indian Standrad	Generally conforming to IS: 3315 latest				
	Availability of the Type test report from Central Gov/ NABL/ ILAC accredited lab proving/showing conformity to the specification	No				
	Test Report Number	NA				
	Test Report Date	NA				
	Name & address of the Lab	NA				
	Availability of the test certificate from CIPET for Plastic Body regarding suitability for coolers	NA for steel Body				
	CIPET Test Report Number	NA				
	CIPET Test Report Date	NA				
GENERIC	Overall Demension (HxDxW)(mm x mm x mm)	914.4 x 914.4 x 1524				
	Sump Tank Capacity (minimum)	100 Liters for 5000 nominal capacity				
	Lid for Sump Tank / Water Tank	Sump / Water Tank completely covered with a Lid to prevent the entry of mosquitoes in to the water tank				
	Material of Filter panel, Grill,Top of cooler body, cabinet, sump tank and Lid of the Sump / Water Tank (for Steel Body Cooler)	"Galvanized steel sheet (ISI marked to IS 277 latest) with zinc coating not less than 100 gms/sq.meter for steel Body Cooler; NA for Plastic Body"				
	Sheet Thickness (nominal) for Filter panel, Grill, Top of cooler body, cabinet and Lid of the Sump / Water Tank (for Steel Body Cooler)	0.8 mm				
	Sump Tank Sheet Thickness (nominal) (for Steel Body Cooler)	1.0				
	All internal surfaces Painted with Water Resistant paint to IS 9862 latest	Yes for Steel Body				
	Body Material of the Plastic Body Cooler	NA for Steel Body Cooler				
	Thickness of Body of the Plastic Body Cooler (mm)	NA				
	Drop Test for the Plastic Body Cooler	NA for Steel Body Cooler				
	Drain Plug material	Brass / SS				
	Fan Size	500 mm for 5000 nominal capacity				
	Blade Material	Aluminum (for 5000 nominal capacity)				
	Fire Retardant Plastic	NA for Al. Blades				
	Fan Motor	ISI marked to IS: 996 latest				
	Fan Motor RPM	1450				
	Fan Motor Speeds	3				
	Power Factor	0.95				
	Submersible Pump	Generally conforming to IS:11951 latest				
	Filter Pads	Honeycomb pads				
	Filter Pads completely covered with Mosquito net cloth	Yes				
	Thickness of Filter Pad	29 millimeter				
	Wire Guard for Pads	NA				
	Water Level Indicator	NA				

	Minimum length of ISI marked connecting cable with 3-pin moulded Plug Top, 5/6amps	2.5 meter
	Location of the Water Collecting Chamber	At the Bottom
	Float Valve installation With NCDC Cooler	With
	Any Other Feature	NA
WARRANTY	WARRANTY	1 year
<p>Note टिप्पणी: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>ePBG Detail ईपीबीजी विवरण</p>		
NA		
<p>Terms and Conditions नियम और शर्तें</p>		
<p>1. General Terms and Conditions-</p>		
<p>1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.</p>		
<p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p>		
<p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p>		
<p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p>		