

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687760333912

Generated Date | अनुबंध तिथि: 10-Jan-2024

Organisation Details संगठन विवरण Type प्ररूप : Central Autonomous Ministry मंत्रालय : Ministry of Education Department विभाग : Department of School Education and Literacy Organisation Name संगठन का नाम : Navodaya Vidyalaya Samiti Office Zone कार्यालय क्षेत्र : JAWAHAR NAVODAYA VIDYALAYA RAMVA UKHRUL MANIPUR		Buyer Details खरीदार विवरण Designation पद : SHARMA Contact No. संपर्क नंबर : 0385-2580248- Email ID ईमेल आईडी : buyer176.nvsn.mn@gembuyer.in GSTIN जीएसटीआईएन : - Address पता : Ramva Village, UKHRUL, MANIPUR-795145, India				
Financial Approval Detail वित्तीय स्वीकृति विवरण IFD Concurrence आईएफडी सहमति : No Designation of Administrative Approval JSA प्रशासनिक अनुमोदन का पदनाम : Designation of Financial Approval PRINCIPAL वित्तीय अनुमोदन का पदनाम :		Paying Authority Details भुगतान प्राधिकरण विवरण Role : PAO Payment Mode Offline भुगतान का तरीका : Designation पद : jsa Email ID ईमेल आईडी : con142.nvsn.mn@gembuyer.in GSTIN जीएसटीआईएन : - Address पता : Ramva Village, Ukhrul, MANIPUR-795145, India				
Seller Details विक्रेता विवरण GeM Seller ID जेम विक्रेता आईडी : B85A180000623290 Company Name कंपनी का नाम : DIBYA AND CO Contact No. संपर्क नंबर : 09476850502 Email ID ईमेल आईडी : dbuzarbaruah@gmail.com Address पता : 2 FLOOR, JURI DEVI, HNO 11 KK PATH NABAGRAHA, 986, GUWAHATI, Assam-781003, - MSME Registration number एमएसएमई पंजीकरण संख्या : - GSTIN जीएसटीआईएन : 18CERPB3586D1ZB						
*GST / Tax invoice to be raised in the name of जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Consignee						
Delivery Instructions वितरण निर्देश : JNV UKHRUL- 1						
Product Details उत्पाद विवरण						
#	Item Description आइटम विवरण	Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR में सभी शुल्क और कर सहित)
1	Product Name उत्पाद का नाम : Unbranded Led Flood Light, Power 50 Watt Brand ब्रांड : NA Brand Type ब्रांड प्रकार : Unbranded Catalogue Status कैटलॉग की स्थिति : Catalogue not verified by OEM Selling As कैसे बेचा जा रहा है : Reseller not verified by OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : Led Flood Light (Q3) Model मॉडल : EGTLL50w HSN Code एचएसएन कोड : HSN not specified by seller	20	pieces	1,490	NA	29,800
Total Order Value कुल ऑर्डर मूल्य (in INR)						29,800
Consignee Detail परेषिती विवरण						
S.No क्र.सं.	Consignee परेषिती	Item वस्तु	Lot No. लॉट नंबर	Quantity मात्रा	Delivery Start After दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By वितरण पूरा कब तक करना है
1	Designation पद : SHARMA Email ID ईमेल आईडी : buyer176.nvsn.mn@gembuyer.in Contact संपर्क : 0385-2580248- GSTIN जीएसटीआईएन : - Address पता : Ramva Village, UKHRUL, MANIPUR-795145, India	Unbranded Led Flood Light, Power 50 Watt	-	20	10-Jan-2024	25-Jan-2024

Product Specification for Unbranded Led Flood Light, Power 50 Watt

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
Constructional	LED Rating (in Watts)/System Wattage/Rated Power	50 Watt
	Mounting Plate size	(430mm x 340mm)+/-10mm
	The Luminaires works on single phase three wires system (Phase, Neutral and Earth)	Yes
	The luminaire body must be corrosion resistant powder coated	Yes
	Protection of the entire housing as per IS:10322 (Part 1):1982 latest	IP66
	Suitable connector shall be provided for LED connection between driver output and LED	Yes
	Length of ISI marked three core wire (shall be provided along with supply of material)	50 centimeter
	Extruded silicon loop gasket shall be provided in the lantern body to ensure a weather proof seal between the UV Glass cover and the metal housing to exclude the entry of the dust, water, insects etc.,	Yes
	The Luminaires casing/housing shall be Spun Aluminium/Die Cast Aluminium with higher thermal conductivity	Yes
	Light Source	SMD LED Chip as per LM 80/IS16106
	Toughened Glass shall not get discoloured shall not suffer degradation due to heat and ageing within warranty period	Yes
	Luminaries light transparency should be of Toughened glass	Yes
	Toughened transparent glass cover thickness	>/=4 mm
	Mounting Pipe size	0 millimeter
	Thickness Ik rating	3mm, IK-08
	Driver components shall be industrial grade or above	Yes
	Diffuser Material	UV stabilized injection Moulded Poly Carbonate with Prismatic Cut
	Adjustable Mounting Bracket	Yes
Electrical Efficiency	AC Power Factor at full load	>/=0.95
	Rated voltage	230 V AC 50 Hz
	Input operating Voltage range and frequency	90 to 300 Volts AC at 50 Hz+/-2
	Total Harmonics Distortion (as per IS: 16102)	</=10
	Impact Protection	IK-08
	Automatic Higher Cut off voltage above 300 volt	Yes
	Driver Efficiency (in %age)	Upto 100W: >/=85%
Optical	Working life for LED (as per LM-80 and LM 21 reports)	>/=50000
	LED Beam Angle (degree)	>/=120
	Colour temperature	6000 +/- 500K
	LED chip Efficacy	>/=135 Lm/Watt
	Colour Rendering Index(CRI)	>/=80
	Junction Temperature	<85 deg C
	Heat sink should be die-cast aluminium along with sufficient heat sink fins to dissipate heat effectively	Yes
Protection	High voltage test (1.5 KV for one minute between supply terminals and body of the unit)	Yes
	Over Voltage Protection	Yes
	The luminaire shall be protected against surges and transients of >/=10KV (External)	Yes
	Short Circuit Protection	Yes
	Over Load Protection	Yes
	The luminaire shall be protected against surges and transients (Internal)	>/=5KV
	Insulation resistance between earth and current carrying part	>100 M Ohm

	Reverse Polarity	Yes
Thermal Management	Operating Humidity Range (RH)	10 % to 95%
	Operating Temperature Range	0 deg. C to 45 deg. C
Marking	Manufacturer's Name, Model Number, Serial Number on the aluminium die cast body Engraved/Embossed	Yes
	Date of Manufacture (month-year), and lot number as Identification Mark inside each unit and the outside of each packaging box	Yes
	Manufactures Name and and brand on the aluminium die cast body	Engraved/Embossed
	The operation characteristics voltage and power be marked inside of each LED luminaire unit	Yes
Standards	Luminaire System Efficacy (Lumen/watt)	>= 100+/-10 Lm/Watt
	Warranty for free replacement (in years)	2
	Photo biological safety of LEDs used shall be as per IS:16108/2012 (exempt group)	Yes
	Ingress Protection (IP Rating) as per IS:10322 (Part 1):1982 latest	IP66
	Types of LED Modules as per the IS:IS: 16103(Part-2)/2012	Type 3
Reports And Certifications	Photo biological Safety report as per IEC- 62471 issued by NABL/ vs EPA accredited lab to be submitted	Yes
	Test Report for Protection from High Voltage to be submitted	Yes
	Surge Test Report (as per IEC 61000) to be submitted	Yes
	TM- 21 report Test Report issued by NABL/ vs EPA accredited lab to be submitted	Yes
	LM-79 [as per IS- 16106 & IS-10322] Test Report issued by NABL/ vs EPA accredited lab to be submitted	Yes
	Test Report for Over Volatage Cut off with self restart feature to be submitted	Yes
	LED Make	OSRAM / NICHIA / CREE / SAMSUNG / SEOUL / LUMILEDS / PHILIPS / SYSKA / LUMENMAX / EVERLIGHT / EDISON / BRIDGELUX / NATIONSTAR / REFOND / NICHIA / CREE / SAMSUNG / SEOUL / LUMILEDS / PHILIPS / SYSKA / LUMENMAX / EVERLIGHT / EDISON / BRIDGE
	Wind Speed report as per IEC 62262 from NABL accredited Lab to be submitted	Yes
	Orinial Test Report from independent NABL Lab for Compliance with CRS Scheme as per IS-15885 & IS-16104 to be submitted	Yes
	Test certificate as per IEC62305 & IEC61643 from NABL/EPA certified third party Lab to be submitted	Yes
	Test Report for Protection from Low Voltage to be submitted	Yes
	LM-80 [as per IS-16107 & IS- 16103] Test Report issued by NABL/ vs EPA accredited lab to be submitted	Yes

Note | टिप्पणी: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ePBG Detail | ईपीबीजी विवरण

NA

Terms and Conditions | नियम और शर्तें

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।