

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687784977485

Generated Date | अनुबंध तिथि: 11-Jan-2024

Organisation Details संगठन विवरण	Buyer Details खरीदार विवरण
Type प्ररूप: State Government	Designation पद: Livestock Development Officer
Ministry मंत्रालय: -	Contact No. संपर्क नंबर: 01980-220068-
Department विभाग: Animal and Sheep Husbandry	Email ID ईमेल आईडी: ddo-ldo-nubra@ladakh.gov.in
Organisation Name संगठन का नाम: Directorate of Animal, Sheep & Fisheries Ladakh	GSTIN जीएसटीआईएन: -
Office Zone कार्यालय क्षेत्र: Opposite AIR Leh Ladakh	Address पता: Livestock Development Officer Nubra Disket, LEH, JAMMU & KASHMIR-194401, India

Financial Approval Detail वित्तीय स्वीकृति विवरण	Paying Authority Details भुगतान प्राधिकरण विवरण
IFD Concurrence आईएफडी सहमति: No	Role: BUYER
Designation of Administrative Approval AO to Director, Animal/Sheep Husbandry & Fisheries, UT Ladakh	Payment Mode भुगतान का तरीका: Offline
प्रशासनिक अनुमोदन का पदनाम: Designation of Financial Approval District Sheep Husbandry Officer, Leh	Designation पद: Livestock Development Officer
वित्तीय अनुमोदन का पदनाम: -	Email ID ईमेल आईडी: ddo-ldo-nubra@ladakh.gov.in
	GSTIN जीएसटीआईएन: -
	Address पता: Livestock Development Officer Nubra Disket, Leh, JAMMU & KASHMIR-194401, India

Seller Details विक्रेता विवरण	
GeM Seller ID जेम विक्रेता आईडी: 262A200001291223	Company Name कंपनी का नाम: K9 ENTERPRISES
Contact No. संपर्क नंबर: 08800576665	Email ID ईमेल आईडी: kay9enterprises@gmail.com
Address पता: D6/2, Rana Pratap Bagh, North Delhi, DELHI-110007, -	MSME Registration number एमएसएमई पंजीकरण संख्या: UDYAM-DL-06-0075324
MSE Social Category एमएसई सामाजिक श्रेणी: General	MSE Gender एमएसई लिंग श्रेणी: Male
GSTIN जीएसटीआईएन: 07AAIPK0177E1ZX	

*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Consignee

Delivery Instructions | वितरण निर्देश: NA

Product Details उत्पाद विवरण						
#	Item Description आइटम विवरण	Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR में सभी शुल्क और कर सहित)
1	Product Name उत्पाद का नाम: havells 8 20 Watt White LED type Brand ब्रांड: havells Brand Type ब्रांड प्रकार: Registered Brand Catalogue Status कैटलॉग की स्थिति: Catalogue not verified by OEM Selling As कैसे बेचा जा रहा है: Reseller not verified by OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश: Solar Street Lighting System (NTPC) (Q3) Model मॉडल: HAVELLS SSSSLXO135 HSN Code एचएसएन कोड: HSN not specified by seller	6	pieces	21,400	NA	128,400
Total Order Value कुल ऑर्डर मूल्य (in INR)						128,400

Consignee Detail परेषिती विवरण						
S.No क्र.सं.	Consignee परेषिती	Item वस्तु	Lot No. लॉट नंबर	Quantity मात्रा	Delivery Start After दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By वितरण पूरा कब तक करना है
1	Designation पद: Livestock Development Officer Email ID ईमेल आईडी: ddo-ldo-nubra@ladakh.gov.in Contact संपर्क: 01980-220068- GSTIN जीएसटीआईएन: -	havells 8 20 Watt White LED type	-	6	11-Jan-2024	26-Jan-2024

Address | पता : Livestock Development Officer Nubra Disket,
LEH, JAMMU & KASHMIR-194401, India

Product Specification for havells 8 20 Watt White LED type

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
GENERIC	Description of store	Solar Street Light (LED based) consist of white LED luminaire (LED + Driver) rating as per configuration along with Solar PV modules and LiFePo4 battery of given capacity, necessary control electronics, interconnecting wires / cables, module mounting structures, etc. to operate from dusk to dawn
PV MODULE	Type of PV Module	Only indigenous modules of IEC Tested used. Crystalline high power/efficiency cells used in the solar photovoltaic module
	Power output of PV Module	≥ 75 Wp at 16.4 ±0.2 Volt at STC
	PV Module Efficiency	≥ 14%.
	The open circuit voltage of the PV modules under STC (in volts)	21
	Certification / Report	Certified by MNRE/NABL authorized test center as per latest edition of IEC 61215 edition II / IS 14286.
	BIS CRS compliance for PV Module	as per IEC 61215 Edition II / BIS 14286 from NABL or IECQ accredited Laboratory
	Mnimum warranty period for PV Modules (in Years)	PV module warranted for output wattage ≥ 90% at the end of 10 years and 80% at the end of 25 years
BATTERY	Type of Battery	Lithium Ferro Phosphate battery (LiFePo4). Operating from dusk to dawn first four hour full brightness, rest of the time at lower level, with motion sensor
	Battery capacity	≥ 12.8 V (nominal), 30 Ah at STC (1 day autonomy)
	Cycle/ Current	Battery cycle life 2000 cycle at 80 % discharge
LIGHT SOURCE	Type of LED (Light source)	20 Watt White LED type
	LED chip Efficacy (Lumen/watt)	≥ 135
	Luminaire System Efficacy - Lumen output - (Lumen/watt)	≥ 120
	The color temperature of white LEDs used in the system	5500 degree K – 6500 degree K.
	The temperature of heat sink	≤ 20 degree centigrade above ambient temperature during operation
	CRI	> 70 %
	Lighting quality	Free from glare, flickering and UV
	Wattage	Power consumption of the LED Luminaire / Lighting unit ≤ 30W (including LED and Driver power loss)
	Ingress protection	IP65 or better
	Certification/ Test report	Yes test certificate from MNRE/ NABL accredited labs
ELECTRONIC COMPONENTS	Provision of Fuses	Fuses provided to protect against short circuit conditions
	Protection	Full protection against open circuit, accidental short circuit and for reverse polarity provided.
	The self consumption of the charge controller	≤ 20 mA at rated voltage and rated current
	Indicators on the system	Provided with 2 LED indicators: a green light to indicate charging in progress and a red LED to indicate deep discharge condition of the battery. The green LED glow only when the battery is actually being charged.
	Total electronics efficiency	≥ 90 %
MECHANICAL COMPONENTS	A corrosion resistant metallic frame structure to hold the SPV module	Yes. Provided
	Provision on frame structure	Frame structure have provision that the module can be oriented at the suitable tilt angle
	Conformity of the specification for Steel tube for street light pole	as per IS:1161:2014 latest
	Hot dip galvanized condition the zinc coating on the tubes	as per IS:4736 latest
	Nominal bore size of tube / Thickness of tube	40 mm / 3.2 mm
	Height of pole (in m)	8

Battery box	Battery included in the luminaire enclosure, with water proof (IP65 or better) and corrosion resistant
Certification/ Test report for mechanical components	Yes test certificate from MNRE/ NABL accredited labs

Note | टिप्पणी: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ePBG Detail | ईपीबीजी विवरण

NA

Terms and Conditions | नियम और शर्तें

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।