

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687794743449

Generated Date | अनुबंध तिथि: 11-Jan-2024

Organisation Details संगठन विवरण	Buyer Details खरीदार विवरण
Type प्ररूप : State Government	Designation पद : Care Taker
Ministry मंत्रालय : -	Contact No. संपर्क नंबर : 0172-2555917-
Department विभाग : Police Department Haryana	Email ID ईमेल आईडी : buyer4.police.pkl@gembuyer.in
Organisation Name संगठन का नाम : Ambala - Panchkula Commissionerate	GSTIN जीएसटीआईएन : -
Office Zone कार्यालय क्षेत्र : Sector 4 MDC Panchkula	Address पता : Sector 4 MDC, PANCHKULA, HARYANA-134109, India

Financial Approval Detail वित्तीय स्वीकृति विवरण	Paying Authority Details भुगतान प्राधिकरण विवरण
IFD Concurrence आईएफडी सहमति : No	Role : PAO
Designation of Administrative Approval प्रशासनिक अनुमोदन का पदनाम : Commissioner of Police Panchkula	Payment Mode भुगतान का तरीका : Internet Banking
Designation of Financial Approval वित्तीय अनुमोदन का पदनाम : Com	Designation पद : Accountant PKL
	Email ID ईमेल आईडी : pao3.police.ptk@gembuyer.in
	GSTIN जीएसटीआईएन : -
	Address पता : Sector 4 MDC, Panchkula, HARYANA-134109, India

Seller Details विक्रेता विवरण	
GeM Seller ID जेम विक्रेता आईडी : B4D618000093811	Company Name कंपनी का नाम : Modern Seating Collection
Contact No. संपर्क नंबर : 09876766838	Email ID ईमेल आईडी : affilchairs@gmail.com
Address पता : SCF 8 - 9 NIRMAL ESTATE, NEAR PREET PALACE, ZIRAKPUR ROAD, BALTANA, ZIRAKPUR, PUNJAB-140603, -	MSME Registration number एमएसएमई पंजीकरण संख्या : UDYAM-PB-20-0005269
MSE Social Category एमएसई सामाजिक श्रेणी : General	MSE Gender एमएसई लिंग श्रेणी : Male
GSTIN जीएसटीआईएन : 03ABBFM5996M1ZR	

*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Buyer

Delivery Instructions | वितरण निर्देश : NA

#	Item Description आइटम विवरण	Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR) में सभी शुल्क और कर सहित
1	Product Name उत्पाद का नाम : AFFIL Executive Table with One side pedestal unit Brand ब्रांड : AFFIL Brand Type ब्रांड प्रकार : Registered Brand Catalogue Status कैटलॉग की स्थिति : OEM verified catalogue Selling As कैसे बेचा जा रहा है : OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : Executive Table (V2) (Q3) Model मॉडल : AF OT - 1205 HSN Code एचएसएन कोड : 9403	1	pieces	14,999	NA	14,999
Total Order Value कुल ऑर्डर मूल्य (in INR)						14,999

Consignee Detail परेषिती विवरण						
S.No क्र.सं.	Consignee परेषिती	Item वस्तु	Lot No. लॉट नंबर	Quantity मात्रा	Delivery Start After दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By वितरण पूरा कब तक करना है
1	Designation पद : Care Taker Email ID ईमेल आईडी : buyer4.police.pkl@gembuyer.in Contact संपर्क : 0172-2555917- GSTIN जीएसटीआईएन : - Address पता : Sector 4 MDC,	AFFIL Executive Table with One side pedestal unit	-	1	11-Jan-2024	25-Feb-2024

Product Specification for AFFIL Executive Table with One side pedestal unit

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
GENERIC	Structure /Frame of table	Gable end and modesty panel
	Frame type	Freestanding
	Accessories /Optional requirement for table	Beam Support for Table Top
	The type of Storage provided	One side pedestal unit
	Keyboard tray	Not provided
	Footrest	Provided
	Mode of supply	Assembled Ready To Use
MATERIAL	Tabletop Material	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates
	Thickness of table top material (± 1 mm)	36 mm
	Gable end material	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the gable end	18 mm
	Modesty panel material	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the modesty panel material	18 mm
	Gable end and modesty panel plain side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
	Table top edges	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
	Leg Material	NA
	The thickness of the Leg material	NA
	Beam Material	NA
	Number of buffers provided	8 Numbers at the bottom
DIMENSION	Width of tabletop ± 10 mm	1500 mm
	Depth of table ± 10 mm	750 mm
	Height of table ± 10 mm	750 mm
	Size (L x W) /diameter of leg material ± 5 mm	NA
EXTENDED RETURN UNIT	ERU unit consists of	No ERU
	ERU top material	NA
	ERU top material thickness ± 2 mm	NA
	Width of ERU unit ± 10 mm	NA
	Depth of ERU unit ± 5 mm	NA
	Height of ERU unit ± 5 mm	NA
	ERU side panel material	NA
	ERU side panel Thickness ± 2 mm	NA
	Number of lockable castors at the bottom	NA
	Size of lockable castors ± 2 mm	NA
	Type of storage lock system	NA
	Drawer /storage shutter pull-up mechanism	NA
	ERU outer Surface Finish	NA
	ERU shade	NA
	Total Number of drawers /storage in Pedestal units	One drawer,One storage
	Complete body fascia and drawer material in Pedestal Unit	Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Thickness of the complete body fascia & drawer material	18 mm

PEDESTAL UNIT	Material for back panel in pedestal unit	Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Back Panel Thickness in Pedestal Unit	18 mm
	Drawer Bottom Material	Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Drawer Bottom Material Thickness	18 mm
	Provision of Castor in Pedestal unit	Without
	Lock provided (for pedestal unit)	Individual lock
	Pedestal handle material	Chrome plated
	Pedestal outer finish	Laminate in color with swede finish 0.6 - 0.8 mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5 mm thick on another side
	Pedestal shade	As per buyer's choice
	Width of Pedestal unit in mm (±10 mm)	600 mm
	Depth of pedestal unit ±10mm	450 mm
	Height of pedestal unit ±5mm	725 mm
	KEYBOARD TRAY	Material of keyboard tray and Right angle L-type supporting bracket
Material thickness of keyboard tray ±1mm		NA
Fixing of supporting bracket		NA
Length of telescopic channel ± 10 mm		NA
Keyboard height±10mm		NA
Keyboard front width±10mm		NA
Keyboard depth±10mm		NA
FOOTREST	Material of footrest	Three layer Prelaminated particles board(wood product)conforming to grade II type III of IS 12823/Latest
	Material thickness of footrest ±2mm	19 mm
	Height of footrest ±10mm	125 mm,75 mm
	Width of footrest ±10mm	One footrest throughout table width
	Depth of footrest ±10mm	370 mm
COLOUR AND FINISH	Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	As per Buyer's choice
	Table /ERU /Pedestal Panel Plain Side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
WARRANTY	Warranty period	3 Years
CERTIFICATION	Test reports to be furnished to the buyer on demand	No
	The product has BIFMA certification	Yes
	OEM of the offered product is ISO 9001:2015 certified	Yes
	OEM of the offered product is ISO 14001:2015 certified	Yes
	OEM of the offered product is ISO 45001:2018 certified	Yes
	The product has GREENGUARD certification	Yes
	The product has Green Pro certification	Yes

ePBG Detail | ईपीबीजी विवरण

NA

Terms and Conditions | नियम और शर्तें

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।