Contract|अनुबंध



Contract No|अनुबंध क्रमांक: GEMC-511687775926492

Generated Date|अनुबंध तिथि: 11-Jan-2024

Organisation Details | संगठन विवरण

Type|মুল্ড : Central Government Ministry|मंत्रालय : Ministry of Communications Department | বিभाग : Department of Posts

Organisation Name|संगठन का

नाम •

Department of Posts

Office Zone|कार्यालय क्षेत्र:

Department of Posts

Office Of Chief Postmaster General Uttar Pradesh Circle

Buyer Details|खरीदार विवरण

Designation|पद : SRM Contact No.|संपर्क नंबर : 0551-2200388-

Email ID|ईमेल आईडी : rmsdog.up@indiapost.gov.in

GSTIN|जीएसटीआईएन : 09AAAGS2020P1Z3

HRO RMS G Dn. Platform No. 2 Gorakhpur Railway Station,

GORAKHPUR, UTTAR PRADESH-273012, India

Financial Approval Detail|वित्तीय स्वीकृति विवरण

IFD Concurrence|आईएफडी सहमति: No

 $Designation\ of\ Administrative\ Approval\,|\,$

प्रशासनिक अनुमोदन का पदनाम:

Designation of Financial Approval|

वित्तीय अनुमोदन का पदनाम :

SRM RMS 'G' DN.

SRM RMS 'G' DN.

Paying Authority Details | भुगतान प्राधिकरण विवरण Role: PAO

Payment Mode | Offline

भुगतान का तरीका:
Designation|पद : Head Record Officer

Email ID | ईमेल आईडी : hrogorakhpur.up@indiapost.gov.in

GSTIN|जीएसटीआईएन : N

HRO RMS G Dn. Platform No. 2 Gorakhpur Railway Station,

GORAKHPUR, UTTAR PRADESH-273012, India

Seller Details|विक्रैता विवरण

GeM Seller ID|जेम विक्रैता आईडी : BDB6190000876557

Company Name|कंपनी का नाम : H-TECH SYSTEMS PRIVATE LIMITED

Contact No. | संपर्क नंबर : 09369542345

Email ID|ईमेल आईडी : htechsystemspvt@gmail.com

Address। पता : H NO. 9/32 A-6,PRAYASH NAGAR COLONY,SHIVPUR PH NO.#9795119490,VARANASI,

Varanasi, UTTAR PRADESH-221003, -

MSME Registration number|एमएसएमई पंजीकरण संख्या : UDYAM-UP-75-0029814

MSE Social Category|एमएसई सामाजिक श्रेणी : OBC

MSE Gender|एसई लिंग श्रेणी : Male

GSTIN|जीएसटीआईएन: 09AAECH8832L1Z2

*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Consignee

Delivery Instructions | वितरण निर्देश : NA

Product Details|उत्पाद विवरण

	# Item Description आइटम विवरण	Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR में सभी शुल्क और कर सहित)	
	Product Name उत्पाद का नाम : H-Tech Revolving Chair with Only Revolving without tilting mechanism Brand ब्रांड : H-Tech Brand Type ब्रांड प्रकार : Registered Brand Catalogue Status कैटलॉग की स्थिति: OEM verified catalogue Selling As कैसे बेचा जा रहा है : OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थाश : Revolving Chair (V3) (Q2) Model मॉडल: CHAIR WITHOUT ARM HSN Code एचएसएन कोड: 9403	15	pieces	4,600	NA	69,000	
-	Total Order Value कुल ऑर्डर मूल्य (in INR)						

Consignee Detail|परेषिती विवरण

S.No क्र.सं.	Consignee परेषिती	Item वस्तु	Lot No. लॉट नंबर	Quantity मात्रा	Delivery Start After दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By वितरण पूरा कब तक करना है
	Designation पद : BUYER-CONSIGNEE Email ID ईमेल आईडी : rmsdog.up@indiapost.gov.in Contact संपर्क : 0551-2200388-	H-Tech Revolving Chair				

t adjustments onal requirement I onal requirement II			Tilt limiter Without a Fixed type Fixed type	lving without tilting	g mechanism			
echanism Ig mechanism Ist type and arm movement Hint: The buyer may in ments at the time of bid creation It is type and arm movement Hint: The buyer may in ments at the time of bid creation It is type It i	dicate the number of 'Up' a	and 'Down' arm	Only Revo Tilt limiter Without a Fixed type	lving without tilting	g mechanism			
ing mechanism Institype and arm movement Hint: The buyer may in ments at the time of bid creation Institype and arm movement Hint: The buyer may in ments at the time of bid creation Institute the time of bid creation Institute the buyer may in ments at the time of bid creation Institute the buyer may in ments at adjustments Institute the buyer may in ments at adjustments Institute the buyer may in ments at the buyer may buyer m	dicate the number of 'Up' a	and 'Down' arm	Tilt limiter Without a Fixed type Fixed type	rmrests	g mechanism			
est type and arm movement Hint: The buyer may in ments at the time of bid creation epth adjustment est type est support type est type ving mechanism t adjustments onal requirement I	dicate the number of 'Up' a	and 'Down' arm	Without a Fixed type	rmrests				
ments at the time of bid creation epth adjustment est type est support type est type ving mechanism t adjustments onal requirement I	dicate the number of 'Up' a	and 'Down' arm	Fixed type					
est type est support type est type ring mechanism t adjustments onal requirement I			Fixed type					
est support type est type ving mechanism t adjustments onal requirement I				!	Fixed type			
est type ving mechanism t adjustments onal requirement I			Contoured	Fixed type				
ring mechanism t adjustments onal requirement I onal requirement II			Contoured	Contoured Back				
t adjustments onal requirement I onal requirement II			Without h	Without headrest				
onal requirement I onal requirement II		Revolving mechanism			Designed with 360 degree-revolving type and upright locking			
onal requirement II			Pneumatic					
			NA					
	Additional requirement II		NA	NA				
Additional requirement III			NA	NA				
tal Base			Chrome					
Twin wheel castor material		Nylon	Nylon					
er of twin wheel castor			5 Nos.					
Minimum diameter of twin wheel castor		50 mm	50 mm					
Armrest Material		No armre	No armrest					
ase material			Hot press	ed plywood				
naterial			PU foam					
um density of foam used in seat			50 kg per	cubic meter				
um thickness of PU foam used in seat			50 mm					
pholstery material			100 % Pol	yester fabric				
est base frame material			Hot press	ed plywood				
ng at backrest			PU foam					
The minimum density of foam used in the backrest		30 kg per	30 kg per cubic meter					
um thickness of PU foam used in backrest			45 mm					
Backrest upholstery material			100 % Pol	100 % Polyester fabric				
Upholstery material thickness /fabric substance used in seat /backrest			Minimum	Minimum 200 GSM (for Woven fabric)				
um seat height from floor surface			400 mm					
um Seat height adjustment			Up to 100	mm				
Minimum width of seat			400 mm	400 mm				
Minimum depth of seat		450 mm	450 mm					
Minimum width of backrest		450 mm	450 mm					
est height			Low back	(350 to 450 mm)				
Minimum thickness of MS Plate Joining the understructure with Seat		2 mm	2 mm					
num pedestal size (diameter)			650 mm					
Upholstered material seat color			Blue	Blue				
stered material backrest color			Blue					
Secreta material packiest COIOI	ish of exposed metal parts		Chrome p	Chrome plated				
			1-Year					
of exposed metal parts			Yes					
il il	um seat height from floor surface um Seat height adjustment um width of seat um depth of seat um width of backrest st height um thickness of MS Plate Joining the understructur um pedestal size (diameter) stered material seat color stered material backrest color of exposed metal parts	um seat height from floor surface um Seat height adjustment um width of seat um depth of seat um width of backrest st height um thickness of MS Plate Joining the understructure with Seat um pedestal size (diameter) stered material seat color of exposed metal parts	um Seat height adjustment um Width of seat um depth of seat um width of backrest st height um thickness of MS Plate Joining the understructure with Seat um pedestal size (diameter) stered material seat color of exposed metal parts	um seat height from floor surface 400 mm Up to 100 um width of seat 400 mm um depth of seat 450 mm um width of backrest 450 mm st height Low back um thickness of MS Plate Joining the understructure with Seat 2 mm um pedestal size (diameter) stered material seat color Blue stered material backrest color of exposed metal parts Chrome p	um seat height from floor surface 400 mm Up to 100 mm um Width of seat 400 mm 450 mm um width of seat 450 mm Low back (350 to 450 mm) um thickness of MS Plate Joining the understructure with Seat 2 mm um pedestal size (diameter) stered material seat color blue tered material backrest color Blue of exposed metal parts Chrome plated nty period in number of years 400 mm 400 mm 400 mm 450 mm 450 mm Bue Chrome plated			

ePBG Detail | ईपीबीजी विवरण

NA

Terms and Conditions|नियम और शर्तें

- 1. General Terms and Conditions-
- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।