

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687701711669

Generated Date | अनुबंध तिथि: 07-Jan-2024

Bid/RA/PBP No. | बोली/आरए/पीबीपी संख्या: [GEM/2023/B/4259770](#)

Organisation Details संगठन विवरण		Buyer Details खरीदार विवरण	
Type प्रकृत्या :	State Autonomous	Designation पद :	PACS CHAIRMAN
Ministry मंत्रालय :	-	Contact No. संपर्क नंबर :	--
Department विभाग :	Co-operative Department Bihar	Email ID ईमेल आईडी :	ga_atri_sirh_by@bihar.gov.in
Organisation Name संगठन का नाम :	Co-operative Department	GSTIN जीएसटीआईएन :	-
Office Zone कार्यालय क्षेत्र :	ATRI BLOCK	Address पता :	PACS GODOWN VILL-DUNDICHAK POST- SIDH THANA-ATRI GAYA BIHAR PIN-824233, Gaya, 824233, GAYA, BIHAR-824233, India

Financial Approval Detail वित्तीय स्वीकृति विवरण		Paying Authority Details भुगतान प्राधिकरण विवरण	
IFD Concurrence आईएफडी सहमति :	No	Role:	PAO
Designation of Administrative Approval प्रशासनिक अनुमोदन का पदनाम :	PACS MANAGEMENT	Payment Mode	Offline
Designation of Financial Approval वित्तीय अनुमोदन का पदनाम :	PACS MANAGEMENT	भुगतान का तरीका:	
		Designation पद :	PACS MANAGER NEW
		Email ID ईमेल आईडी :	pao932.cd.bh@gembuyer.in
		GSTIN जीएसटीआईएन :	10AAAA10050M1ZA
		Address पता:	PACS GODOWN VILL-DUNDICHAK POST- SIDH THANA-ATRI GAYA BIHAR PIN-824233, Gaya, 824233, Gaya, BIHAR-824233, India

Seller Details विक्रेता विवरण	
GeM Seller ID जेम विक्रेता आईडी :	1502190000722294
Company Name कंपनी का नाम :	PUNJAB AGRO INDUSTRIES
Contact No. संपर्क नंबर :	09053511111
Email ID ईमेल आईडी :	pairagrokingpvtltd@gmail.com
Address पता :	Sham Nagar,Karnal,G.T.Road,Namastey Chowk,KARNAL, Karnal, HARYANA-132001, -
MSME verified एमएसएमई सत्यापित :	Yes
MSME Registration number एमएसएमई पंजीकरण संख्या :	UDYAM-HR-10-0001281
MSE Social Category एमएसई सामाजिक श्रेणी :	General
MSE Gender एमएसई लिंग श्रेणी :	OTHERS
GSTIN जीएसटीआईएन:	06AAFFP3093D1ZF

*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Buyer

Delivery Instructions वितरण निर्देश : ok	
--	--

Product Details उत्पाद विवरण		Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR में सभी शुल्क और कर सहित)
1	Product Name उत्पाद का नाम : PAIR AGROKING Multi Speed Agriculture rotavator Brand ब्रांड : PAIR AGROKING Brand Type ब्रांड प्रकार : Registered Brand Catalogue Status कैटलॉग की स्थिति: OEM verified catalogue Selling As किसे बेचा जा रहा है : OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : Agriculture rotavator (Q3) Model मॉडल: PARTMS-642 HSN Code एचएसएन कोड: 84329010	1	pieces	89,999	GST जीएसटी (12%) : 9,642.75 GST Cess 1 जीएसटी उपकर 1 (0%) : 0 GST Cess 2 जीएसटी उपकर 2 (0 per accounting unit) : 0 Input Tax Credit (ITC) on GST जीएसटी पर इनपुट टैक्स क्रेडिट (आईटीसी) (18%) : 1,735.695 ITC on GST Cess 1 जीएसटी उपकर पर आईटीसी 1 (18%) : 0 ITC on GST Cess 2 जीएसटी उपकर पर आईटीसी 2 (18%) : 0	89,999
Total Order Value कुल ऑर्डर मूल्य (in INR)						89,999

Consignee Detail प्रेषिती विवरण		Item वस्तु	Lot No. लॉट नंबर	Quantity मात्रा	Delivery Start After दिनांक के बाद डिलीवरी शुरू	Delivery To Be Completed By वितरण पूरा कब
S.No क्र.सं.	Consignee प्रेषिती					

				करना है	तक करना है
1	Designation पद : - Email ID ईमेल आईडी : ga_atri_sirh_by@bihar.gov.in Contact संपर्क : - GSTIN जीएसटीआईएन : - Address पता : PACS GODOWN VILL-DUNDICHAK POST- SIDH THANA-ATRI GAYA BIHAR PIN-824233, Gaya, 824233, GAYA, BIHAR-824233, India	PAIR AGROKING Multi Speed Agriculture rotavator	-	1	07-Jan-2024 22-Jan-2024

Product Specification for PAIR AGROKING Multi Speed Agriculture rotavator

Specification विवरण	Sub-Spec उप-विवरण	Value मूल्य
Performance Parameters	Purpose	It is used to as primary cum secondary tillage implement which help to conserve previous soil moisture and pulverises soil up-to 6 inches of depth or more.
	Facility of tractor PTO operated mechanism for Rotavator	Yes
	Type of hitch attachment/Linkage	3-point linkage
	Power range which can be utilized to operate Rotavator	35 hp to 40 hp,40 hp to 50 hp,50 hp to 60 hp,60 hp to 90 hp,40 hp and above
	Type of gear box used	Multi Speed
	Type of Side Transmission Drive	Gear Drive
	Types of gear used	Spur
	Number of chain drive used	NA
	Availability of chain/Gear cover part for safety	Yes
	PTO speed required in rpm	540
	Rotor Speed in rpm (with ± 10 rpm tolerance)	200
	Shape of Cutting Blade	L-Shape
	Type of cutting edge of blade	Plane
	Hardness of Edge portion	40 to 55 HRC
	Hardness on Shank portion	37 to 45 HRC
	Total number of blade on rotor	42
	Number of blade per Flange	6
	Cutter Blade should be Dynamically balanced	Yes
	Number of flange in rotor shaft	7
	Types of bearing used	Ball
	Make of bearing	NBC
	Agriculture Rotavator shall be capable to tillage both wet and dry soil land	Yes
	Availability of Adjustable Depth Skids	Yes
	Availability of Offset Adjustable frame	Yes
	Safety clutch/Device (Shear Bolt) in PTO shaft shall be provided	Yes
	Rotavator Stand shall be provided	Yes
	Rotavator Shield to prevent flying of mud & stone shall be provided	Yes
	Facility Side Disc assembly	Yes
	Guard over propeller shaft shall be provided	Yes
	Availability of lubrication system	Yes
	Rotavator primary reduction gear/gearbox,Secondary reduction gear/gearbox, Rotary axle bearing shall be with effective sealing to protect from dust &Water(No ingress of mud & Water into them)	Yes
	Marking/labeling of rotavator shall be mention	Yes
	Warranty in years	1
	Rotavator should have minimum vibration during operation	Yes
	Noise level of rotavator in db on full load	85
	Number of Spare Blades for Rotavator	NA
	Rotavator frame and Blades must be Rust Proof	Yes

Material and Dimensional Parameters	Product instruction manual shall be supplied	Yes
	Standard Tool Kit for maintainanace and Trouble Shooting to be provided with Machine	Yes
	Demonstration of equipment and training to be provided after completing supplies before Acceptance	Yes
	Material of frame of rotavator	MS
	Diameter of rotar shaft in mm (with ± 2 mm tolerance)	90
	Rotor Diameter (including flange & blade mounted on flange) in mm	410
	Material for Cutting Blade	Boron(28MnCrB5)
	Cutting Blade thickness in mm	7
	Cutting blade width in mm	80
	Orientation of blade in degree	60
	Length of blade along the flange in mm	175
	Length of blade along the rotor shaft in mm	135
	Distance between consecutive flanges in mm(with ± 2 mm tolerance)	210
	Working width by rotavator in inches	72
	Working depth by rotavator in inches	6
	Depth of puddle in wet land operation in mm	160
	Dimensions of 3-point attachment of rotavator as per IS:4468 (part-1) 1997 Standard	Yes
	Dimensions of power input connection (PIC) of implement as per IS:4931-1995 Standard	Yes
	Size of rotavator (Lx W x H) in inches	89x42x50
	Weight of Rotavator in Kg	435
Reports	Availability of ISO certification of manufacturer	Yes
	ISO certification Number & issued date, If ISO certificate not available then put NA	QMS-PAIR-19-25569 25-02-2019
	Certifications to be furnished to buyer on demand at time of supplies	Yes

ePBG Detail | ईपीबीजी विवरण

Advisory Bank सलाहकार बैंक :	NA
ePBG Percentage(%) ईपीबीजी प्रतिशत (%) :	NA

General Clauses w.r.t RCM/FCM | आरसीएम/एफसीएम के संबंध में सामान्य खंड

- Where ever RCM is applicable, for sellers (Regular GST registered seller who opted out of FCM as per notifications of GST like GTA , unregistered seller), Buyer have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this contract. Seller will invoice buyer with Zero GST and GST cess.
- For Registered sellers as per FCM, rates will be inclusive of prescribed rate of GST and GST cess. ITC available to buyer as shown in the bid document have been applied while evaluating the bids. Seller has liability of paying the GST and GST cess to the govt and same will be charged from buyer while invoice.
- For Registered sellers who opted for RCM while quoting for specified category under section 9(3) like GTA rates will be exclusive of GST and GST cess. GST and GST cess as indicated by the buyer in the bid document payment of GST and GST Cess will be the liability of buyer.
- For Unregistered sellers Liability of payment of GST and GST cess is in Buyers scope. GST and GST cess as indicated by the buyer in the bid document will be the liability of buyer . Unregistered seller will invoice buyer with zero GST and Zero GST cess.
- For sellers under Composition Scheme: There is no liability of payment of GST and GST cess in Buyers cope. Seller will invoice Zero GST and GST cess in the invoice to buyer.

Terms and Conditions | नियम और शर्तें

1. General Terms and Conditions-

- This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

2.2 Service & Support:

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of

goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

2.3 Warranty:

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 7 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

2.4 Service & Support:

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

2.5 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2.6 OEM:

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।