

## Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687758007909

Generated Date | अनुबंध तिथि: 05-Jan-2024

Bid/RA/PBP No. | बोली/आरए/पीबीपी संख्या: [GEM/2023/B/4298917](#)

Organisation Details   संगठन विवरण				Buyer Details   खरीदार विवरण					
Type   प्ररूप :	Central Government			Designation   पद :	Library and Information Assistant				
Ministry   मंत्रालय :	Ministry of Agriculture and Farmers Welfare			Contact No.   संपर्क नंबर :	03715-222094-				
Department   विभाग :	Department of Agriculture Cooperation and Farmers Welfare			Email ID   ईमेल आईडी :	sunil.pradhancfmmtti@gov.in				
Organisation Name   संगठन का नाम :	North Eastern Farm Machinery Training and Testing Institute Chariali			GSTIN   जीएसटीआईएन :	18AAAGN0266Q1D4				
Office Zone   कार्यालय क्षेत्र :	North Eastern			Address   पता :	DIRECTOR NERFMTTI Biswanath Chariali Biswanath, SONITPUR, ASSAM-784176, India				
Financial Approval Detail   वित्तीय स्वीकृति विवरण				Paying Authority Details   भुगतान प्राधिकरण विवरण					
IFD Concurrence   आईएफडी सहमति :	Yes			Role :	DDO				
Designation of Administrative Approval   प्रशासनिक अनुमोदन का पदनाम :	Director			Payment Mode   भुगतान का तरीका :	PFMS				
Designation of Financial Approval   वित्तीय अनुमोदन का पदनाम :	Director			Designation   पद :	Agricultural Engineer				
				Email ID   ईमेल आईडी :	fmti-ner@nic.in				
				GSTIN   जीएसटीआईएन :	N				
				Address   पता :	DIRECTOR NERFMTTI Biswanath Chariali Biswanath, SONITPUR, ASSAM-784176, India				
Seller Details   विक्रेता विवरण									
GeM Seller ID   जेम विक्रेता आईडी :	5570180000631349								
Company Name   कंपनी का नाम :	JADHAO AGRO INDUSTRIES PVT.LTD.								
Contact No.   संपर्क नंबर :	09422916992								
Email ID   ईमेल आईडी :	jadhaoagroind@rediffmail.com								
Address   पता :	A-38,OLD BY PASS,BADNERA ROAD,MIDC,Amravati, Amravati, MAHARASHTRA-444606, -								
MSME verified   एमएसएमई सत्यापित :	No								
MSME Registration number   एमएसएमई पंजीकरण संख्या :	-								
GSTIN   जीएसटीआईएन:	27AAACJ3753E1ZR								
*GST / Tax invoice to be raised in the name of   जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Buyer									
Delivery Instructions   वितरण निर्देश : urgent									
Product Details   उत्पाद विवरण									
#	Item Description   आइटम विवरण				Ordered Quantity   आइटम विवरण	Unit   इकाई	Unit Price (INR)   इकाई मूल्य (INR)	Tax Bifurcation (INR)   कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR)   मूल्य (INR में सभी शुल्क और कर सहित)
1	<b>Product Name</b>   उत्पाद का नाम : JAY Water Tanker on Single Axle Trailer Stainless Steel 304 3000 liter Liters , with Fixed Platform <b>Brand</b>   ब्रांड : JAY <b>Brand Type</b>   ब्रांड प्रकार : Registered Brand <b>Catalogue Status</b>   कैटलॉग की स्थिति: OEM verified catalogue <b>Selling As</b>   कैसे बेचा जा रहा है : OEM <b>Category Name &amp; Quadrant</b>   श्रेणी का नाम और चतुर्थांश : Water Tanker on Single Axle Trailer (Q2) <b>Model</b>   मॉडल: JADHAO 3000 LTRS WATER TANKER <b>HSN Code</b>   एचएसएन कोड: HSN not specified by seller				1	pieces	389,999	NA	389,999
Total Order Value   कुल ऑर्डर मूल्य (in INR)									389,999
Consignee Detail   परेषिती विवरण									
S.No   क्र.सं.	Consignee   परेषिती				Item   वस्तु	Lot No.   लॉट नंबर	Quantity   मात्रा	Delivery Start After   दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By   वितरण पूरा कब तक करना है
1	Designation   पद : - Email ID   ईमेल आईडी : shashi.pawar@gov.in Contact   संपर्क : - GSTIN   जीएसटीआईएन : 18AAAGN0266Q1D4				JAY Water Tanker on Single Axle Trailer Stainless Steel 304 3000 liter Liters , with Fixed	-	1	05-Jan-2024	04-Feb-2024

Address   पता : DIRECTOR NERFMTTI Biswanath Chariali Biswanath, Biswanath, ASSAM-784176, India		Platform				
<b>Product Specification for JAY Water Tanker on Single Axle Trailer Stainless Steel 304 3000 liter Liters , with Fixed Platform</b>						
Specification   विनिर्देश	Sub-Spec   उप-विनिर्देश	Value   मूल्य				
Generic	Description and Application	The Water Tanker with single axle trailer driven by Tractor as Prime Mover is used to transport water from one location to the other location which can be further used for Firefighting, Household, Industrial supply purposes.				
	Water tank capacity In Liter	>2000≤3000				
	Actual water tank capacity In Liter	3000 liter				
Water Tank	Water Tank Material	Stainless Steel 304				
	Water Tank of Stainless Steel / MS	Water tanker made with 3.15mm or more thick MS or Stainless steel treated with anti-corrosion coating, which is dully fastened and mounted on the trailer chassis with proper load distribution, with suitable baffles.				
	Actual Thickness of MS / SS Sheet used for fabrication of Water Tanker in mm	3.15 millimeter				
	Number Of Baffles Plates in the tank for MS and SS	NA				
	Thickness of Baffle Plates In mm for MS and SS	3				
	Surface Finish / Painting	Water tanker is suitably treated with 7 to 9 step anti-corrosion treatment and painted				
	Water Tank of Glass Fiber Reinforced Polyester GRP	Water tanker made with 6mm or more thick Glass Fiber Reinforced Polyester GRP which is dully fastened and mounted on the trailer chassis with proper load distribution, with suitable baffles				
	Actual Thickness of GRP used for fabrication of Water Tanker in mm	6 millimeter				
	Number Of Baffles for GRP Tank	2				
	Thickness Of Baffle Plates for GRP water tank In mm	2				
	Water Tanker Mountings	The water tank will be mounted on the trailer subframe using Rubber Metacones. The rubber metacones shall facilitate to absorb the jerks and bending torsions in expansion as well as compression mode without high deflection.				
	Covered Manhole Diameter In mm (Minimum)	450				
	Diameter Of Cleaning Hole At Bottom Of Tank In mm (Minimum)	250				
	Outlet	Suitable outlet of 63mm diameter with NB Class Nipple made of water tank material is provided at the rear with suitable ball valve.				
	Ladder provision on the back side of the water tanker	Yes				
Trailer	Type of Trailer	Single Axle				
	Type of Platform	Fixed Platform				
	Capacity of Trailer (tonnes)	3 tonne				
	Type of Axle Assembly	Single Axle				
	Number of Wheels	2				
	Tipping angle of body (in degrees), In case of tipping type	42-50				
	Overall width of trailers between extreme points (meter)	2.5 meter				
	Overall length of platform	5 meter				
	Overall height of trailers with tyre inflated from the supporting surface(ground) to top of platform (meter)	1.5 meter				
	Overall height of trailers with tyre inflated from the supporting surface(ground) to sideboard (meter)	2.2 meter				
	Ground Clearance (mm)	300 meter				
	Material used for fabrication of trailer as per Clause-5, Table-1 of IS:8213 (latest)	Yes				
	Recto Reflective Marking (tapes) as per AIS -090	Yes				
	Lighting and Lighting -signalling device as per AIS- 062	Yes				
	Trailers shall be fitted with Rear Under Run Protective Device (RUPD) confirming to IS 14812 (latest)	Yes				
	Trailers shall have service and parking brake as per AIS-					

	043	Yes				
	The Trailers shall be fitted with pneumatics tyres and rims of suitable size confirming to IS 13154 (latest) and IS 10694 (latest)	Yes				
	ISI marked ISMC channel used for fabrication of Chassis and frame mounting on chassis	Yes				
	Type of spring suspension system (as per IS:1135)	LEAF SPRINGS				
	No of spring leaves plates fitted (Nos)	15				
	Single telescopic cylinder as per IS:12371 (latest)	Yes				
	Lashing hooks for towing down load	Yes				
	No of Hooks	1				
	Type of Towing Device	TRACTOR				
Certification	Conformity to standards IS 8213 (latest) for Trailer and AIS 112 (latest) for Trailer	Yes				
	Test report number and date	up320002639				
	Name of the testing laboratory	VJTI MUMBAI				
	RTO approval Number and date	5419/23.12.19				
Warranty	Warranty (in months)	36 month				
<div>Corrigendum   शुद्धिपत्र</div> <div>1. <b>Extended Upto</b>   तक बढ़ाया गया : 2023-12-20 09:00:00</div> <div>2. <b>Extended Upto</b>   तक बढ़ाया गया : 2024-01-01 09:00:00</div> <div>ePBG Detail   ईपीबीजी विवरण</div> <table><tr><td>Advisory Bank   सलाहकार बैंक :</td><td>NA</td></tr><tr><td>ePBG Percentage(%)   ईपीबीजी प्रतिशत (%) :</td><td>NA</td></tr></table>			Advisory Bank   सलाहकार बैंक :	NA	ePBG Percentage(%)   ईपीबीजी प्रतिशत (%) :	NA
Advisory Bank   सलाहकार बैंक :	NA					
ePBG Percentage(%)   ईपीबीजी प्रतिशत (%) :	NA					
<div>Terms and Conditions   नियम और शर्तें</div> <div>1. General Terms and Conditions-</div> <div>1.1 This contract is governed by the <a href="#">General Terms and Conditions</a>, conditions stipulated to this Product/Service as provided in the Marketplace.</div> <div>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</div> <div>2. Buyer Added Bid Specific Terms and Conditions-</div> <div>2.1 <i>Generic</i>.</div> <div>OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.</div> <div>2.2 <i>Scope of Supply</i>:</div> <div>Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods</div> <div>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</div> <div>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</div>						