

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687700541254

अनुबंध तिथि | Generated Date : 05-Feb-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2023/B/4398128](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्रकार Type : Central PSU मंत्रालय Ministry : Ministry of Chemicals and Fertilizers विभाग Department : Department of Fertilizers संगठन का नाम Organisation Name : Madras Fertilizers Limited (MFL) कार्यालय क्षेत्र Office Zone : Manali chennai	पद Designation : ASSISTANT MANAGER संपर्क नंबर Contact No. : - ईमेल आईडी Email ID : buyer2.mflm.tn@gembuyer.in जीएसटीआईएन GSTIN : - पता Address : Manali chennai, TIRUVALLUR, TAMIL NADU-600068, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval : GM-PLANT वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : DGM-FINANCE	Role: PAO भुगतान का तरीका Payment Mode: Offline पद Designation : DEPUTY MANAGER ईमेल आईडी Email ID : pao2.mflm.tn@gembuyer.in जीएसटीआईएन GSTIN : - पता Address : Manali chennai, Tiruvallur, TAMIL NADU-600068, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : D9F6190000888517 कंपनी का नाम Company Name : S&D SERVICES संपर्क नंबर Contact No. : 08005928112 ईमेल आईडी Email ID : snd.services26@gmail.com पता Address : DHANDAPANI STREET, NO. 862-869,P.N. PALAIYUR,800, Coimbatore, TAMIL NADU-641037, - एमएसएमई सत्यापित MSME verified : No एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-RJ-21-0014204 एमएसएमई सामाजिक श्रेणी MSE Social Category : OBC एमएसएमई लिंग श्रेणी MSE Gender : Female जीएसटीआईएन GSTIN: 33BVFPR6517Q1ZX

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : AVON Steel Two Wheeled Cycles for Men Bicycle ब्रांड Brand : AVON ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Bicycle as per IS 2039:1991 (Q3) मॉडल Model : AVON 26 PILOT CYCLE FOR MEN एचएसएन कोड HSN Code : HSN not specified by seller	7	pieces	6,800	जीएसटी GST (12%) : 5,264.516 जीएसटी उपकर 1 GST Cess 1 (12%) : 5,264.516 जीएसटी उपकर 2 GST Cess 2 (0 per accounting unit) : 0 जीएसटी पर इनपुट टैक्स क्रेडिट (आईटीसी) Input Tax Credit (ITC) on GST (12%) : 631.742 जीएसटी उपकर पर आईटीसी 1 ITC on GST Cess 1 (0%) : 0 जीएसटी उपकर पर आईटीसी 2 ITC on GST Cess 2 (0%) : 0	47,600
कुल ऑर्डर मूल्य Total Order Value (in INR)						47,600

परेषिती विवरण Consignee Detail						
क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By

1	पद Designation : - ईमेल आईडी Email ID : con1.mfl.chennai@gembuyer.in संपर्क Contact : 044-25945323-323 जीएसटीआईएन GSTIN : 33AAACM5198E1ZK पता Address : Manali chennai, TIRUVALLUR, TAMIL NADU-600068, India	AVON Steel Two Wheeled Cycles for Men Bicycle	-	7	05-Feb-2024	25-Feb-2024
---	---	---	---	---	-------------	-------------

Product Specification for AVON Steel Two Wheeled Cycles for Men Bicycle

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Generic parameters	Type	Two Wheeled Cycles for Men
	Weight of Bicycle (kg)	18
	Applicable Indian Standard	IS 10613:2004 With Latest Amdmnt.
	Size of Frame (cm)	50
	Reflector	Yes
Accessories parameters	Bell	Yes
	Lock	Yes
	Stand	Yes
	Basket	No
	B B Lock Ring as per IS 1131: 2004	Yes
	Saree Gurad	No
Constructional parameters	Thickness of Crank at Axle Hole (mm)	17.5 millimeter
	Type of Rim	Beaded Edge(BE)
	Material of Rim	Steel
	Size Designation of Rim	26x1.5
	Thickness of tube (mm)	1.63 millimeter
	Top Tube Diameter (mm)	25.4 millimeter
	No of Holes in Rear Wheel	40
	Front Axle Length (mm)	152.4 millimeter
	Hub Axle Diameter for Front Wheel (mm)	9.52 millimeter
	Material of Nipple	Brass Conforming to IS 2704
	Material of Spokes	Steel Wire Conforming to IS 6902
	ISO Chain Number (A)	8A
	ISO Chain Number (B)	5B
	Type of Chain	Simple
	Rear Axle Length (mm)	165 millimeter
	No of Holes in Front Wheel	32
	Spoke Diameter (mm)	2 millimeter
	Pitch of Chain (mm)	12.7 millimeter
	Pitch of Spokes (mm)	0.46 millimeter
	Thickness of Crank at Pedal Axle Hole (mm)	10 millimeter
	Heavy Duty Wider Comfortable with two coil springes based saddle with PVC Top as per IS 626:2009 with latest amdmnt	Yes
	Type of Steel Tube	Electric Resistance Welded and Induction Welded Tubes(ERW)
	Cone to Cone Distance (mm)	100 millimeter
	Chain Cover	Full Chain Cover
	Width of Mudgurad (mm)	50 millimeter
Sprocket Tooth thickness of Free wheel (mm)	2.6 millimeter	
Thickness of Mudgurad (mm)	0.5 millimeter	
Thickness of Head Tube (mm)	0.91 millimeter	
Material of Washers	Steel Wire Conforming to IS 513	
Depth of Mudgurad (mm)	24 millimeter	

	Mounded Rubber Brake Shoe for enhanced Life as per IS 10613:2004 with latest amdmnt	Yes
	Hub Axle Diameter for Rear Wheel (mm)	9.52 millimeter
	Type of Pneumatic Tube	rubber jointed
	Type of Handle Bar as per IS 625:2006 with latest amdmnt	Drop Handle Bar
	Bottom Tube Diameter (mm)	28.58 millimeter
	Type of Tyre	Type A
	Type of Hub Assembly	R-Type as per IS 629:1988
	Bottom Bracket and Fixed Cup as per IS 1131: 2005	Yes
	Anti Skid Designed Rubber Blocks Conforming to IS 628:1193 with latest amdmnts	Yes
	Heavy Duty Wide Rubber Block Pedal with Steel Side plates for Reinforcement Conforming to IS 628:1193 with latest amdmnts	Yes
	Nature of Operation	Standard Duty
	Seat Tube Diameter (mm)	28.58 millimeter
	Bottom Bracket Axle as per IS 1131: 2006	Yes
	No of Sprocket Tooth of Free wheel	18
	Shape of Mudgurads (Front and Rear)	U Shape
	Type of Hub used in Front Wheel	Thick Barrel Hub
	Head Tube Diameter (mm)	31.75 millimeter
	Type of Hub used in Rear Wheel	Thick Barrel Hub
	Roller Diameter of Chain (mm)	7.75 millimeter
	Material of Mudgurad	Steel
	Finishing Material	Steel
	Cottor Pin Hole Diameter (mm)	9.55 millimeter
	Extra Long Soft Synthetic Resin Handle Grip	Yes
	Tyre Designation	26x1.5
	Thickness of Seat Fitting Tube (mm)	1.02 millimeter
	Type of Seat Pillers as per IS 626:2009 with latest amdmnt	Straight Seat Pillers
	Circular Pitch (mm)	161.87 millimeter
	Seat Fitting Tube Diameter as per IS 626:2009 with latest amdmnt (mm)	1.02 millimeter
	Saddle as per IS 10613: 2004 with latest amdmnt	Saddle with Adjustment Clamp
	Fork Columun and Fork Blades Material of Tube "	ERW-CI of IS 2039/1991
Certification parameters	Warranty	12
	ISI Marked Bicycle Fork and Tubeto IS 2039:1991with latest amdmnt	Yes
	ISI Marked Bicycle Frame to IS 623:2008 with latest amdmnt	Yes
	ISI Marked Hub Assembly to IS 629/1988 with latest amdmnt	Yes
	ISI Marked Chain to IS 2403:1991 with latest amdmnt	Yes
	ISI Marked Bicycle Tyre and Tubeto IS 2414:2005 with latest amdmnt	Yes
	ISI Marked Bicycle Spokes to IS 630:2003 with latest amdmnt	Yes
	ISI Marked Bicycle Rim to IS 624:2003 with latest amdmnt	Yes
	ISI Marked Steel Tubes to IS 2039/1991 with latest amdmnt	Yes
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes
	Test Report No	12345
	Test Report Date	02.01.2023
	Name of the Lab	RND CENTRE
	Address of the Lab	B-38-39,FP,LDH
खरीदार परिभाषित अतिरिक्त विशेषता के लिए Buyer Defined Additional Specification for AVON Steel Two Wheeled Cycles for Men Bicycle		
विनिर्देश Specification		मूल्य Value

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक | Advisory Bank :

NA

ईपीबीजी प्रतिशत (%) | ePBG Percentage(%):

NA

आरसीएम/एफसीएम के संबंध में सामान्य खंड | General Clauses w.r.t RCM/FCM

1. Where ever RCM is applicable, for sellers (Regular GST registered seller who opted out of FCM as per notifications of GST like GTA , unregistered seller), Buyer have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this contract. Seller will invoice buyer with Zero GST and GST cess.
2. For Registered sellers as per FCM, rates will be inclusive of prescribed rate of GST and GST cess. ITC available to buyer as shown in the bid document have been applied while evaluating the bids. Seller has liability of paying the GST and GST cess to the govt and same will be charged from buyer while invoice.
3. For Registered sellers who opted for RCM while quoting for specified category under section 9(3) like GTA rates will be exclusive of GST and GST cess. GST and GST cess as indicated by the buyer in the bid document payment of GST and GST Cess will be the liability of buyer.
4. For Unregistered sellers Liability of payment of GST and GST cess is in Buyers scope. GST and GST cess as indicated by the buyer in the bid document will be the liability of buyer . Unregistered seller will invoice buyer with zero GST and Zero GST cess.
5. For sellers under Composition Scheme: There is no liability of payment of GST and GST cess in Buyers cope. Seller will invoice Zero GST and GST cess in the invoice to buyer.

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 *Generic*

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 *Certificates:*

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

2.3 *Certificates:*

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

2.4 *Certificates:*

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2.5 *Service & Support:*

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

2.6 *Service & Support:*

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

2.7 *Service & Support:*

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

2.8 *Warranty:*

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.