अनुबंध|Contract



अनुबंध क्रमांक | Contract No: GEMC-511687732181883

अनुबंध तिथि | Generated Date : 05-Feb-2024

बोली/आरए/पीबीपी संख्या|Bid/RA/PBP No.: <u>GEM/2023/B/3981292</u>

संगठन विवरण|Organisation Details

प्ररूप|Type: Central PSU

मंत्रालय|Ministry: Ministry of Civil Aviation विभाग | Department : Airports Authority of India (AAI) संगठन का नाम|Organisation Name : Airports Authority of India

कार्यालय क्षेत्र|Office Zone:

Airports Authority Of India Bhubaneswar Airport

खरीदार विवरण|Buyer Details

पद | Designation : Manager CNS संपर्क नंबर|Contact No. : 674-2596330-2224

ईमेल आईडी|Email ID : buycon105.aai.or@gembuyer.in

जीएसटीआईएन|GSTIN: 21AAACA6412D1ZK

AIRPORTS AUTHORITY OF INDIA, B.P.I.AIRPORT,

पता|Address: BHUBANESWAR-751020, KHORDA, ODISHA-751020, India

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमित|IFD Concurrence :

प्रशासनिक अनुमोदन का पदनाम|

Designation of Administrative Approval:

वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval :

Airport Director

AGM (Fin)

भुगतान प्राधिकरण विवरण | Paying Authority Details

भुगतान का तरीका| GPA - Challan

Payment Mode:

पद|Designation : Manager Finance PA ईमेल आईडी|Email ID : pao2.aai.bbs@gembuyer.in

जीएसटीआईएन|GSTIN :

AIRPORTS AUTHORITY OF INDIA, B.P.I.AIRPORT,

पता|Address: BHUBANESWAR-751020

KHURDA, ODISHA-751020, India

Payments shall be made to the seller within 30 days of issue

Timelines:

भुगतान समयसीमा|Payment of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10-days

time as provided in clause 12 of GeM GTC)

विक्रैता विवरण | Seller Details

जेम विक्रैता आईडी|GeM Seller ID : F10F190000979154

कंपनी का नाम|Company Name : XEROBIT VENTURES INDIA PRIVATE LIMITED

संपर्क नंबर|Contact No.: 07873873878 ईमेल आईडी|Email ID: info@xerobit.in

PLOT NO. A/180, SAHEED NAGAR, पता| Address : BHUBANESWAR, ODISHA-751007, -

एमएसएमई सत्यापित|MSME verified :

एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-OD-19-0008081

एमएसई सामाजिक श्रेणी|MSE Social Category : General एमएसई लिग श्रेणी|MSE Gender: Male

जीएसटीआईएन|GSTIN: 21AAACX4110H1ZY

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	‡ आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : TOSHIBA 2 TB Wired Portable Hard Disk ब्रांड Brand : TOSHIBA ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : portable hard disk (Q2) मॉडल Model: HDTP320AK3AA एचएसएन कोड HSN Code: HSN not specified by seller	15	pieces	5,957	जीएसटी GST (18%): 13,630.424 जीएसटी उपकर 1 GST Cess 1 (0%): 0 जीएसटी उपकर 2 GST Cess 2 (0 per accounting unit): 0 जीएसटी पर इनपुट टैक्स क्रेडिट (आईटीसी) Input Tax Credit (ITC) on GSTI (100%): 13,630.424 जीएसटी उपकर पर आईटीसी 1 ITC on GST Cess 1 (0%): 0 जीएसटी उपकर पर आईटीसी 2 ITC on GST Cess 2 (0%): 0	89,355
वु	ल ऑर्डर मूल्य Total Order Value (in INR)					89,355

परेषिती विवरण|Consignee Detail

वितरण पूरा कब

যহ। Designation : - श्रेनल गाँदी (Email ID : buycon105.aaLor@gembuyer.in eths (Contact: 1674-2596330-2224 11 আReference (ISTIN: 21AAACA612DIZK URLAGRESS: AIRPORTS AUTHORITY OF INDIA, B.P.LAIRPORT, BHUBANESWAR-751020, INFORDA, ODISHA-751020, India Product Specification 7	To Designation : -	क्र.सं. S.No		परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	तक करना है Delivery To Be : Completed By		
स्मान प्रकार प	### Type	1	पद Designation : - ईमेल आईडी Email ID : buycon105.aai.or@gembuyer.in संपर्क Contact : 674-2596330-2224 जीएसटीआईएन GSTIN : 21AAACA6412D1ZK पता Address : AIRPORTS AUTHORITY OF INDIA, B.P.I.AIRPORT, BHUBANESWAR-751020,								
Type Connectivity Connectivity Digital Storage Capacity (TB) Speed (rpm) Data Transfer Rate (Gb/sec) So Compatibility Interface Cloud Backup (for Wireless type) Notwork Connectivity Notwork Connectivity Password Protection External Power Required No Water Resistant Shock Resistant No Backward Compatibility Dimension (W x H x D) (mm x mm x mm) Weight (grams) Standard Accessories to be supplied with the Hard Disk Operating Temperature Range (Degree C) Operating Humidity (% RH) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer)	Type Connectivity Connectivity Digital Storage Capacity (TB) Speed (rpm) Data Transfer Rate (Sb/sec) S OS Compatibility Windows & Mac Interface Type A USB Cloud Backup (for Wireless type) No Network Connectivity No Network Connectivity No External Power Required No Water Resistant No Shock Resistant No Backward Compatibility Ves Dimension (Wx H x D) (mm x mm x mm) Weight (grams) Standard Accessories to be supplied with the Hard Disk Operating Temperature Range (Degree C) Operating Temperature Range (Degree C) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer) If yes, Test Report Number and Date NA If yes, Name of the Lab NA If yes, Name of the Lab NA If yes, Address of the Lab NA If yes, Address of the Lab NA	Product :	Specificati	on for TOSHIBA 2 TB Wired Portable Hard Dis	sk						
Type Connectivity Digital Storage Capacity (TB) Speed (rpm) Data Transfer Rate (Gb/sec) OS Compatibility Interface Cloud Backup (for Wireless type) No Network Connectivity No Password Protection External Power Required No Water Resistant No Backward Compatibility Yes Dimension (Wx H x D) (rmm x mm x mm) Weight (grams) Standard Accessories to be supplied with the Hard Disk Operating Temperature Range (Degree C) Operating Humidity (% RH) Availability of Test Reports from Central Govt / NABL approved / TLAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer)	Type Connectivity Wired Digital Storage Capacity (TB) Speed (rpm) Solo Data Transfer Rate (Sb/sec) Solo Data Transfer Rate (Sb/sec) Solo Compatibility Windows & Mac Interface Type A USB Cloud Backup (for Wireless type) No Network Connectivity No Password Protection No External Power Required No Water Resistant No Shock Resistant No Shock Resistant No Dimension (W x H x D) (mm x mm x mm) Weight (grams) Standard Accessories to be supplied with the Hard Disk Operating Temperature Range (Degree C) Operating Temperature Range (Degree C) Availability of Test Reports From Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer) H yes, Test Report Number and Date H yes, Name of the Lab No	विनिर्देश Sp	ecification	उप-विनिर्देश Sub-Spec					<u> </u>		
Digital Storage Capacity (TB) 2 Speed (rpm) 5400 Data Transfer Rate (Gb/sec) 5 OS Compatibility Mind Mac Interface Type Cloud Backup (for Wireless type) No Network Connectivity No Password Protection No External Power Required No External Power Required No Shock Resistant No Shock Resistant No Shock Resistant No Backward Compatibility Yes Dimension (W x H x D) (mm x mm x mm) 107* Weight (grams) 149 Standard Accessories to be supplied with the Hard Disk Cable Operating Temperature Range (Degree C) Operating Temperature Range (Degree C) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer)	Digital Storage Capacity (TB) 5400 Data Transfer Rate (Gb/sec) 5 OS Compatibility Windows & Mac Interface Type A USB Cloud Backup (for Wireless type) No Network Connectivity No Password Protection No External Power Required No Water Resistant No Shock Resistant No Backward Compatibility Yes Dimension (Wx H x D) (mm x mm x mm) 107*78*14 Weight (grams) 149 Standard Accessories to be supplied with the Hard Disk Coperating Temperature Range (Degree C) NA Operating Humidity (% RH) 0 Availability of Test Reports from Central Govt / NABL approved / ILAC accredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer) If yes, Test Report Number and Date NA If yes, Name of the Lab NA			Туре							
Speed (rpm) Data Transfer Rate (Gb/sec) OS Compatibility Interface Cloud Backup (for Wireless type) No Network Connectivity No Password Protection External Power Required Water Resistant No External Power Required No Backward Compatibility Yes Dimension (W x H x D) (mm x mm x mm) Weight (grams) Standard Accessories to be supplied with the Hard Disk Operating Temperature Range (Degree C) Operating Temperature Range (Degree C) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer)	Speed (rpm) 5400 Data Transfer Rate (Gb/sec) 5 OS Compatibility Windows & Mac Interface Type A USB Cloud Backup (for Wireless type) No Network Connectivity No Password Protection No External Power Required No Water Resistant No Shock Resistant No Backward Compatibility Yes Dimension (W x H x D) (mm x mm x mm) 107*78*14 Weight (grams) 149 Standard Accessories to be supplied with the Hard Disk USB 3.2 Gen 1 Operating Temperature Range (Degree C) NA Operating Temperature Range (Degree C) NA Operating In Unifolity (% RH) 0 Availability of Test Reports from Central Govt / NABL approved / ILAC accedited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer) No If yes, Name of the Lab NA If yes, Address of the Lab NA			Connectivity							
Data Transfer Rate (Gb/sec) OS Compatibility Interface Cloud Backup (for Wireless type) No Network Connectivity Password Protection External Power Required Water Resistant No Backward Compatibility Shock Resistant No Backward Compatibility Dimension (W x H x D) (mm x mm x mm) Weight (grams) Standard Accessories to be supplied with the Hard Disk Operating Temperature Range (Degree C) Operating Temperature Range (Degree C) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer)	Data Transfer Rate (Gb/sec) S OS Compatibility Mindows & Mac Interface Type A USB Cloud Backup (for Wireless type) No Network Connectivity No Password Protection No External Power Required No Water Resistant No Shock Resistant No Backward Compatibility Yes Dimension (W x H x D) (mm x mm x mm) 107*78*14 Weight (grams) Standard Accessories to be supplied with the Hard Disk Coperating Temperature Range (Degree C) Na Operating Humidity (% RH) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer) If yes, Test Report Number and Date Na If yes, Name of the Lab Na If yes, Address of the Lab Na			Digital Storage Capacity (TB)							
OS Compatibility Interface Cloud Backup (for Wireless type) No Network Connectivity Password Protection External Power Required No Water Resistant No Backward Compatibility Dimension (W x H x D) (mm x mm x mm) Weight (grams) Standard Accessories to be supplied with the Hard Disk Operating Temperature Range (Degree C) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer)	OS Compatibility Windows & Mac Interface Type A USB Cloud Backup (for Wireless type) No Network Connectivity No Password Protection No External Power Required No Water Resistant No Shock Resistant No Backward Compatibility Yes Dimension (W x H x D) (mm x mm x mm) 107*78*14 Weight (grams) Standard Accessories to be supplied with the Hard Disk Operating Temperature Range (Degree C) Na Operating Humidity (% RH) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer) If yes, Test Report Number and Date Na If yes, Name of the Lab Na If yes, Name of the Lab Na			Speed (rpm)							
OS Compatibility Interface Cloud Backup (for Wireless type) No Network Connectivity No Password Protection External Power Required No Water Resistant Shock Resistant No Backward Compatibility Ves Dimension (W x H x D) (mm x mm x mm) Weight (grams) Standard Accessories to be supplied with the Hard Disk Operating Temperature Range (Degree C) NA Operating Humidity (% RH) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer)	OS Compatibility Interface Type A USB Cloud Backup (for Wireless type) No Network Connectivity No Password Protection External Power Required No Water Resistant No Shock Resistant No Backward Compatibility Yes Dimension (W x H x D) (mm x mm x mm) 107*78*14 Weight (grams) Standard Accessories to be supplied with the Hard Disk Operating Temperature Range (Degree C) NA Operating Humidity (% RH) Availability of Test Reports from Central Govt / NABL approved / ILAC accredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer) If yes, Test Report Number and Date If yes, Name of the Lab NA If yes, Address of the Lab NA			Data Transfer Rate (Gb/sec)							
Cloud Backup (for Wireless type) No Network Connectivity Password Protection External Power Required No Water Resistant Shock Resistant No Backward Compatibility Yes Dimension (W x H x D) (mm x mm x mm) Weight (grams) Standard Accessories to be supplied with the Hard Disk Operating Temperature Range (Degree C) Operating Humidity (% RH) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer)	Cloud Backup (for Wireless type) No Network Connectivity No Password Protection No External Power Required No Water Resistant No Shock Resistant No Backward Compatibility Yes Dimension (W x H x D) (mm x mm x mm) 107*78*14 Weight (grams) Standard Accessories to be supplied with the Hard Disk USB 3.2 Gen 1 cable Operating Temperature Range (Degree C) NA Operating Humidity (% RH) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer) If yes, Test Report Number and Date NA If yes, Name of the Lab NA If yes, Name of the Lab			OS Compatibility							
Network Connectivity Password Protection No External Power Required No Water Resistant Shock Resistant No Backward Compatibility Yes Dimension (W x H x D) (mm x mm x mm) Weight (grams) Standard Accessories to be supplied with the Hard Disk Operating Temperature Range (Degree C) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer)	Network Connectivity Password Protection No External Power Required No Water Resistant No Shock Resistant No Backward Compatibility Yes Dimension (W x H x D) (mm x mm x mm) 107*78*14 Weight (grams) Standard Accessories to be supplied with the Hard Disk USB 3.2 Gen 1 cable Operating Temperature Range (Degree C) NA Operating Humidity (% RH) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer) If yes, Test Report Number and Date NA If yes, Name of the Lab NA If yes, Address of the Lab			Interface							
Password Protection No External Power Required No Water Resistant No Backward Compatibility Yes Dimension (W x H x D) (mm x mm x mm) 107* Weight (grams) 149 Standard Accessories to be supplied with the Hard Disk Cable Operating Temperature Range (Degree C) NA Operating Humidity (% RH) 0 Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer)	Password Protection No External Power Required No Water Resistant No Shock Resistant No Backward Compatibility Yes Dimension (W x H x D) (mm x mm x mm) 107*78*14 Weight (grams) 149 Standard Accessories to be supplied with the Hard Disk USB 3.2 Gen 1 cable Operating Temperature Range (Degree C) NA Operating Humidity (% RH) 0 Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer) If yes, Test Report Number and Date NA If yes, Name of the Lab NA If yes, Address of the Lab NA			Cloud Backup (for Wireless type)							
External Power Required No Water Resistant No Shock Resistant No Backward Compatibility Yes Dimension (W x H x D) (mm x mm x mm) 107* Weight (grams) 149 Standard Accessories to be supplied with the Hard Disk Cable Operating Temperature Range (Degree C) NA Operating Humidity (% RH) 0 Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer)	External Power Required No Water Resistant No Shock Resistant No Backward Compatibility Yes Dimension (W x H x D) (mm x mm x mm) 107*78*14 Weight (grams) Standard Accessories to be supplied with the Hard Disk USB 3.2 Gen 1 cable Operating Temperature Range (Degree C) NA Operating Humidity (% RH) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer) If yes, Test Report Number and Date NA If yes, Name of the Lab NA If yes, Address of the Lab NA			Network Connectivity							
Water Resistant Shock Resistant Backward Compatibility Ves Dimension (W x H x D) (mm x mm x mm) Weight (grams) Standard Accessories to be supplied with the Hard Disk Operating Temperature Range (Degree C) Operating Humidity (% RH) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer)	Water Resistant No Shock Resistant No Backward Compatibility Yes Dimension (W x H x D) (mm x mm x mm) Weight (grams) Standard Accessories to be supplied with the Hard Disk Operating Temperature Range (Degree C) NA Operating Humidity (% RH) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer) If yes, Test Report Number and Date NA If yes, Name of the Lab NA If yes, Address of the Lab NA			Password Protection					No		
Shock Resistant Backward Compatibility Ves Dimension (W x H x D) (mm x mm x mm) Weight (grams) Standard Accessories to be supplied with the Hard Disk Operating Temperature Range (Degree C) Operating Humidity (% RH) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer)	Shock Resistant No Backward Compatibility Yes Dimension (W x H x D) (mm x mm x mm) 107*78*14 Weight (grams) 149 Standard Accessories to be supplied with the Hard Disk USB 3.2 Gen 1 cable Operating Temperature Range (Degree C) NA Operating Humidity (% RH) 0 Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer) If yes, Test Report Number and Date NA If yes, Name of the Lab NA If yes, Address of the Lab NA			External Power Required							
Shock Resistant Backward Compatibility Yes Dimension (W x H x D) (mm x mm x mm) Weight (grams) Standard Accessories to be supplied with the Hard Disk Operating Temperature Range (Degree C) NA Operating Humidity (% RH) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer)	Backward Compatibility Dimension (W x H x D) (mm x mm x mm) 107*78*14 Weight (grams) Standard Accessories to be supplied with the Hard Disk USB 3.2 Gen 1 cable Operating Temperature Range (Degree C) NA Operating Humidity (% RH) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer) If yes, Test Report Number and Date NA If yes, Name of the Lab NA If yes, Address of the Lab NA	Specification		Water Resistant							
Dimension (W x H x D) (mm x mm x mm) Weight (grams) Standard Accessories to be supplied with the Hard Disk Operating Temperature Range (Degree C) NA Operating Humidity (% RH) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer)	Dimension (W x H x D) (mm x mm x mm) 107*78*14 Weight (grams) Standard Accessories to be supplied with the Hard Disk Operating Temperature Range (Degree C) NA Operating Humidity (% RH) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer) If yes, Test Report Number and Date NA If yes, Name of the Lab NA If yes, Address of the Lab NA	peemeution		Shock Resistant							
Weight (grams) Standard Accessories to be supplied with the Hard Disk Operating Temperature Range (Degree C) NA Operating Humidity (% RH) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer)	Weight (grams) Standard Accessories to be supplied with the Hard Disk Operating Temperature Range (Degree C) NA Operating Humidity (% RH) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer) If yes, Test Report Number and Date NA If yes, Name of the Lab NA If yes, Address of the Lab NA			Backward Compatibility							
Standard Accessories to be supplied with the Hard Disk Operating Temperature Range (Degree C) NA Operating Humidity (% RH) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer)	Standard Accessories to be supplied with the Hard Disk Operating Temperature Range (Degree C) NA Operating Humidity (% RH) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer) If yes, Test Report Number and Date NA If yes, Name of the Lab NA If yes, Address of the Lab NA			Dimension (W x H x D) (mm x mm x mm)							
Standard Accessories to be supplied with the Hard Disk Operating Temperature Range (Degree C) NA Operating Humidity (% RH) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer)	Standard Accessories to be supplied with the Hard Disk Operating Temperature Range (Degree C) NA Operating Humidity (% RH) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer) If yes, Test Report Number and Date NA If yes, Name of the Lab NA If yes, Address of the Lab NA			Weight (grams)							
Operating Humidity (% RH) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer)	Operating Humidity (% RH) Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer) If yes, Test Report Number and Date NA If yes, Name of the Lab NA If yes, Address of the Lab NA			Standard Accessories to be supplied with the Hard Disk							
Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer)	Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification (Test reports are to be furnished when demanded by buyer) If yes, Test Report Number and Date NA If yes, Name of the Lab NA If yes, Address of the Lab NA										
reports are to be furnished when demanded by buyer)	reports are to be furnished when demanded by buyer) If yes, Test Report Number and Date NA If yes, Name of the Lab NA If yes, Address of the Lab NA			Operating Humidity (% RH)							
If yes, Test Report Number and Date NA	If yes, Name of the Lab NA If yes, Address of the Lab NA										
	If yes, Address of the Lab NA	Broduct s		If yes, Test Report Number and Date							
If yes, Name of the Lab				If yes, Name of the Lab							
If yes, Address of the Lab	On Site OEM Warranty (Years)			If yes, Address of the Lab							
On Site OEM Warranty (Years)				3							
				रक्त विशिष्टता के लिए Buyer Defined Additional S	pecification for TOSHI	BA 2 TB Wi	ı				
विनिर्देश Specification मूल्य Value	ification मूल्य Value		у	+							
Version USB 3.0 or higher	ification मूल्य Value USB 3.0 or higher										
मूल्य Value Version USB 3.0 or higher Compatibility Windows/Linux	मृत्य Value USB 3.0 or higher Windows/Linux										
पिनिर्देश Specification मूल्य Value Version USB 3.0 or higher Compatibility Windows/Linux Minimum Data Transfer Rate (Gb/sec) 5	ification 東론 Value USB 3.0 or higher Windows/Linux 1 Transfer Rate (Gb/sec)										
प्रहा Specification प्रति प्रहा Value Version USB 3.0 or higher Compatibility Windows/Linux Minimum Data Transfer Rate (Gb/sec) 5 Standard Accessories to be supplied with the Hard Disk USB Cable	ification		gg (2009) (2009) (2009)								
पहरां Specification पूरण पूरण Value Version USB 3.0 or higher Windows/Linux Windo	ification	र्ट्यीतीसी नि	विरण । 📭	G Detail							
Version USB 3.0 or higher Compatibility Windows/Linux Minimum Data Transfer Rate (Gb/sec) 5 Standard Accessories to be supplied with the Hard Disk USB Cable Operating Temperature Range (Degree C) 0 to 60	ification #ूट्य Value USB 3.0 or higher Windows/Linux Transfer Rate (Gb/sec) Sesories to be supplied with the Hard Disk USB Cable Operature Range (Degree C) O to 60							Т			
मूल्य Value ersion USB 3.0 or higher empatibility Windows/Linux inimum Data Transfer Rate (Gb/sec) 5 andard Accessories to be supplied with the Hard Disk USB Cable perating Temperature Range (Degree C) 0 to 60	ification 現代 Yalue USB 3.0 or higher Windows/Linux Transfer Rate (Gb/sec) 5 5 5 5 5 5 5 5 5	ग़हकार बैंक	Advisory Ba	nk:					NA		

आरसीएम/एफसीएम के संबंध में सामान्य खंड |General Clauses w.r.t RCM/FCM

- 1. Where ever RCM is applicable, for sellers (Regular GST registered seller who opted out of FCM as per notifications of GST like GTA, unregistered seller), Buyer have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this contract. Seller will invoice buyer with Zero GST and GST cess.
- 2. For Registered sellers as per FCM, rates will be inclusive of prescribed rate of GST and GST cess. ITC available to buyer as shown in the bid document have been applied while evaluating the bids. Seller has liability of paying the GST and GST cess to the govt and same will be charged from buyer while invoice.
- 3. For Registered sellers who opted for RCM while quoting for specified category under section 9(3) like GTA rates will be exclusive of GST and GST cess. GST and GST cess as indicated by the buyer in the bid document payment of GST and GST Cess will be the liability of buyer.
- 4. For Unregistered sellers Liability of payment of GST and GST cess is in Buyers scope. GST and GST cess as indicated by the buyer in the bid document will be the liability of buyer. Unregistered seller will invoice buyer with zero GST and Zero GST cess.
- 5. For sellers under Composition Scheme: There is no liability of payment of GST and GST cess in Buyers cope. Seller will invoice Zero GST and GST cess in the invoice to buyer.

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buver Added Bid Specific Terms and Conditions-

2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Scope of Supply.

Scope of supply (Bid price to include all cost components): Only supply of Goods

2 3 Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2.4 Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

2.5 Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

2.6 Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

2.7 Generic

Malicious Code Certificate:

The seller should upload following certificate in the bid:-

- (a) This is to certify that the Hardware and the Software being offered, as part of the contract, does not contain Embedded Malicious code that would activate procedures to:

 (i) Inhibit the desires and designed function of the equipment.
 - (ii) Cause physical damage to the user or equipment during the exploitation.
 - (iii) Tap information resident or transient in the equipment/network.
- (b) The firm will be considered to be in breach of the procurement contract, in case physical damage, loss of information or infringements related to copyright and Intellectual Property Right (IPRs) are caused due to activation of any such malicious code in embedded software.

2.8 Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form / Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

2 9 Generio

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

2.10 Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.

vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

2.11 Service & Support:

Escalation Matrix For Service Support: Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

2 12 Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2.13 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

A. Experience Criteria

Bidder should have successfully completed similar or with better (higher) requirements, works or services with

- 1. One Work Order of value equal to 80% or more of the estimated cost or quantity or
- 2. Two separate Works Orders, each for a value equal to 50% or more of the estimated cost or quantity or
- ${\it 3. Three separate Work Orders, each for a value equal to 40\% or more of the estimated cost or quantity}\\$

The above criteria should be completed in last 7 years.

Bidder is required to submit the following documents to comply to experience criteria:

- 1) Copy of Purchase Order(s)/Work Order(s)
- 2) Copy of Execution Certificate(s) issued by client i.r.o. Purchase Order(s)/Work Order(s) submitted.

(OR

Copy of GeM-CRAC(s) (Consignment Receipt and Acceptance Certificate) i.r.o. Purchase Order(s)/Work Order(s) submitted.

3) TDS Certificate i.r.o. Purchase Order(s)/Work Order(s) submitted, in case executed in private sector.

B. Non-return of hard disk

As per Buyer Organization's Security Policy, faulty hard disk shall not be returned back to the OEM/supplier against warranty replacement.

C. ISO 9001:2015 Certificate

Bidder is required to submit the ISO 9001:2015 (or latest) of OEM along with the bid.

D. On site OEM Warranty

 $\label{thm:conditional} \textbf{Supplied product(s) shall have minimum On Site OEM Warranty of 03 years from the date of supply.}$

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.