

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687702671528

अनुबंध तिथि | Generated Date : 05-Feb-2024

|                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                          |                                                                                                    |                                     |                                                           |                                                                                         |
|-------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------------------------------------------------|-------------------------------------|-----------------------------------------------------------|-----------------------------------------------------------------------------------------|
| <b>संगठन विवरण   Organisation Details</b>                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>खरीदार विवरण   Buyer Details</b>                      |                                                                                                    |                                     |                                                           |                                                                                         |
| प्ररूप   Type :                                                                                                         | State Autonomous                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | पद   Designation :                                       | GRAMSEVAK                                                                                          |                                     |                                                           |                                                                                         |
| मंत्रालय   Ministry :                                                                                                   | -                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | संपर्क नंबर   Contact No. :                              | -                                                                                                  |                                     |                                                           |                                                                                         |
| विभाग   Department :                                                                                                    | Department of Panchayati Raj                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | ईमेल आईडी   Email ID :                                   | pao1819.rdprdm.mh@gembuyer.in                                                                      |                                     |                                                           |                                                                                         |
| संगठन का नाम   Organisation Name :                                                                                      | OSMANABAD District Panchayats                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | जीएसटीआईएन   GSTIN :                                     | -                                                                                                  |                                     |                                                           |                                                                                         |
| कार्यालय क्षेत्र   Office Zone:                                                                                         | RAIGHAVAN 184097                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | पता   Address :                                          | GRAMPANCHAYAT OFFICE RAIGHAVAN TQ KALAMB DIST<br>DHARASHV,<br>OSMANABAD, MAHARASHTRA-413507, India |                                     |                                                           |                                                                                         |
|                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                          |                                                                                                    |                                     |                                                           |                                                                                         |
| <b>वित्तीय स्वीकृति विवरण   Financial Approval Detail</b>                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>भुगतान प्राधिकरण विवरण   Paying Authority Details</b> |                                                                                                    |                                     |                                                           |                                                                                         |
| आईएफडी सहमति   IFD Concurrence :                                                                                        | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Role:                                                    | BUYER                                                                                              |                                     |                                                           |                                                                                         |
| प्रशासनिक अनुमोदन का पदनाम                                                                                              | Gram Sevak                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | भुगतान का तरीका                                          | MOPR                                                                                               |                                     |                                                           |                                                                                         |
| Designation of Administrative Approval:                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Payment Mode:                                            |                                                                                                    |                                     |                                                           |                                                                                         |
| वित्तीय अनुमोदन का पदनाम                                                                                                | Gram Sevak                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | पद   Designation :                                       | GRAMSEVAK                                                                                          |                                     |                                                           |                                                                                         |
| Designation of Financial Approval :                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | ईमेल आईडी   Email ID :                                   | pao1819.rdprdm.mh@gembuyer.in                                                                      |                                     |                                                           |                                                                                         |
|                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | जीएसटीआईएन   GSTIN :                                     | -                                                                                                  |                                     |                                                           |                                                                                         |
|                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                          | GRAMPANCHAYAT OFFICE RAIGHAVAN TQ KALAMB DIST                                                      |                                     |                                                           |                                                                                         |
|                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | पता   Address:                                           | DHARASHV,<br>Osmanabad, MAHARASHTRA-413507, India                                                  |                                     |                                                           |                                                                                         |
|                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                          |                                                                                                    |                                     |                                                           |                                                                                         |
|                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                          |                                                                                                    |                                     |                                                           |                                                                                         |
| <b>विक्रेता विवरण   Seller Details</b>                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                          |                                                                                                    |                                     |                                                           |                                                                                         |
| जेम विक्रेता आईडी   GeM Seller ID :                                                                                     | EC3A200001339593                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                          |                                                                                                    |                                     |                                                           |                                                                                         |
| कंपनी का नाम   Company Name :                                                                                           | PRANJALI ENTERPRISES AND MULTISERVICES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                          |                                                                                                    |                                     |                                                           |                                                                                         |
| संपर्क नंबर   Contact No. :                                                                                             | 09975520856                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                          |                                                                                                    |                                     |                                                           |                                                                                         |
| ईमेल आईडी   Email ID :                                                                                                  | govinddoiphode3261@gmail.com                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                          |                                                                                                    |                                     |                                                           |                                                                                         |
| पता   Address :                                                                                                         | KALAMB,KALAMB,KALAMB,KALAMB,<br>Osmanabad, MAHARASHTRA-413507, -                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                          |                                                                                                    |                                     |                                                           |                                                                                         |
| एमएसएमई पंजीकरण संख्या   MSME Registration number :                                                                     | -                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                          |                                                                                                    |                                     |                                                           |                                                                                         |
| जीएसटीआईएन   GSTIN:                                                                                                     | 27BDKPD4959H1Z9                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                          |                                                                                                    |                                     |                                                           |                                                                                         |
| <b>*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा   GST / Tax invoice to be raised in the name of - Consignee</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                          |                                                                                                    |                                     |                                                           |                                                                                         |
| <b>वितरण निर्देश   Delivery Instructions : NA</b>                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                          |                                                                                                    |                                     |                                                           |                                                                                         |
| <b>उत्पाद विवरण   Product Details</b>                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                          |                                                                                                    |                                     |                                                           |                                                                                         |
| #                                                                                                                       | आइटम विवरण   Item Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | आइटम विवरण   Ordered Quantity                            | इकाई   Unit                                                                                        | इकाई मूल्य (INR)   Unit Price (INR) | कर विभाजन (INR)   Tax Bifurcation (INR)                   | मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR) |
| 1                                                                                                                       | उत्पाद का नाम   Product Name : Unbranded Yes WLed Luminaire Light<br>ब्रांड   Brand : NA<br>ब्रांड प्रकार   Brand Type : Unbranded<br>कैटलॉग की स्थिति   Catalogue Status: Catalogue not verified by OEM<br>कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM<br>श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : LED Luminaire (for Road and Street Lights) as per IS 10322, IS 16107, IS 16108, IS 16103, IS 10322 (Q3)<br>मॉडल   Model: SREEJAN<br>एचएसएन कोड   HSN Code: HSN not specified by seller | 35                                                       | pieces                                                                                             | 3,578.57                            | NA                                                        | 125,249.95                                                                              |
| कुल ऑर्डर मूल्य   Total Order Value (in INR)                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                          |                                                                                                    |                                     |                                                           | 125,249.95                                                                              |
|                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                          |                                                                                                    |                                     |                                                           |                                                                                         |
| <b>परेषिती विवरण   Consignee Detail</b>                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                          |                                                                                                    |                                     |                                                           |                                                                                         |
| क्र.सं.   S.No                                                                                                          | परेषिती   Consignee                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | वस्तु   Item                                             | लॉट नंबर   Lot No.                                                                                 | मात्रा   Quantity                   | दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After | वितरण पूरा कब तक करना है   Delivery To Be Completed By                                  |
| 1                                                                                                                       | पद   Designation : GRAMSEVAK<br>ईमेल आईडी   Email ID : pao1819.rdprdm.mh@gembuyer.in<br>संपर्क   Contact : -<br>जीएसटीआईएन   GSTIN : -                                                                                                                                                                                                                                                                                                                                                                                        | Unbranded Yes WLed                                       | -                                                                                                  | 35                                  | 05-Feb-2024                                               | 20-Feb-2024                                                                             |

|                                                                     |                                                                                                                                                                                                           |                 |                                                                    |  |  |  |
|---------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------------------------------------------------------|--|--|--|
|                                                                     | पता Address : GRAMPANCHAYAT OFFICE RAIGHAVAN TQ KALAMB DIST DHARASHV, OSMANABAD, MAHARASHTRA-413507, India                                                                                                | Luminaire Light |                                                                    |  |  |  |
| <b>Product Specification for Unbranded Yes WLed Luminaire Light</b> |                                                                                                                                                                                                           |                 |                                                                    |  |  |  |
| <b>विनिर्देश Specification</b>                                      | <b>उप-विनिर्देश Sub-Spec</b>                                                                                                                                                                              |                 | <b>मूल्य Value</b>                                                 |  |  |  |
| STANDARDS                                                           | LED Luminaire conformity to IS:10322/Part 5/Section 3/2012 latest and IS: 16107 (Part 2/Sec 1):2012 latest                                                                                                |                 | Yes                                                                |  |  |  |
|                                                                     | Photo biological safety of LEDs used shall be as per IS:16108/2012 (exempt group)                                                                                                                         |                 | Yes                                                                |  |  |  |
|                                                                     | Types of LED Luminaire as per the IS: 16107(Part-2/ Sec.-1)/2012                                                                                                                                          |                 | Type B                                                             |  |  |  |
|                                                                     | Types of LED Modules as per the IS:IS: 16103(Part-2)/2012                                                                                                                                                 |                 | Type 3                                                             |  |  |  |
|                                                                     | LED Rating (in Watts)/System Wattage/Rated Power                                                                                                                                                          |                 | 200W                                                               |  |  |  |
|                                                                     | Luminaire System Efficacy (Lumen/watt)                                                                                                                                                                    |                 | >= 100 Lm/Watt                                                     |  |  |  |
|                                                                     | Ingress Protection (IP Rating) as per IS:10322 (Part 1):1982 latest                                                                                                                                       |                 | IP65                                                               |  |  |  |
|                                                                     | Warranty for free replacement (in years)                                                                                                                                                                  |                 | 3                                                                  |  |  |  |
| ELECTRICAL EFFICIENCY                                               | Input operating Voltage range and frequency                                                                                                                                                               |                 | 140 to 270 V olts AC at 50 Hz+/-2 with auto cutt off at below 120V |  |  |  |
|                                                                     | Automatic Higher Cut off voltage above 300 volt                                                                                                                                                           |                 | Yes                                                                |  |  |  |
|                                                                     | Rated voltage                                                                                                                                                                                             |                 | 230 V AC 50 Hz                                                     |  |  |  |
|                                                                     | AC Power Factor at full load                                                                                                                                                                              |                 | ≥ 0.95                                                             |  |  |  |
|                                                                     | Driver Efficiency (in %age) Upto 100W: ≥85%, Above 100W: >/=90%                                                                                                                                           |                 | Yes                                                                |  |  |  |
|                                                                     | Total Harmonics Distortion                                                                                                                                                                                |                 | ≤ 10                                                               |  |  |  |
|                                                                     | "The total circuit power shall not be more than 110 percent of the value declared by the manufacturer (as per Cl. 8 of IS:16104:2012 lates)"                                                              |                 | Yes                                                                |  |  |  |
| OPTICAL                                                             | LED chip Efficacy                                                                                                                                                                                         |                 | ≥130 Lm/Watt                                                       |  |  |  |
|                                                                     | Colour temperature                                                                                                                                                                                        |                 | 6000+/-500K                                                        |  |  |  |
|                                                                     | Working life for LED (Minimum 50,000 burning hours as per LM-80 and LM 21 reports)                                                                                                                        |                 | Yes                                                                |  |  |  |
|                                                                     | Colour Rendering Index(CRI)                                                                                                                                                                               |                 | ≥70                                                                |  |  |  |
|                                                                     | LED Beam Angle                                                                                                                                                                                            |                 | ≥120                                                               |  |  |  |
|                                                                     | Optic lense materal (UV stabilised)                                                                                                                                                                       |                 | Poly carbonate lense                                               |  |  |  |
| THERMAL MANAGEMENT                                                  | Heat sink should be die-cast aluminium along with sufficient heat sink fins to dissipate heat effectively                                                                                                 |                 | Yes                                                                |  |  |  |
|                                                                     | Junctiojn / Soldering point temperature shall not exceed 85 deg.c as per LM 80 report                                                                                                                     |                 | Yes                                                                |  |  |  |
|                                                                     | Capacitor shall be rated for a temperature of 105 deg. celsius or better                                                                                                                                  |                 | Yes                                                                |  |  |  |
|                                                                     | Operating temperature range                                                                                                                                                                               |                 | -10 deg C to +50 deg C                                             |  |  |  |
|                                                                     | Operating Humidity Range                                                                                                                                                                                  |                 | 10 % to 95% RH                                                     |  |  |  |
| PROTECTION                                                          | Short circuit Protection                                                                                                                                                                                  |                 | Yes                                                                |  |  |  |
|                                                                     | Over load protecton                                                                                                                                                                                       |                 | Yes                                                                |  |  |  |
|                                                                     | Over Voltage protection                                                                                                                                                                                   |                 | Yes                                                                |  |  |  |
|                                                                     | Reverse polarity                                                                                                                                                                                          |                 | Yes                                                                |  |  |  |
|                                                                     | High voltage test (1.5 KV for one minute between supply terminals and body of the unit)                                                                                                                   |                 | Yes                                                                |  |  |  |
|                                                                     | Insulation resistance between earth and current carrying part                                                                                                                                             |                 | >100 M Ohm                                                         |  |  |  |
|                                                                     | The luminaire shall be protected against surges and transients ( Internal)                                                                                                                                |                 | >/=5KV                                                             |  |  |  |
|                                                                     | The luminaire shall be protected against surges and transients of >/=10KV (External)                                                                                                                      |                 | No                                                                 |  |  |  |
|                                                                     | The Luminaires casing/housing (single piece housing) shall be pressure die casted aluminium alloy with higher thermal conductivity                                                                        |                 | Yes                                                                |  |  |  |
|                                                                     | The luminaire body must be corrosion resistant powder coated                                                                                                                                              |                 | Yes                                                                |  |  |  |
|                                                                     | All fastners must be of stainless steel                                                                                                                                                                   |                 | Yes                                                                |  |  |  |
|                                                                     | Protection of the entire housing (both LED section and driver section) as per IS:10322 (Part 1):1982 latest                                                                                               |                 | IP66                                                               |  |  |  |
|                                                                     | Extruded silicon loop gasket shall be provided in the lantern body to ensure a weather proof seal between the UV Glass cover and the metal housing to exclude the entry of the dust, water, insects etc., |                 | Yes                                                                |  |  |  |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                           |                                                                                                                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| CONSTRUCTIONAL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Luminaries light transparency should be of Toughened glass                                                                                                                                                                                                | Yes                                                                                                                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Toughned transparent glass cover thickness                                                                                                                                                                                                                | >/=4 mm                                                                                                                                |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Toughned Glass shall not get discoloured shall not suffer degration due to heat and ageing within warranty period                                                                                                                                         | Yes                                                                                                                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Number of electronic control gear (power supplies)                                                                                                                                                                                                        | 4 Nos.                                                                                                                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Light Source                                                                                                                                                                                                                                              | SMD LED Chip as per LM 80/IS16106                                                                                                      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Driver components shall be industrial grade or above                                                                                                                                                                                                      | Yes                                                                                                                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | PCB shall be FR4 grade minimum 0.8 to 1.0 mm thick or more                                                                                                                                                                                                | Yes                                                                                                                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | The Luminaires works on single phase three wires system (Phase, Neutral and Earth)                                                                                                                                                                        | Yes                                                                                                                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Suitable connector shall be provided for LED connection between driver output and LED                                                                                                                                                                     | Yes                                                                                                                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Length of ISI marked three core wire (shall be provided along with supply of material)                                                                                                                                                                    | 40 cm                                                                                                                                  |
| MARKING                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | "Manufactures Name and and brand on the aluminium die cast body "                                                                                                                                                                                         | Engraved/Embossed                                                                                                                      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Manufacturer's name, model number, serial number                                                                                                                                                                                                          | Yes                                                                                                                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Date of manufacture (month-year), and lot number as identification mark inside each unit and the outside of each packaging box                                                                                                                            | Yes                                                                                                                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | The operation characteristics voltage and power be marked inside of each LED luminaire unit                                                                                                                                                               | Yes                                                                                                                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Diameter of pole Luminare suitable for: (upto 45W Pole OD: shall be 40mm), (>45W<120W Pole OD: Shall be 50 mm), (above 120W: OD shall be 60 mm for which luminare is suitable                                                                             | Yes                                                                                                                                    |
| Reports And Certifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | LED Make                                                                                                                                                                                                                                                  | OSRAM / NICHIA / CREE / SAMSUNG / SEOUL / LUMILEDS / PHILIPS / SYSKA / LUMENMAX / EVERLIGHT / EDISON / BRIDGELUX / NATIONSTAR / REFOND |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | System must have EMI/EMC compliance as applicable (Test reports shall be furnish to the buyer / consignee on demand)                                                                                                                                      | Yes                                                                                                                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | LM 79 (Photometry) (Ref.IS:16106:2012) report from Central Government Lab /NABL/ILAC accredited lab. Reports shall be furnish to the buyer / consignee on demand (LM-79 report shall have total lumen output, power, PF, Current in Amps, CRI & CCT etc., | Yes                                                                                                                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | LM 80 & TM 21 (Ref. IS:16105:2012) Report and Photo biological report for LED report from Central Government Lab /NABL/ILAC accredited lab. Reports shall be furnish to the buyer / consignee on demand (LM-80 report shall have the Pohoto Biological re | Yes                                                                                                                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Availability of test Report from Central Government Lab /NABL/ILAC accredited lab to Indian Standrad IS:10322/part 5/sec-3/2012 and IS 16107 (Part 2/Sec 1) : 2012                                                                                        | Yes                                                                                                                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Seller shall furnish the Type test reports to the buyer / consignee on demand                                                                                                                                                                             | Yes                                                                                                                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | DC or AC supplied electronic control gear for LED Module shall comply as per IS:15885 (Part 2/Sec.13)                                                                                                                                                     | Yes                                                                                                                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | LED Luminaire for road and street lighting shall comply with Complusory Registration(CRS) of BIS for safety as per IS 10322 (Part 5/Section 3): 2012 as applicable on date                                                                                | Yes                                                                                                                                    |
| <p><b>टिप्पणी   Note::</b> Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p> |                                                                                                                                                                                                                                                           |                                                                                                                                        |
| <p><b>ईपीबीजी विवरण   ePBG Detail</b></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                           |                                                                                                                                        |
| <p><b>NA</b></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                           |                                                                                                                                        |
| <p><b>नियम और शर्तें   Terms and Conditions</b></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                           |                                                                                                                                        |
| <p><b>1. General Terms and Conditions-</b></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                           |                                                                                                                                        |
| <p>1.1 This contract is governed by the <a href="#">General Terms and Conditions</a>, conditions stipulated to this Product/Service as provided in the Marketplace.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                           |                                                                                                                                        |
| <p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p>                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                           |                                                                                                                                        |
| <p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                           |                                                                                                                                        |
| <p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                           |                                                                                                                                        |

