

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687752318994

अनुबंध तिथि | Generated Date : 01-Feb-2024

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : State Government मंत्रालय Ministry : विभाग Department : Health Department Haryana संगठन का नाम Organisation Name : Mukhyamantri Muft Ilaaj Yojana Govt. of Haryana कार्यालय क्षेत्र Office Zone : district civil hospital karnal	पद Designation : pharmacist संपर्क नंबर Contact No. : 0184-2265910- ईमेल आईडी Email ID : buycon2.doh.kun@gembuyer.in जीएसटीआईएन GSTIN : पता Address : district civil hospital karnal, KARNAL, HARYANA-132001, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval : PMO DCH KARNAL वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : PMO DCH KARNAL	Role: BUYER भुगतान का तरीका Payment Mode: Offline पद Designation : pharmacist ईमेल आईडी Email ID : buycon2.doh.kun@gembuyer.in जीएसटीआईएन GSTIN : पता Address: district civil hospital karnal, Karnal, HARYANA-132001, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : J9GA220007727687 कंपनी का नाम Company Name : BIOLOGY PHARMACEUTICAL संपर्क नंबर Contact No. : 08800720616 ईमेल आईडी Email ID : biology.pharma.in@gmail.com पता Address : F/F, 7, A-2, Shivlok House 1, Hemwati Nandan Bahuguna Marg, Karampura, West Delhi, DELHI-110015, - एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-DL-11-0048275 एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Female जीएसटीआईएन GSTIN: 07ABAFB1237H1ZW

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : SIMTEK MEDICO SYSTEMS PVT LTD LCD Display Syringe Infusion Pump ब्रांड Brand : SIMTEK MEDICO SYSTEMS PVT LTD ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Infusion Pump Volumetric / Syringe Based (Q3) मॉडल Model: INFUTEK 405 एचएसएन कोड HSN Code: HSN not specified by seller	4	pieces	22,399	NA	89,596
कुल ऑर्डर मूल्य Total Order Value (in INR)						89,596

परोक्षी विवरण Consignee Detail						
क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : pharmacist ईमेल आईडी Email ID : buycon2.doh.kun@gembuyer.in संपर्क Contact : 0184-2265910-	SIMTEK MEDICO SYSTEMS PVT LTD LCD				

1	जीएसटीआईएन GSTIN : - पता Address : district civil hospital karnal, KARNAL, HARYANA-132001, India	Display Syringe Infusion Pump	-	4	01-Feb-2024	16-Feb-2024
Product Specification for SIMTEK MEDICO SYSTEMS PVT LTD LCD Display Syringe Infusion Pump						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
Standards	Availability of any of Certification such as ISO / European-CE / US-FDA / CE	YES				
	Details of the Certifications such as type of certification,number,date and validity	CE, ISO9001, ISO13485 valid till 2024				
	Conformity to Standards	YES				
Performance Parameters	Type of Infusion Pump	Syringe Infusion Pump				
	Technology (of operation)	Programmable Mode				
	Flow rate Range with increment in ml/hr	1.1 to 840 ml/hr(50 ml syringe)				
	Infused Volume Range in ml	0.1-999(0.1 ml/hr increment)				
	Flow rate & volume	flow rate & volume to be infused should be configured to limit the maximum allowable range				
	KVO (Keep Vein Open) Rate in ml/hr	5				
	Accuracy in %	1				
	Bolus Type	Auto Bolus (For Syringe based)				
	Bolus Rate Range in ml/hr	1-1200ml/hr for syringe based infusion pump				
	Bolus Volume in ml	0.1-99.9/500 ml				
	Display Type	LCD				
	Size of Display (length x width) (mm x mm)	240mmx140mm				
	Contents of Display	Drug name, Flow Rate, infused Volume, Time, Syringe Pressure, Alarms, Battery				
	Alphanumeric Programming Key Board	Yes				
	Operating and Transportation Temperature range	5 to 40 Degree				
	Humidity Conditions (operating and transport & storage) (15 to 90%)	YES				
	Pressure Conditions(operating and transport & storage) (50 to 106 kpa)	YES				
	Power sources	Battery operated				
	Battery Type	Rechargeable lithium polymer				
	Battery Rating	Lion 7.4 vlt 2005 mAh				
	Battery run time at normal delivery rate in hours	5 hour				
	Battery run time at highest delivery rate in hours	2-3 hrs				
	Battery recharge time (full charge) in hours	20 hour				
	Power Supply 220-240 V AC, 50 Hz) (3 wire grounded system)	YES				
	Electrical Protection (Class I, Type CF)	YES				
	Fuse Type	220V 2A*2, 12V 2A*2				
	Maximum Power Consumption in watt	220 Watt				
	Fitting of device on the IV bottle and bag	No				
	IR Sensor to detect the abnormality in IV Bag or bottle	No				
	Audible and Visual alarm facility	Should have an audible and visual alarm with automatic pump stop function for the following : pressure drop, air standby, volume infused, door open, battery Pre-alarm, recall, invalid rate, empty etc				
	Availability of Infusion mode setting(rate mode,drip mode,wait mode,time mode)	Yes				
Protection against fluid ingress - IP*1 - Protected against vertically falling drops of water	YES					
Capability of Motioning of empty Intravenous bags or bottles	Yes					
Warranty in Years	4					
Dimensional & Material	Dimension (Excluding power cables)(mm x mm x mm)	240mmx145mmx140mm				

Parameters	Weight(with clamp base)in kg	2.1 kilogram
	Material (Outer Shell)	ABS PLASTIC
Additional Parameters	Pole clamp Multi-function mounting clamp	YES
	Quick titration of rate or dose with volume timing programming	YES
	Compatible with any standard (PVC) infusion sets available in local indian market	YES
	Features :	compatible with all standard syringes (b) excellent injection function and operation, even small volume injection is accurate (c) dual cpu monitoring function (d)accurate and sensitive pressure sensor detects occlusion pressure accurately (e) smart pulsation compensation function
	No of infusion sets supplied with the single unit	0
	Packing (Individual)	YES
Reports	Type tests reports from a Central Govt lab OR International Laboratory Accreditation Cooperation (ILAC)or their worldwide affiliated/ recognized labs OR NABL approved lab	No
	Test Report No	NA
	Test Report Date	NA
	Name and complete address of the Lab	NA
	Copy of certificates to be provided to buyer on demand after placement of order (Applicable if availability of test report indicated as YES, otherwise put NA)	NA

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:2 effective from 21-10-2022

- 1.1
- All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by *Central Drugs Standard Control Organisation (CDSCO)*, Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
 - The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
 - The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.
 - Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
 - Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
 - Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
 - Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
 - Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most

competitive price for spares and consumables of its machines/equipments supplied.

9. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
10. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
11. Software: All software updates should be provided free of cost during warranty period.
12. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.