

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687713528599

अनुबंध तिथि | Generated Date : 01-Feb-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2023/B/4232800](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : Central Autonomous मंत्रालय Ministry : Ministry of Science and Technology विभाग Department : Department of Scientific and Industrial Research (DSIR) संगठन का नाम Organisation Name : Council of Scientific and Industrial Research (CSIR) कार्यालय क्षेत्र Office Zone : Csir-institute Of Himalayan Bioresource Technology	पद Designation : Senior Secretariat Assistant STORE AND PURCHASE संपर्क नंबर Contact No. : 01894-233339-380 ईमेल आईडी Email ID : buycon1.ihbt.plmx@gembuyer.in जीएसटीआईएन GSTIN : 02AAATC2716R1ZR CSIR-Institute of Himalayan Bioresource Technology, Palampur-176061, KANGRA, HIMACHAL PRADESH-176061, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: PL वित्तीय अनुमोदन का पदनाम Designation of Financial Approval: PL	Role: PAO भुगतान का तरीका Payment Mode: Offline पद Designation : FINANCE AND ACCOUNTS OFFICER ईमेल आईडी Email ID : sof.ihbt@nic.in जीएसटीआईएन GSTIN : 02AAATC2716R1ZR CSIR-Institute of Himalayan Bioresource Technology, Palampur 176061, KANGRA, HIMACHAL PRADESH-176061, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : 5E55180000390784 कंपनी का नाम Company Name : SCIGENICS BIOTECH PRIVATE LIMITED संपर्क नंबर Contact No. : 09790939608 ईमेल आईडी Email ID : sales@scigenicsbiotech.com पता Address : 35 (18), vasudevapuram, Triplicane, Chennai, TAMIL NADU-600005, - एमआईआई स्थिति MII Status : True एमएसएमई सत्यापित MSME verified : Yes एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-TN-02-0005430 एमएसएमई सामाजिक श्रेणी MSE Social Category : General एमएसएमई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN: 33AABCS5153L1ZB

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : ORBITEK LED Display Orbital Shaking Incubators ब्रांड Brand : ORBITEK ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Orbital Shaking Incubators (Q3) मॉडल Model: LE-4676-A एचएसएन कोड HSN Code: 8419	1	pieces	999,436	NA	999,436
कुल ऑर्डर मूल्य Total Order Value (in INR)						999,436

परोक्षी विवरण Consignee Detail						
क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By

1	<p>पद Designation :- ईमेल आईडी Email ID : anupamasaini.ihbt@nic.in संपर्क Contact : 01894-233339-379 जीएसटीआईएन GSTIN : 02AAATC2716R1ZR पता Address : CSIR-Institute of Himalayan Bioresource Technology, Palampur-176061, KANGRA, HIMACHAL PRADESH-176061, India</p>	ORBITEK LED Display Orbital Shaking Incubators	-	1	01-Feb-2024	02-Mar-2024
---	---	--	---	---	-------------	-------------

Product Specification for ORBITEK LED Display Orbital Shaking Incubators

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Standards	Certification for the product	CE
	Certification No and Date	C E 17848/R1 26/11/2008
Performance Parameters	Construction of Body	Double walled with inner and outer walls
	Material of Inner wall	SS
	Material of Outer wall	MS with powder coated for anti rusting and duly painted with best finishing
	Insulation	Proper insulation between inner and outer wall
	Insulation material	Mineral Wool of 75mm
	Door	Insulated double walled door with glass window
	Handle and casket to be provided	Yes
	Castor wheels	No
	Internal length of Equipment in mm	930
	Internal width of equipment in mm	685
	Internal Height of equipment in mm	505
	Outer length of equipment in mm	1330
	Outer width of equipment in mm	880
	Outer height of equipment in mm	735
Warranty in years	3	
Temperature Parameters	Range of Temperature	15 C below ambient to 80 C, ± 0.1 ° at 37 C in flask
	Temperature accuracy	Plus minus 0.2 Degree Celsius or better
	Temperature controller	Microprocessor based Digital Temperature controller and indicator
	Type of sensor	PT -100
	Type of Display	LED
Shaking Features	Type of Motor	Brushless Motor
	Shaking mechanism controller	Microprocessor controller
	Orbital Shaking speed in RPM	400
	Type of speed control	Stepless continuously variable
	Increment of Step variation	1
	Orbital shaking amplitude in mm	25 mm
	Timer adjustment in hours	24
	Availability of Platform to accommodate different types of flasks	Yes
	Size of platform in mm x mm	542X800
	Type of flask which can be accommodated	100 ml,250 ml,500 ml,1000 ml,50 ml,2000 ml,Others,6000 ml
	Shaking platform to accommodate test racks	Yes
	No of clamps for 100 ml flask to be supplied with system	0
	No of clamps for 250 ml flask to be supplied with system	10
	No of clamps for 500 ml flask to be supplied with system	4
	No of clamps for 1000 ml flask to be supplied with system	4
Availability of height adjustable and perforated stainless steel shelves above shaking plat form which can accomodate plates and other static samples	Yes	
Interior illumination	LED Bulbs	

	Digital Display to indicate set RPM	Yes
Other Features	Over Temperature Protection	Yes
	Automatic restart of pre set speed in case of power failure	Yes
	Shaking to stop when door is opened	Yes
	Facility to calibrate Temperature and speed	Yes
	Electronic and mechanical componenets should be enclosed and protected from accidental spilling	Yes
	Equipment shall be condensation free	Yes
	Equipment should be provided with proper outlet to drain out liquid sample in case of spillage	Yes
	Audio visual indication in case of power failure	Yes
	Audio visual indicator in case of door open	No
	In built lock and key system	Yes
	Stabilizer provided	No
	Overall weight in Kg	210
	Printed product literature to be supplied	Yes
	Reports	Manufacturer shall be ISO certified
ISO cetification deatils such as date and number		FM518406 DT 25-4-2007
Availability of test report from govt/ NABL/ILAC accredited lab covering all parameters		No
Test report number , Incase test reports not available , put NA		NA
Test report date, Incase test reports not available , put NA		NA
Name of test lab , Incase test reports not available , put NA		NA
Address of test lab , Incase test reports not available , put NA		NA
Copies of all certifications and reports to be provided to buyer on demand at time of supplies		NA ,Incase test reports not available

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक | Advisory Bank :

NA

ईपीबीजी प्रतिशत (%) | ePBG Percentage(%):

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

Anaerobic incubator shaker specification-

1. Shaking must be 25- to 400 RPM for single double and triple units or better.

2. Shaking Deviation must be only 1 RPM.

3. Shaking display must be digital LED.

4. Shaking change must be via soft Touch keypad.

5. Shaking motion must be Orbital.

6. Movement of the shaker comprises a Triple Eccentric Counter Balanced drive with 7 Permanently Lubricated Ball Bearings or better.

7. Brushless AC motor must be there.

8. S.S Clamps to hold 250ml Erlenmeyer flask (Quantity: 9), 500ml Erlenmeyer flask (Quantity: 5), 1000ml Erlenmeyer flask (Quantity: 2), 2000ml Erlenmeyer flask (Quantity: 2) must be there.

9. Temperature Range of Ambient -20°C to 95°C or better.

10. Temperature accuracy must be + 0.1°C in 37°C to 95°C, +0.3°C in 25°C to 36.9°C, +0.5°C in 5°C to 24.9°C or better.

11. Temperature display must be in Digital LED.

12. Temperature change via soft touch keypad.

13. Large toughened front Double Glazed window with one LED Lamp for Chamber visibility must be there...

14. Material of Construction (MOC) must be Interior SS and Exterior MS Powder Coated.

15. Audible & Visual alarm for Temperature deviation must be there.

16. Thermostat cut-off for runaway safety must be there.

17. RCCB to prevent from electrical hazard must be there.

18. Non Volatile Memory with automatic Power failure restart must be there.

19. Door Switch to control the shaker on/off position must be there.

20. Electrical Requirement 230V, 16 Amps, 50 Hz, 10 must be there.

21. Warranty of a minimum of 3 years must be there.

22. UV-C Lamp for Decontamination must be there.

23. Gas purging system must be there.

24. A module accessory to work from ambient to 95°C must be there.

In case of bids from dealers or agents, Bid specific Manufacturer's authorization form (MAF) shall be submitted, failing which the bid will be rejected forthwith. Further one manufacturer may authorize only one agent or dealer.

Installation of item is also inclusive

2.2 Service & Support:

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

2.3 Service & Support:

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

2.4 Service & Support:

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

2.5 Generic

Scope of supply includes Training: Number of employees to be trained

2

, Place for Training

PALAMPUR

and Duration of training

1

days.

2.6 OEM

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

2.7 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

2.8 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2.9 Certificates:

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

2.10 Certificates:

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

2.11 Certificates:

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

2.12 Purchase Preference (Centre):

Indian suppliers of this item are not allowed to participate and/ or compete in procurement by some foreign governments. Bidders / products from such countries are not eligible / not allowed to participate in this bid in terms of clause 1 (d) of Public Procurement (Preference to Make in India) Order, 2017

2.13 Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

DIRECTOR

CSIR

IHBT

PALAMPUR

HP

.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.