

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687740919420

अनुबंध तिथि | Generated Date : 01-Feb-2024

संगठन विवरण | Organisation Details

प्ररूप | Type : Central Autonomous
मंत्रालय | Ministry : Ministry of AYUSH
विभाग | Department : Central Council for Research in Ayurvedic Sciences
संगठन का नाम | Organisation Name : Central Council for Research in Ayurvedic Sciences
कार्यालय क्षेत्र | Office Zone: REGIONAL AYURVEDA RESEARCH INSTITUTE

खरीदार विवरण | Buyer Details

पद | Designation : RESEARCH ASSISTANT BOTANY
संपर्क नंबर | Contact No. : 03192-228738-
ईमेल आईडी | Email ID : jishinprakash@ccras.nic.in
जीएसटीआईएन | GSTIN : -
पता | Address : RESEARCH OFFICER INCHARGE, REGIONAL AYURVEDA RESEARCH INSTITUTE, GOVT. QTR. NO. NGII-1/5 & 1/6, CHAKKARGAON, NEAR GANESH TEMPLE, OPP. MUNICIPAL COMPLEX, CHAKKARGAON (PO) PORT BLAIR, SOUTH ANDAMAN - 744112, SOUTH ANDAMAN, ANDAMAN & NICOBAR-744101, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No
प्रशासनिक अनुमोदन का पदनाम | Designation of Administrative Approval: Research Officer In Charge
वित्तीय अनुमोदन का पदनाम | Designation of Financial Approval : Research Officer In Charge

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: BUYER
भुगतान का तरीका | Payment Mode: Offline
पद | Designation : RESEARCH ASSISTANT BOTANY
ईमेल आईडी | Email ID : jishinprakash@ccras.nic.in
जीएसटीआईएन | GSTIN : 35AAAGR0770F1ZH
पता | Address: RESEARCH OFFICER INCHARGE, REGIONAL AYURVEDA RESEARCH INSTITUTE, GOVT. QTR. NO. NGII-1/5 & 1/6, CHAKKARGAON, NEAR GANESH TEMPLE, OPP. MUNICIPAL COMPLEX, CHAKKARGAON (PO) PORT BLAIR, SOUTH ANDAMAN - 744112, South Andaman, ANDAMAN & NICOBAR-744101, India

विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : P1JV220006083260
कंपनी का नाम | Company Name : EUREKA FORBES LIMITED
संपर्क नंबर | Contact No. : 08652746016
ईमेल आईडी | Email ID : joel.joy@eurekaforbes.com
पता | Address : B1/B2, 701, 7th Floor, Marathon Innova, Off Ganpatrao Kadam Marg, Lower Parel, Mumbai, MAHARASHTRA-400013, -
एमएसएमई पंजीकरण संख्या | MSME Registration number : -
जीएसटीआईएन | GSTIN: 27AABCF3759R2ZW

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Aquaguard Potable water purification system with inbuilt water cooler. RO +UV ब्रांड Brand : Aquaguard ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Potable Water Purification System with Inbuilt Water Cooler (Q2) मॉडल Model: Aquaguard Hot, Cold and Ambient RO + UV (N) एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	51,000	NA	51,000
कुल ऑर्डर मूल्य Total Order Value (in INR)						51,000

परोक्षिती विवरण | Consignee Detail

क्र.सं. S.No	परोक्षिती Consignee	वस्तु Item	लॉट नंबर Lot Number	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start Date	वितरण पूरा कब तक करना है Delivery To
----------------	-----------------------	--------------	-----------------------	-------------------	--	--

			Lot No.		Delivery Start After	Be Completed By
1	<p>पद Designation : RESEARCH OFFICER AYURVEDA</p> <p>ईमेल आईडी Email ID : akashlal@ccras.nic.in</p> <p>संपर्क Contact : 03192-228738-</p> <p>जीएसटीआईएन GSTIN : 35AAAGR0770F1ZH</p> <p>पता Address : RESEARCH OFFICER INCHARGE, REGIONAL AYURVEDA RESEARCH INSTITUTE, GOVT. QTR. NO. NGII-1/5 & 1/6, CHAKKARGAON, NEAR GANESH TEMPLE, OPP. MUNICIPAL COMPLEX, CHAKKARGAON (PO) PORT BLAIR, SOUTH ANDAMAN - 744112, SOUTH ANDAMAN, ANDAMAN & NICOBAR-744101, India</p>	Aquaguard Potable water purification system with inbuilt water cooler. RO +UV	-	1	01-Feb-2024	16-Feb-2024
Product Specification for Aquaguard Potable water purification system with inbuilt water cooler. RO +UV						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
Standard Parameter	Certification for the product	NA				
	Certification No and Date	AWRTCL/PRTR/ 16339 /19-20 27 Aug 2019				
	Manufacturers Quality System Certifications	ISO 9001				
	Manufacturers Environment Management System Certifications	ISO 14001				
	Manufacturers Health and Safety Management System Certifications	No				
	Conformity to Standard for Ultraviolet system	IS 14724 (latest) for water purification system with Ultraviolet disinfection				
	Output Water Conforming standard	IS 10500 (latest)				
Performance Parameter	Type of water purification technology	RO +UV				
	Power consumptions of system (with ± 5% tolerance) (in watt)	300				
	Maximum Input Water TDS allow to the system	2000				
	Input water hardness	500 ppm or less				
	Input water pH	6.5 to 8.5				
	Input water chlorine	0.2 ppm				
	Input water iron	0.2 ppm				
	Input water turbidity	Less than 5 NTU				
	Operation mode	Fully automatic with auto cut off				
	Availability of sediment and activated carbon filter	Yes				
	Ultraviolet (UV) LAMP	Yes				
	Ultraviolet (UV) Lamp power in watts (Hint put zero in case UV is not available)	11				
	Provision of Arsenic removal	Yes				
	Provision of Fluoride removal	Yes				
	Provision of Chloride removal	Yes				
	Alkaline filter	No				
	Storage tank	In-built				
	Material of water Storage Tank	ABS Food Grade				
	Storage tank capacity up to float valve level (in liter)	10				
	Stages of purification	4				
	No of RO Membranes provided	1				
	RO Membrane rating	75 GPD				
	RO Membrane flushing	NA				
	No of Particulate filter provided	1				
	Particulate Filter size	10 inch				
	Particulate Filter Porosity	5 micron				
	No of Activated Carbon filter provided	2				
	Activated Carbon filter Size	10 Inch				
	No of Antiscalant filter provided	0				
	Antiscalant- where silica is up to 10 ppm/where Mica is up to 100 ppm	No				
	Nano Silver leaching filtration	No				

	Minimum inlet pressure	0.6 KG/CM2
	Maximum inlet pressure	3.5 KG/CM2
	Maximum Inlet water temperature	40 degree celsius
	Digital display	No
	Real time TDS display	No
	Real time pH Display	No
	High pressure pump	No
	Raw water/Chemical Raw water/Chemical Cleaning pump	No
	Recovery percentage at 27 degree centigrade	25-35
	Filtration water capacity in liter/ hour	25
	TDS removal percentage from RO Membrane	90%
	Pressure vessel Sand Filter	No
	Pressure vessel Carbon Filter	No
	Pressure Vessel Dual Media Filter	No
	Body of filter	ABS Food grade
	Membrane Housing	Yes
	Number of candles	4
Cooler Parameters	Type of compressor	Reciprocating
	Refrigerant Used	HFC-R-134/A
	Refrigeration temperature	15 to 17
	Type of Condenser	Fin type/tube type
	Evaporator material	Cooper
	Water Storage tank insulation	PUF thermal insulation
	Provision for Hot water	Yes
	Number of Cold Water Faucets	1
	Number of Normal Water Faucets	1
	Number of Hot Water Faucets	1
	Water flow rate through Faucets(in liter per hour)	50
	Cooling capacity at comfort level (17 ± 1 degree celsius) (in liter per hour)	10
	Installation Type	Floor Mounted and Enclosed
	Power supply	SINGLE PHASE (230 ± 10 % VOLT,%0 Hz)
	Maximum running current in ampere at rated condition	4.5 ± 10 %
	Warranty in years including electronic ,electric parts, replacement of filters twice a year)	NA
	Warranty period without Filter , electronic and electrical parts	Na
	Warranty period without Filter & inclusive of electronic and electrical parts	1
Additional Parameters	Availabilty of type test Test REPORT for Filtering Size of Particles	Yes
	TYPE Test certificate No and date for Filtering Size of Particles	AWRTCL/PRTR/ 16339 /19-20 27 Aug 2019
	Name and Address of laboratory which conducted Test for Filtering Size of Particles:	AWRTCL Hosur Road Bangalore560100
	Availability of Test Report on Microbial Efficacy from Govt/NABL/ilac Lab	Yes
	Test certificate No and date for Microbial Efficacy	AWRTCL/PRTR/ 16339 /19-20 27 Aug 2019
	Name of the lab for Microbial Efficacy	AWRTCL
	Avaialbility of type test certificate from NABL/ILAC Lab design evaluation report as per IS 14724	Yes
	Copies of certifications and reports to be given to buyer at time of supplies	Yes
	User/Technical/Maintenance manuals to be supplied in English in hard and soft copy	Yes
	Availability of toll free centres for customer support	Yes
	Installation and Commissioning inclusive in the scope of Supply*	Yes

Availability of NABL Accredited Laboratory Facility with OEM	No
Name and Address of NABL Accredited lab with OEM , If Not available put NA	EFL C-348, 3 rd Floor, Ramphal Chowk, Sector-7, Dwarka, New Delhi-110083
Inlet Pipe & Fitting from raw water scources to water purification system	to be arranged by buyer / consignee
Pipe & Fitting from Out let to purified water tank	To be arranged by buyer /consignee
Pipe and pipe fitting material	PVC
Electrical fitting and plug points	To be arranged by buyer /consignee
ISI marked Electronic and electrical parts provided	No
Open installation of Water pipe fitting and waste water pipe line fitting provided	Yes
Scope Civil Work if any required during installation	All Civil work shall be responsibility of buyer

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.