# अनुबंध|Contract



अनुबंध क्रमांक | Contract No: GEMC-511687742503360 अनुबंध तिथि | Generated Date : 01-Feb-2024

संगठन विवरण|Organisation Details खरीदार विवरण|Buyer Details

प्ररूप|Type : Central Autonomous

मंत्रालय|Ministry: Ministry of Science and Technology विभाग|Department: Department of Biotechnology (DBT)

संगठन का नाम|Organisation Translational Health Science and Technology Institute

Name: (THSTI)

कार्यालय क्षेत्र|Office Zone: Faridabad / North

पद|Designation : ADMINISTRATIVE OFFICER संपर्क नंबर|Contact No. : 0129-2876300-441

ईमेल आईडी|Email ID: buycon2.thstitgh.hr@gembuyer.in

जीएसटीआईएन|GSTIN: 06AACAT0292J1ZG

NCR BIOTECH SCIENCE CLUSTER, 3RD MILESTONE,

पता|Address : FARIDABAD GURGAON EXPRESSWAY, PO BOX NO. 04,, FARIDABAD, HARYANA-121001, India

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमिति IFD Concurrence : No

प्रशासनिक अनुमोदन का पदनाम|

 $Designation \ of \ Administrative \ Approval:$ 

वित्तीय अनुमोदन का पदनाम| Designation of Financial Approval : Head Admin

Head Admin

भुगतान प्राधिकरण विवरण|Paying Authority Details

Role: PAO भुगतान का तरीका। Payment Mode: Offline

पद|Designation : Section Officer- Finance and Accounts ईमेल आईडी|Email ID : buycon1.thsti.frid@gembuyer.in

जीएसटीआईएन|GSTIN: 06AACAT0292J1ZG

NCR BIOTECH SCIENCE CLUSTER, 3RD MILESTONE,

पता|Address: FARIDABAD GURGAON EXPRESSWAY, PO BOX NO. 04,,

FARIDABAD, HARYANA-121001, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : 2280180000101651 कंपनी का नाम|Company Name : Harshita Enterprises संपर्क नंबर|Contact No. : 08010629572 ईमेल आईडी|Email ID : harshitaep@gmail.com

पता| Address : 150, FLAT NO. 55 , KATWARAI SARAI, NEW DELHI 110016,150, FLAT NO. 55, KATWARAI SARAI, SOUTH DELHI,

SOUTH DELHI, Delhi-110016, India

एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-DL-08-0007493

एमएसई सामाजिक श्रेणी|MSE Social Category : OBC एमएसई लिंग श्रेणी|MSE Gender : Male

जीएसटीआईएन|GSTIN: 07BFJPK8597P1ZA

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : Online UPS 5 KVA for Immunology lab

## उत्पाद विवरण|Product Details

#	⊭ आइटम विवरण Item Description	आइटम विवरण  Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)  Unit Price (INR)	कर विभाजन (INR)  Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)  Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : Uniline Online UPS of Rating 5.0 KVA With Battery Of Backup Time 30 Minutes ब्रांड Brand : Uniline ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थित Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थाय Category Name & Quadrant : Online UPS (V2) (Q2) मॉडल Model: MAXIPOWER - 5000 एचएसएन कोड HSN Code: 8504	1	pieces	93,500	NA	93,500
वु	कुल ऑर्डर मूल्य  Total Order Value (in INR)					93,500

### परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर  Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है  Delivery Start After	वितरण पूरा कब तक करना है  Delivery To Be Completed By
	पद  Designation : ADMINISTRATIVE OFFICER ईमेल आईडी Email ID : buycon2.thstitgh.hr@gembuyer.in					

1 जीए पत FA	ਸੰ Contact: 0129-2876300-441 सरीआईएन GSTIN: 06AACAT0292J1ZG  Address: NCR BIOTECH SCIENCE CLUSTER, 3RD MILESTONE, IDABAD GURGAON EXPRESSWAY, PO BOX NO. 04,, IDABAD, HARYANA-121001, India	Uniline Online UPS of Rating 5.0 KVA With Battery Of Backup Time 30 Minutes	-	1	01-Feb-2024	01-May-2024			
	cification for Uniline Online UPS of Rating 5.0 KVA	With Battery Of Backup	Time 30 Mi	inutes					
विनिर्देश Specif	cation उप-विनिर्देश Sub-Spec		- · ·	मूल्य Value					
	Rating in KVA	Rating in KVA		5.0 KVA					
	Switching Technology	Switching Technology			IGBT-PWM				
Generic	Input Voltage	Input Voltage			AC Single phase 160V - 260V 50Hz				
	Output Voltage	Output Voltage			AC Single phase 230V +/-1% 50 Hz				
	Warranty for UPS (Years)	Warranty for UPS (Years)			1				
	battery, seller shall ensure compliance to the GST Rates	Battery/Backup Bank Provided with Online UPS ( Hint: In case the UPS is supplied with battery, seller shall ensure compliance to the GST Rates as per recommendations made in the 45th Meeting of GST council dated 17th Sep 2021 )			With Battery				
	Type of Battery (hint: NA in case Battery not provided)	Type of Battery (hint: NA in case Battery not provided)			SMF-VRLA conforming to JISC:8702(Pt.I,II&III), Stationary Lead Acid Batteries (with tubular positive plates) in monobloc container conforming to IS:13369:1992 latest				
	Backup time (Minutes) (hint: NA in case battery not pro	Backup time (Minutes) (hint: NA in case battery not provided)			30 Minutes				
	Battery Make		GLOBAL O	R EQUIVALENT					
Battery/Backup	Bank Battery Model Number	Battery Model Number		GLOBAL OR EQUIVALENT					
	Battery capacity (Ah)	Battery capacity (Ah)		26					
	Weight of the Battery (kg)	Weight of the Battery (kg)		8					
	Number of Batteries	Number of Batteries		16					
	Minimum Guaranteed VAH	Minimum Guaranteed VAH		1600 X Per KVA X Per hour of backup time					
	Warranty for battery (Years) by Battery Manufucaturer/Brand hint: NA in case battery not provided		2						
	Accessories with Battery	Accessories with Battery		NA					
	Installation and Commissioning ( Covered in the Scope	Installation and Commissioning ( Covered in the Scope of Supply)		Provided					
Installation and	After sales service ( Turn Around Time)		Within 48 hours						
Commissioning Service		Preventive Maintenance ( Hint: Mention Timeline if provided, NA if not provided)		NA					
	Other Services provided	Other Services provided		PAN India service support on 24 x 7 basis					
	Inbuilt isolation transformer	With							
	Overall Efficiency (%)	Overall Efficiency (%)			>/=80% & <90% with Inbuilt isolation transformer				
	Power Factor Load Supported	Power Factor Load Supported			0.8 or better				
Performance / Functional	Overload limit	Overload limit		20% Overload for minimum 5 minute,50% Overload for minimum 3 seconds					
	Total Harmonic Distortion(THD) (%)	Total Harmonic Distortion(THD) (%)			3% Maximum @ 100% Linear Load				
	Other Functional Features	Other Functional Features			Crest factor on full non-linear load is not less than 3:1,Noise level (1 meter distance from UPS) should be less than 70dB				
Accessories	Accessories	Accessories		Rack for Batteries, Cabling 6 meters ( input upto 3m and output upto 3m), NA					
	Protection	Protection		Protection for under voltage at battery terminal, Over temperature protection					
Coliont Ford	Metering	Metering		Input Voltage,Output Voltage					
Salient Features	Alarms and Indications	Alarms and Indications		Indicator for Mains presence, Alarm for Low Battery					
	Additional Features	Additional Features		Pure Sinewave AC Output					
	Provide URL of the catalogue	www.unilineindia.com							
	Type of Design / Construction	Type of Design / Construction			Floor Standing				
	Form factor of UPS	Form factor of UPS			NA (for Floor Standing)				
Design / Constri	Enclosure (mm)	Enclosure (mm)		1.0 mm Minimum Thickness of M.S. Sheet duly powder coated					
	Degree of Protection	Degree of Protection			IP20				
	DC Bus Voltage (In Volts)	DC Bus Voltage (In Volts)			192				

	Other Constructional Features	Mains ON/OFF MCB
	Minimum Operating Temperature	0 degree Celsius
Operating Conditions	Maximum Operating Temperature	45 degree Celsius
	Relative Humidity Non Condensing at 40 deg C	90 percent
	Environmental Test Report Requirements	NA
Buyer Specific	Battery Test Report	NA
Requirement	Intended Applications	Critical Infrastructure, Network IT Equipment
	Other Requirements	KW rating shall be 0.8 time of KVA rating
	Type of lab which carried out Test of Complete Product to prove the conformity of product as per specification	OEM
Reports And Certification	Agree to provide all relevant documents Test Reports/supporting document /reports etc to the buyer at the time of bidding or on demand	Yes
	As per Meity (Government of India) guidelines UPS shall have valid BIS CRS certifications as applicable	Yes (For UPS rating upto 10KVA)

#### ईपीबीजी विवरण | ePBG Detail

#### NA

## नियम और शर्तें|Terms and Conditions

- 1. Special terms and conditions- Version:1 effective from 06-07-2022
- 1.1 In addition to General Terms and Conditions of GeM, the following Special T&C shall be applicable for Online UPS (Version 2.0) with reference to Installation and Commissioning.

Seller's Responsibility: Installation and Commissioning shall involve all the interconnections, any cabling between power source, switch boards within 3 metre range for input power and connecting Output power in the Scope of seller.

Buyer's Responsibility: Buyer will ensure well ventilated/covered site/room having requisite power points/distribution board to provide input power to UPS as well as to take out power from UPS within 3 metre of the location of UPS placement.

The above is not applicable for the stores supplied without installation and commissioning.

Note: The above is indicative and any incidental requirement related to above responsibilities shall also be considered in the responsibilities of Buyer/Seller as applicable.

- 2. General Terms and Conditions-
- 2.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.