

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687704621346

अनुबंध तिथि | Generated Date : 02-Feb-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details	
प्ररूप Type :	Central Autonomous	पद Designation :	ASO Purchase1
मंत्रालय Ministry :	Ministry of Science and Technology	संपर्क नंबर Contact No. :	01596-252322-
विभाग Department :	Department of Scientific and Industrial Research (DSIR)	ईमेल आईडी Email ID :	pls.ceeri@nic.in
संगठन का नाम Organisation Name :	Council of Scientific and Industrial Research (CSIR)	जीएसटीआईएन GSTIN :	08AAATC2716R1ZF
कार्यालय क्षेत्र Office Zone:	Central Electronics Engineering Research Institute (ceeri), Pilani	पता Address :	DIRECTOR, CSIR- Central Electronics Engineering Research Institute(CEERI), PILANI-333031, JHJHUNU, RAJASTHAN-333031, India

वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details	
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO
प्रशासनिक अनुमोदन का पदनाम	Director	भुगतान का तरीका	Offline
Designation of Administrative Approval:		Payment Mode:	
वित्तीय अनुमोदन का पदनाम	Director	पद Designation :	Finance & Accounts Officer
Designation of Financial Approval :		ईमेल आईडी Email ID :	nirmal.ceeri@nic.in
		जीएसटीआईएन GSTIN :	N
		पता Address:	DIRECTOR, CSIR- Central Electronics Engineering Research Institute(CEERI), PILANI-333031, JHJHUNU, RAJASTHAN-333031, India

विक्रेता विवरण Seller Details	
जेम विक्रेता आईडी GeM Seller ID :	A36A180000122446
कंपनी का नाम Company Name :	M.K.SCIENTIFIC INSTRUMENTS
संपर्क नंबर Contact No. :	08860571856
ईमेल आईडी Email ID :	mkscidelhi@gmail.com
पता Address :	Plot No-430, Kh. No. 143, Ground Floor, Gali No. 8,,Industrial Area, Lal Dora EXTN,,Village Kanjhawla,, North West delhi, DELHI-110081, -
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-DL-06-0032809
एमएसई सामाजिक श्रेणी MSE Social Category :	SC
एमएसई लिंग श्रेणी MSE Gender :	Male
जीएसटीआईएन GSTIN:	07AJYPB7921L1ZM

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : 9001336068

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : M. K. SCIENTIFIC INSTRUMENTS Autoclave ब्रांड Brand : M. K. SCIENTIFIC INSTRUMENTS ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM केसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्भांग Category Name & Quadrant : Autoclave (ICMR Specs) (Q3) मॉडल Model: MKSI-138-B एचएसएन कोड HSN Code: 8419	1	pieces	154,998	NA	154,998
कुल ऑर्डर मूल्य Total Order Value (in INR)						154,998

परेषिती विवरण | Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : ASO Store and Purchase ईमेल आईडी Email ID : suniludaiwal.ceeri@nic.in संपर्क Contact : -	M. K. SCIENTIFIC				

1	जीएसटीआईएन GSTIN : - पता Address : DIRECTOR, CSIR- Central Electronics Engineering Research Institute, PILANI-333031, JHUIJHUNU, RAJASTHAN-333031, India	INSTRUMENTS Autoclave	-	1	02-Feb-2024	17-Feb-2024
---	---	--------------------------	---	---	-------------	-------------

Product Specification for M. K. SCIENTIFIC INSTRUMENTS Autoclave

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
Configuration	Type	Vertical, Top loading cylindrical Autoclave machine for steam and pressure sterilization
	Sterilizer chamber capacity in L (usable volume)	80 - 100 liter
	Sterilizer Chamber Type	Circular
	Steriliser chamber material	Outer wall made of mild steel, inside & lid with SS 304
	Working Pressure of Chamber	20 pound per square inch
	Type of Sterilizer Chamber Door	Heavy duty SS 304, Hinged door
	Steriliser Chamber door Locking facility	Foot operated locking and unlocking radial system
	Sterilizer Chamber door Operation:	Manual
	Door sealing:	By elastomeric rubber gasket suitable to withstand temperature upto 140 degree C & pressure upto 20-30 psi
	Type of control system available for Steriliser cycle operation:	Microprocessor based temperature controller with control accuracy $\pm 1.0^{\circ}\text{C}$
	Power supply:	230 \pm 10 volt, 50 Hz
	Audio- visual Alarm facility available for notifying:	Temperature sensor with range 100°C to 300°C, unit should be provided with a low water alarm system as well as steam release valves and safety valves,Cut off automatically when the autoclave is dry
	Working Temperature	122 degree Celsius
	Resolution	0.1°C
	Range of Pressure Gauge	30 pound per square inch
	Controller	Auto set to 15psi & 121°C
Overall Size	Overall Height:	600 millimeter
	Overall Diameter	400 millimeter
Accessories, Consumables & Warranty	Accessories	Water level indicator,Water inlet & outlet valves,Automatic pressure control switch,Mechanical timer,Manual Water Filling & Removal,The unit having a wet heater fitted at the bottom and with capacity more than 4500 W with water capacity in litres more than 120 L,The unit have heater fitted at the bottom and with capacity of more than 3 KW,The unit have heater fitted at the bottom and with capacity of more than 4 KW,The unit have heater fitted at the bottom and with capacity of more than 6 KW,The unit have heater fitted at the bottom and with capacity of more than 9 KW
	Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	3 year
Quality and Certifications	Compliance of Chamber	Chamber Pressure Equipment Directives (PED),EN 13445 norms
	Quality Compliance available for quality systems	ISO 9001:2000,EN ISO 13485:2003,ISO 14001:2004
	Compliance to certification (US FDA/CE certification will be accepted only when the Indian standards/certification like BIS/CDSO/AERB are not available)	CE

टिप्पणी | Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:1 effective from 06-01-2023

- 1.1. 1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organisation (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
2. The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
3. The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.
4. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
5. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
6. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
7. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
8. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
9. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
10. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent. In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
11. Software: All software updates should be provided free of cost during warranty period.
12. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.