

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687715890084

अनुबंध तिथि | Generated Date : 03-Feb-2024

## संगठन विवरण | Organisation Details

प्ररूप | Type : Central Government  
मंत्रालय | Ministry : Ministry of Culture  
विभाग | Department : NA  
संगठन का नाम | Organisation Name : Archaeological Survey of India (ASI)  
कार्यालय क्षेत्र | Office Zone : Bhopal Circle Bhopal

## खरीदार विवरण | Buyer Details

पद | Designation : Conservation Assistant  
संपर्क नंबर | Contact No. : 0755-2558250-  
ईमेल आईडी | Email ID : vijaysharma.asi@gov.in  
जीएसटीआईएन | GSTIN : -  
पता | Address : Conservation Assistant, Archaeological Survey of India, Bhopal Sub Circle, Kamlapati Palace, Kamla Park, Bhopal-462001, BHOHAL, MADHYA PRADESH-462001, India

## वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No  
प्रशासनिक अनुमोदन का पदनाम | Designation of Administrative Approval: Superintending Archaeologist  
वित्तीय अनुमोदन का पदनाम | Designation of Financial Approval : Superintending Archaeologist

## भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: PAO  
भुगतान का तरीका | Payment Mode: Offline  
पद | Designation : Administrative Officer  
ईमेल आईडी | Email ID : ddo.bpl.asi@gov.in  
जीएसटीआईएन | GSTIN : N  
पता | Address: Archaeological Survey of India, Bhopal Circle, B-Block, IInd Floor, GTB complex, New Market, T.T. Nagar, Bhopal, BHOHAL, MADHYA PRADESH-462003, India

## विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : 19F4180000345205  
कंपनी का नाम | Company Name : SAI DIGITAL SECURITY SOLUTION  
संपर्क नंबर | Contact No. : 07489148385  
ईमेल आईडी | Email ID : saidigitalsec@gmail.com  
पता | Address : 35/B Sachidanand Nagar, Indrapuri, BHEL, Near Nizzamudin, Bhopal, Madhya Pradesh-462022, -  
एमएसएमई पंजीकरण संख्या | MSME Registration number : -  
जीएसटीआईएन | GSTIN: 23ADLFS8431P1ZF

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : MC&amp;EW(AR) SIVA TEMPLE BHOJPUR

## उत्पाद विवरण | Product Details

#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : CP PLUS 2MP BULLET CAMERA ब्रांड   Brand : CP PLUS ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Camera for CCTV System (Q2) मॉडल   Model: CP-UNC-TA21L2-GP-V3 एचएसएन कोड   HSN Code: HSN not specified by seller	7	pieces	4,850	NA	33,950
कुल ऑर्डर मूल्य   Total Order Value (in INR)						33,950

## प्रेषिती विवरण | Consignee Detail

क्र.सं.   S.No	प्रेषिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
1	पद   Designation : Conservation Assistant ईमेल आईडी   Email ID : vijaysharma.asi@gov.in संपर्क   Contact : 0755-2558250- जीएसटीआईएन   GSTIN : -	CP PLUS 2MP BULLET	-	7	03-Feb-2024	18-Feb-2024

	पता Address : Conservation Assistant, Archaeological Survey of India, Bhopal Sub Circle, Kamlapati Palace, Kamla Park, Bhopal-462001, BHOPAL, MADHYA PRADESH-462001, India	CAMERA				
Product Specification for CP PLUS 2MP BULLET CAMERA						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
IMAGE SENSOR	Image Sensor Type	CMOS				
	Image Sensor Size	0.357 inch				
	Camera Image Sensing capacity (Picture Mode)	2MP				
	Resolution	1080P( 30fps )				
	Day/Night Capable	Yes				
	IR illumination Range(mtr)	20				
CAMERA TYPE	Type of Camera Housing	BULLET CAMERA				
	IP Camera	Yes				
	PTZ Camera	No				
OPTICS	Lens Type	Fixed				
	Focal Length(mm)	3.6				
	Iris Control	Fixed iris				
	Focus Mode	NA				
VIDEO	Frame Rate (fps)	25,30				
	Video Compression	H.264,H.265+				
	Video Streaming	Dual compressed stream				
PAN / TILT / ZOOM	Panning Range	NA				
	Pan Speed (deg/sec)	NA				
	Tilt Range below horizontal (deg)	NA				
	Tilt Range above horizontal (deg)	NA				
	Tilt Speed (deg/sec)	NA				
	Optical Zoom	NA				
	Digital Zoom	NA				
AUDIO	Audio Support	No				
	Audio Compression	NA				
	Audio Streaming	NA				
	Number of Audio Input Channel	NA				
	Number of Audio Output Channel	NA				
	External Microphone Support	No				
ALARM	Alarm Support	No				
	Number of Alarm Digital Input	NA				
	Number of Alarm Relay Output	NA				
	Pre/Post Alarm Buffer	No				
SECURITY	Multi Level User ID/Password	Yes				
	IP Address Filtering	No				
	Encrypted Data Transmission	HTTPS (SSL/TSL)				
PERFORMANCE	Minimum Illumination for Capturing Color Image	0.005 lux				
	Electronic Shutter Speed(sec)	1/3 to 1/10000				
	WDR (Wide Dynamic Range)	DWDR				
	SNR (Signal to Noise Ratio)	≥52 Db				
	Auto Exposure	Auto Level Control				
	White Balance ( Indoor/Out door/Manual Selectable)	Yes				
	Auto Gain Control (On/Off selectable)	Yes				
	Back Light Compensation	Yes				

FEATURES	Remote Administration (Remote configuration and status using web based tool)	Yes
	Remote System Update Over Network	Yes
	PC Client (PC application client with a channel recording feature support)	Yes
	Web Client (Viewer through HTTP system configuration)	Yes
	On Screen Display in English	Yes
	ONVIF Support	Yes
	Presets	0
	Group Touring	0
	Privacy Zones	4
NETWORK AND INTERFACE	Supported Protocols	UDP,HTTP,HTTPS
	IP Support	Static,Dynamic
	Signal Processing	Digital Signal Process
	IPv6 ready	No
	Wireless	No
	Simultaneous Connections	1
STORAGE	On Board SD Card Support	No
	SD Card Memory(GB)	NA
HOUSING	Installation Type	Outdoor
	Material of the Housing construction	Plastic
	Protection	IP67
	Vandal Resistant Housing	No
	If Yes, IK rating	NA
	Mounting bracket	Wall Mounted
	Weight	220 gram
	Dimensions (mm x mm x mm)	162.6 mm × 70 mm
POWER SUPPLY	Power Input	12 V DC,PoE
	Power Consumption	2.2 Watt
	Suitable Adapter Shall be Supplied to Make the Equipment Work on 230 V (+/- 10 %), 50 Hz	NA
OPERATING CONDITIONS	Operating Temperature Range	- 40 to +60 deg C
	Relative Humidity Non Condensing (%)	95
WARRANTY / SERVICES	Warranty	2 year
	Time for Replacement of Defective Product During Warranty Period	72 hour
	Supply of Compatible drivers and software included	Yes
ENVIRONMENTAL / CERTIFICATION	Availability of facility & infrastructure for verification of all parameters, features, and capability with Seller	No
	Availability of facility to test signal to noise ratio of camera at 0-01 lux	No
	Conformity to Dry Heat test at 55 degree C for 16 hours as per IS :9000 latest	Yes
	Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest	Yes
	Conformity to Cold test at -10 / -20 degree C for 4 hours as per IS: 9000 latest, as applicable	Yes
	BIS Registration for safety general requirements as per IS 13252 (Part 1):latest	Yes
	Availability of Type Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	Yes
	Test Report Number and Date	@Time of Supply
	Name and Address of Test Lab	@Time of Supply
	Certification	FCC,CE,RoHS
उत्पाद का बीआईएस लाइसेंस  BIS license of the product: 66000299		
ईपीबीजी विवरण   ePBG Detail		
NA		

## नियम और शर्तें | Terms and Conditions

### 1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.