

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687737576976

अनुबंध तिथि | Generated Date : 03-Feb-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details	
प्ररूप Type :	State Government	पद Designation :	Store Incharge
मंत्रालय Ministry :	-	संपर्क नंबर Contact No. :	07543-222855-
विभाग Department :	Technical Education and Man Power Planning Department Madhya Pradesh	ईमेल आईडी Email ID :	adhakate.askn@mp.gov.in
संगठन का नाम Organisation Name :	N/A	जीएसटीआईएन GSTIN :	-
कार्यालय क्षेत्र Office Zone:	Government polytechnic college ashoknagar	पता Address :	Government Polytechnic College Ashoknagar madhyapradesh 473331, GUNA, MADHYA PRADESH-473331, India

वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details	
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO
प्रशासनिक अनुमोदन का पदनाम	principal	भुगतान का तरीका	Offline
Designation of Administrative Approval:		Payment Mode:	
वित्तीय अनुमोदन का पदनाम	principal	पद Designation :	Accountant
Designation of Financial Approval :		ईमेल आईडी Email ID :	jsp.khare@mp.gov.in
		जीएसटीआईएन GSTIN :	-
		पता Address:	Government Polytechnic College Ashoknagar madhyapradesh 473331, Ashoknagar, MADHYA PRADESH-473331, India

विक्रेता विवरण Seller Details	
जेम विक्रेता आईडी GeM Seller ID :	1D82190000996568
कंपनी का नाम Company Name :	INDORE SUNLIGHT PRIVATE LIMITED
संपर्क नंबर Contact No. :	09111593999
ईमेल आईडी Email ID :	INDORESUNLIGHT@GMAIL.COM
पता Address :	18/6,SILAWAT HOSTEL,MURAI MOHALLA, Indore, MADHYA PRADESH-452001, -
एमएसएमई पंजीकरण संख्या MSME Registration number :	-
जीएसटीआईएन GSTIN:	23AAFCI4350K1ZN

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : ok

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Research Center for Sustainable Solutions Pvt.Ltd Polycrystalline Off-Grid Solar Photovoltaic (PV) power plant, Capacity 5 KVA ब्रांड Brand : Research Center for Sustainable Solutions Pvt.Ltd ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्भूति Category Name & Quadrant : Off - Grid Solar Photovoltaic (PV) Power Plant (Q3) मॉडल Model: SPP5kWOFF96 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	499,950	NA	499,950
कुल ऑर्डर मूल्य Total Order Value (in INR)						499,950

परेषिती विवरण | Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : Store Incharge ईमेल आईडी Email ID : adhakate.askn@mp.gov.in संपर्क Contact : 07543-222855- जीएसटीआईएन GSTIN : -	Research Center for Sustainable Solutions Pvt.Ltd Polycrystalline	-	1	03-Feb-2024	18-Feb-2024

**Product Specification for Research Center for Sustainable Solutions Pvt.Ltd Polycrystalline Off-Grid Solar Photovoltaic (PV) power plant,
Capacity 5 kVA**

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
PV Module	Module glass air withstand capacity (km/hr)	>=200km/hr
	Type of Solar Module	Polycrystalline
	Additional features	PID Resistance Technology
	Rated power of each PV module used	320W
	Module conformity to specification	IEC 61215 Ed2,IEC 61701,IEC 61730 -1,IEC 61730-2
	Module linear power output degradadation warranty	25 year
	Zero negative power tolerance	Yes
	Module frame material	anodised aluminium alloy frame
	Junction box Protection class	IP67
	open circuit voltage	44 Volt
	Marking on PV module	Name of manufacturer,month & year of manufacturing,I-V curve of module,Peak Power,Im,Vm,Fill factor,Serial no.,Model number
	Module efficiency	>=15%
	Module product warranty	25 year
Power Conditioning Unit (PCU)	Power factor for lead	>=0.8
	Charger technology	MPPT
	Warranty of PCU	60 month
	Electrical protections	Under/over voltage protection at input & output of battery,Reverse polarity protection for array & battery,Output overload protection,Short circuit protection,Over temperature protection,Surge protection
	Output phase	Single
	Charging stages	Boost,Absorption,Float
	Output waveform type	Pure Sine Wave
	Rated Output Voltage (AC)	230 Volt
	Rated Power (kVA)	5
	Conformity to specification	IEC 61683,IEC 60068,IEC 60529
	Controller	32 bit DSP controller
	Automatic changeover between solar & AC mains provided	Yes
	Efficiency at STP for linear loading	>=90%
	Protection class	IP20
	Rated Frequency	50 Hertz
	Input Phase	Single
Module Mounting Structure	Maximum operating ambient temperature	50 degree Celsius
	Switching device	IGBT
	Nominal battery DC system voltage	96 Volt
	Display parameter	Array voltage,Array current,Array power,Battery voltage,Battery current,Grid Voltage,Output. Day kWh,Date,Time
	Power factor for lag	>=0.8
	Material of all nuts, bolts & factners etc	Stainless steel
	Adjacent Module air gap	25 millimeter
	Mounting structure wind withstand ability	>=150km/hr
	Weather proof Junction box provided for connections	Yes
	Module tilt angle	20 degree

	Type	Galvanised module mounting structures(MMS)
	Thickness(micron)	>=80
Generic	Component	Balance of System (BOS) Items/Components,Module Mounting Structure,Battery Rack/Trolley,Electrical Connections,DC MCB/DC Distribution Box,AC DISTRIBUTION BOARD (ACDB),Earthing & Lightning Protection
	Additional features to be specified	RMS on request
	capacity of power plant (kVA)	5
Battery specifications	Suitable battery stand/size with roller provided	Yes
	Acid level indicator provided	Yes
	Battery voltage	12 Volt
	Battery warranty	5 year
	No of battery	8
	Battery type	C 10 Tubular Lead Acid
	Battery capacity (Ah)	200
	Carrying handle	Yes
	Terminal cover provided	Yes
BOS items	Switches/Circuit breaker/connector with SPD as per	IEC 529,SPD as per IEC 61643-11/12,IEC 60947,IS 60947
	PVC insulated cable for working voltage and UV protected for outer installation as per	IEC 60228,IS 694,IS 1554
	Protection class of Junction box/enclosure box	IP 55
	Earthing & Lighting protection as per	IEC- 62561-7
Certifications and Standards	ISO certification number and date	MSYS/0634/15
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Manufacturer should be ISO certified	Yes
टिप्पणी Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.		
ईपीबीजी विवरण ePBG Detail		
NA		
नियम और शर्तें Terms and Conditions		
<p>1. General Terms and Conditions-</p> <p>1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.</p> <p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p>		
<p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंटे आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p> <p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p>		