



अनुबंध तिथि| Generated Date : 03-Feb-2024

संगठन विवरण Organisation Details			खरीदार विवरण Buyer Details					
प्ररूप Type :		State Government	पद Designation :		AROGYA ACCAUNTANT			
मंत्रालय Ministry :		-	संपर्क नंबर Contact No. :		02162-225522-			
विभाग Department :		Rural Development Department	ईमेल आईडी Email ID :		pao778.zps.mh@gembuyer.in			
संगठन का नाम Organisation Name :		Zilla Parishad Satara	जीएसटीआईएन GSTIN :		-			
कार्यालय क्षेत्र Office Zone:		Panchayat Samiti Satara	पता Address :		Panchayat Samiti Satara, Satara-Koregaon Road, Near Collector Office, Satara, SATARA, MAHARASHTRA-415001, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail			भुगतान प्राधिकरण विवरण Paying Authority Details					
आईएफडी सहमति IFD Concurrence :		No	Role:		BUYER			
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval:		SARPANCH	भुगतान का तरीका Payment Mode:		Offline			
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :		GRAMSEVAK	पद Designation :		AROGYA ACCAUNTANT			
			ईमेल आईडी Email ID :		pao778.zps.mh@gembuyer.in			
			जीएसटीआईएन GSTIN :		-			
			पता Address:		Panchayat Samiti Satara, Satara-Koregaon Road, Near Collector Office, Satara, Satara, MAHARASHTRA-415001, India			
विक्रेता विवरण Seller Details								
जेम विक्रेता आईडी GeM Seller ID :		GLRF230009450938						
कंपनी का नाम Company Name :		DESHMUKH SALES AND SERVICES						
संपर्क नंबर Contact No. :		09834612452						
ईमेल आईडी Email ID :		monikadeshmukh241127@gmail.com						
पता Address :		shop no 4 21,mahalaxmi corner,near vidharbha kokan gramin bank satara,godoli, Satara, MAHARASHTRA-415002, -						
एमएसएमई पंजीकरण संख्या MSME Registration number :		UDYAM-MH-30-0074068						
एमएसई सामाजिक श्रेणी MSE Social Category :		General						
एमएसई लिंग श्रेणी MSE Gender :		Female						
जीएसटीआईएन GSTIN:		27AZVPN7931M1ZB						
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer								
वितरण निर्देश Delivery Instructions : NA								
उत्पाद विवरण Product Details								
#	आइटम विवरण Item Description			आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded Polycrystalline Off-Grid Solar Photovoltaic (PV) power plant, Capacity 1 kVA ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Off - Grid Solar Photovoltaic (PV) Power Plant (Q3) मॉडल Model: 1kw Solar Power Plant एचएसएन कोड HSN Code: HSN not specified by seller			1	pieces	49,500	NA	49,500
कुल ऑर्डर मूल्य Total Order Value (in INR)								49,500
परेषिती विवरण Consignee Detail								
क्र.सं. S.No	परेषिती Consignee			वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : AROGYA ACCAUNTANT							

1	ईमेल आईडी Email ID : pao778.zps.mh@gembuyer.in संपर्क Contact : 02162-225522- जीएसटीआईएन GSTIN : - पता Address : Panchayat Samiti Satara, Satara-Koregaon Road, Near Collector Office, Satara, SATARA, MAHARASHTRA-415001, India	Unbranded Polycrystalline Off-Grid Solar Photovoltaic (PV) power plant, Capacity 1 kVA	-	1	03-Feb-2024	18-Feb-2024
Product Specification for Unbranded Polycrystalline Off-Grid Solar Photovoltaic (PV) power plant, Capacity 1 kVA						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
PV Module	Module glass air withstand capacity (km/hrs)	>=200km/hr				
	Type of Solar Module	Polycrystalline				
	Additional features	PID Resistance Technology,Multi-Layer EVA Encapsulation				
	Rated power of each PV module used	335W				
	Module conformity to specification	IEC 61215 Ed2,IEC 61701,IEC 61730 -1,IEC 61730-2				
	Module linear power output degrassation warranty	25 year				
	Zero negative power tolerance	Yes				
	Module frame material	anodised aluminium alloy frame				
	Juction box Protection class	IP67				
	open circuit voltage	45 Volt				
	Marking on PV module	Name of manufacturer,month & year of manufacturing,I-V curve of module,Peak Power,Im,Vm,Fill factor,Serial no.,Model number,Name of Lab issuing IEC,date & year of obtaining IEC PV module qualification				
	Module efficiency	>=18%				
	Module product warranty	25 year				
Power Conditioning Unit (PCU)	Power factor for lead	>=0.8				
	Charger technology	MPPT				
	Warranty of PCU	12 month				
	Electrical protections	Under/over voltage protection at input & output of battery,Reverse polarity protection for array & battery,Output overload protection,Short circuit protection,Over temperature protection,Surge protection				
	Output phase	Single				
	Charging stages	Boost,Absorption,Float				
	Output waveform type	Pure Sine Wave				
	Rated Output Voltage (AC)	230 Volt				
	Rated Power (kVA)	2				
	Conformity to specification	IEC 61683,IEC 60068,IEC 60529				
	Controller	32 bit DSP controller				
	Automatic changeover between solar & AC mains provided	Yes				
	Efficiency at STP for linear loading	>=95%				
	Protection class	IP20				
	Rated Frequency	50 Hertz				
	Input Phase	Single				
	Maximum operating ambient temperature	50 degree Celsius				
	Switching device	IGBT				
	Nominal battery DC system voltage	24 Volt				
Module Mounting	Display parameter	Array voltage,Array current,Array power,Battery voltage,Battery current,Grid Voltage,Output. Day kWh,Date,Time				
	Power factor for lag	>=0.8				
	Material of all nuts, bolts & factners etc	Stainless steel				
	Adjacent Module air gap	33 millimeter				
	Mounting structure wind withstand ability	>=150km/hr				
	Weather proof Junction box provided for	Yes				

Structure	connections	
	Module tilt angle	22 degree
	Type	Galvanised module mounting structures(MMS)
	Thickness(micron)	>=80
Generic	Component	Balance of System (BOS) Items/Components,Module Mounting Structure,Battery Rack/Trolley,Electrical Connections,DC MCB/DC Distribution Box,AC DISTRIBUTION BOARD (ACDB),Earthing & Lightning Protection
	Additional features to be specified	WIFI BASED (RMS)
	capacity of power plant (kVA)	1
Battery specifications	Suitable battery stand/size with roller provided	Yes
	Acid level indicator provided	Yes
	Battery voltage	12 Volt
	Battery warranty	2 year
	No of battery	2
	Battery type	C 10 Tubular Lead Acid
	Battery capacity (Ah)	100
	Carrying handle	Yes
	Terminal cover provided	Yes
BOS items	Switches/Circuit breaker/connector with SPD as per	IEC 529,SPD as per IEC 61643-11/12,IEC 60947,IS 60947
	PVC insulated cable for working voltage and UV protected for outer installation as per	TUV,IEC 60228,IS 694,IS 1554
	Protection class of Junction box/enclosure box	IP 55,IP 65
	Earthing & Lighting protection as per	IEC- 62561-7
Certifications and Standards	ISO certification number and date	QA-D/IND/9001/0936
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Manufacturer should be ISO certified	Yes
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>ईपीबीजी विवरण ePBG Detail</p>		
NA		
<p>नियम और शर्तें Terms and Conditions</p>		
<p>1. General Terms and Conditions-</p> <p>1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.</p> <p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p>		
<p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p> <p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p>		