

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687716534390

अनुबंध तिथि | Generated Date : 05-Feb-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details	
प्ररूप Type :	Central Government	पद Designation :	SENIOR TAX ASSISTANT
मंत्रालय Ministry :	Ministry of Finance	संपर्क नंबर Contact No. :	0161-2453892-33
विभाग Department :	Department of Revenue	ईमेल आईडी Email ID :	parveen.ea@gov.in
संगठन का नाम Organisation Name :	Central Board of Excise and Customs (CBEC)	जीएसटीआईएन GSTIN :	-
कार्यालय क्षेत्र Office Zone:	Directorate General Of Gst Intelligence, Ludhiana Zonal Unit	पता Address :	51 D, Sarabha Nagar, Ludhiana, LUDHIANA, PUNJAB-141001, India

वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details	
आईएफडी सहमति IFD Concurrence :	Yes	Role:	DDO
प्रशासनिक अनुमोदन का पदनाम	DD	भुगतान का तरीका	PFMS
Designation of Administrative Approval:		Payment Mode:	
वित्तीय अनुमोदन का पदनाम	DD	पद Designation :	Administrative Officer
Designation of Financial Approval :		ईमेल आईडी Email ID :	neelamr.70@gov.in
		जीएसटीआईएन GSTIN :	-
		पता Address:	51 D, Sarabha Nagar, Ludhiana, LUDHIANA CITY, PUNJAB-141001, India

विक्रेता विवरण Seller Details	
जेम विक्रेता आईडी GeM Seller ID :	8B98180000659465
कंपनी का नाम Company Name :	Fanatic Distributions
संपर्क नंबर Contact No. :	08054000055
ईमेल आईडी Email ID :	fanaticpunjab@gmail.com
पता Address :	Shop No. 1219,/17-A,Near Railway Crossing,Harnam Nagar, Ludhiana, PUNJAB-141002, -
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-PB-12-0095549
एमएसई सामाजिक श्रेणी MSE Social Category :	General
एमएसई लिंग श्रेणी MSE Gender :	Female
जीएसटीआईएन GSTIN:	03ALSPR2047M1ZN

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश Delivery Instructions : NA	
--	--

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Lighting Technologies 24W Led Recessed Luminaire ब्रांड Brand : Lighting Technologies ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्भूति Category Name & Quadrant : LED Luminaire (Recessed Luminaire) (V2) (Q3) मॉडल Model: LIGHTING TECHNOLOGIES 24W 1X1 RECESSED PANEL एचएसएन कोड HSN Code: HSN not specified by seller	11	pieces	480	NA	5,280
कुल ऑर्डर मूल्य Total Order Value (in INR)						5,280

परेष्ठी विवरण Consignee Detail						
क्र.सं. S.No	परेष्ठी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : SENIOR TAX ASSISTANT ईमेल आईडी Email ID : parveen.ea@gov.in संपर्क Contact : 0161-2453892-33	Lighting Technologies				

1	जीएसटीआईएन GSTIN : - पता Address : 51 D, Sarabha Nagar, Ludhiana, LUDHIANA, PUNJAB-141001, India	24W Led Recessed Luminaire	-	11	05-Feb-2024	20-Feb-2024	
Product Specification for Lighting Technologies 24W Led Recessed Luminaire							
विवरण Specification		उप-विवरण Sub-Spec	मूल्य Value				
Standards	Conformity to Indian Standard	IS:10322/part 5/sec-2/2012 and IS 16107 (Part 2/Sec 1) : 2012 for Recess type					
	Photo biological safety of LEDs used shall be as per IS:16108/2012 (exempt group)	Yes					
	DC or AC supplied electronic control gear for LED Module shall comply as per IS:15885 (Part 2/Sec.13)	Yes					
	Luminaire Class (as per Cl. 2.1 Section 2 of IS: 10322 (Part-1)	Class I					
	Types of LED Modules as per the IS: 16103(Part-2)/2012	Type 3					
	Rating of Recess type LED Luminaire/System Wattage/Rated Power	24W					
	Light Intensity(System Lumens) 80 Lm/Watt for 3000 deg K, 90 Lm/Watt for 4000 deg K, 100 Lm/Watt for 6000 deg K	Yes					
	Color temperature (+/- 500 K)	6000 deg K					
	Type of fixture (in feet)	170x170 mm					
Constructional	Ingress Protection (IP Rating) as per IS:10322 (Part 1):1982 latest (Minimum)	IP20					
	Mounting Type	Recess Type					
	Diffuser Material	Poly carbonate (UV Stabilized)					
	The luminaire body must be corrosion resistant epoxy powder coated / anodizing	Yes					
	All fasteners must be of nickel/chrome plated	Yes					
	Number of electronic control gear (power supplies)	1					
	Light Source	SMD LED Chip as per LM 80/IS16106					
	Warranty for free replacement	2 Years					
Electrical Efficiency Management	Operating Voltage and frequency range	140V to 280 V at 50 Hz AC					
	Rated Voltage	230 V AC 50 Hz					
	AC Power Factor	>/=0.90					
	Driver Efficiency	>/=85					
	Total Harmonics Distortion (</=20% (for upto 20W) (</=10% (for above 20W)	Yes					
	The total circuit power shall not be more than 110 percent of the value declared by the manufacturer (as per Cl 8 of IS:16104:2012 latest)	Yes					
Optical Management	LED chip Efficacy (>/=130 Lm/Watt for 6000 deg K, >/=120 Lm/Watt for 4000 deg K, >/=110 Lm/Watt for 3000 deg K)	Yes					
	Working life for LED : (Minimum 50,000 burning hours as per LM-80 report)	Yes					
	Color Rendering Index(CRI)	>/=80					
	Beam Angle	>/=120					
	Reflector type	Diffuser					
Thermal Management	Fixture / Luminaire should be die-cast aluminium /CRCA/Extruded Aluminium	Yes					
	Capacitor shall be rated for a temperature of 105 deg. Celsius or better	Yes					
	Junction temperature / soldering temperature	< 85 deg C					
	Operating temperature range	-10 deg. C to +50 deg. C					
	Humidity Range	10 % to 95% RH					
Protection	Short circuit Protection	Yes					
	Over Load Protection	Yes					
	High voltage test (1.5 KV for one minute between supply terminals and body of the unit)	Yes					

	Insulation resistance between earth and current carrying part	Yes
	The luminaire shall be protected against surges and transients of >/=2.5 KV	Yes
Marking	Manufactures Name and brand shall available on the body of the Luminaire	Engraved/Embossed
	Each LED luminaire shall have the manufacturer's name, model number, serial number, date of manufacture (month-year), and lot number as identification mark inside each unit and the outside of each packaging box	Yes
	The operation characteristics such as rated voltage and rated power in watts shall be marked inside each LED luminaire unit	Yes
Reports and Certifications	LM 79 (Photometry) (Ref.IS:16106:2012) report from Central Government LAB /NABL/ILAC accredited lab Reports shall be furnish to the buyer on demand (LM-79 report shall have total lumen output, power, PF, Current in Amps, CRI & CCT etc)	Yes
	LM 80 &TM21(Ref. IS:16105:2012) Report and Photo biological report for LED report from Central Government Lab /NABL/ILAC accredited lab. Reports shall be furnish to the buyer on demand (LM-80 report shall have the Photo Biological report of the LED	Yes
	Availability of test Report from Central Government Lab /NABL/ILAC accredited lab to Indian Standard IS:10322/part 5/sec-2/2012 and IS 16107 (Part 2/Sec 1) : 2012	Yes
	Seller has to furnish Type test report to the buyer on demand	Yes
	DC or AC supplied electronic control gear for LED Module shall comply as per IS:15885 (Part 2/Sec.13)	Yes
	LED Luminaire for recess type shall comply with Complusory Registration(CRS) of BIS for safety as per IS 10322 (Part 5/Section 2): 2012 as applicable on date	Yes
	LED Make	EVERLIGHT / EDISON / BRIDGELUX / NATIONSTAR / SEOUL / SAMSUNG / OSRAM / REFOND / NICHIA / CREE / LUMILEDS / PHILIPS / SYSKA / LUMENMAX, Other than EVERLIGHT / EDISON / BRIDGELUX / NATIONSTAR / SEOUL / SAMSUNG / OSRAM / REFOND / NICHIA / CREE / LUMILEDS / PHILIPS / SYSKA / LUMENMAX

टिप्पणी|Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें| Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंटे आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.