

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687751639261

अनुबंध तिथि | Generated Date : 06-Feb-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्ररूप Type :	State Government	पद Designation :	Junior Assistant			
मंत्रालय Ministry :	-	संपर्क नंबर Contact No. :	-			
विभाग Department :	Sports Department Uttar Pradesh	ईमेल आईडी Email ID :	buycon58.sdup.up@gembuyer.in			
संगठन का नाम Organisation Name :	N/A	जीएसटीआईएन GSTIN :	-			
कार्यालय क्षेत्र Office Zone:	Sports	पता Address :	Regional Sports Office Ayodhya , Uttar Pradesh, Ayodhya, UTTAR PRADESH-224001, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	No	Role:	BUYER			
प्रशासनिक अनुमोदन का पदनाम	RSO	भुगतान का तरीका	Offline			
Designation of Administrative Approval:		Payment Mode:				
वित्तीय अनुमोदन का पदनाम	DDO	पद Designation :	Junior Assistant			
Designation of Financial Approval :		ईमेल आईडी Email ID :	buycon58.sdup.up@gembuyer.in			
		जीएसटीआईएन GSTIN :	-			
		पता Address:	Regional Sports Office Ayodhya , Uttar Pradesh, Faizabad, UTTAR PRADESH-224001, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	65FE180000103728					
कंपनी का नाम Company Name :	SPORTS LINE					
संपर्क नंबर Contact No. :	09839103019					
ईमेल आईडी Email ID :	sportslinelko123@gmail.com					
पता Address :	UGF-42,LUCKNOW PLAZA,NAZIRABAD,AMINABAD, LUCKNOW, UTTAR PRADESH-226010, -					
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-UP-50-0002821					
एमएसई सामाजिक श्रेणी MSE Social Category :	General					
एमएसई लिंग श्रेणी MSE Gender :	Male					
जीएसटीआईएन GSTIN:	09AEMPG4298L1ZS					
* जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer						
वितरण निर्देश Delivery Instructions : NA						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded Polyester Blended With Viscose Woven Track Suits – Sports ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Track Suit - Sports (Q3) मॉडल Model: ZSF एचएसएन कोड HSN Code: HSN not specified by seller	20	pieces	1,000	NA	20,000
कुल ऑर्डर मूल्य Total Order Value (in INR)						20,000
प्रेषिती विवरण Consignee Detail						
क्र.सं. S.No	प्रेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : Junior Assistant ईमेल आईडी Email ID : buycon58.sdup.up@gembuyer.in संपर्क Contact : जीएसटीआईएन GSTIN : -	Unbranded Polyester Blended With Viscose Woven Track Suits –	-	20	06-Feb-2024	21-Feb-2024

	पता Address : Regional Sports Office Ayodhya , Uttar Pradesh, Ayodhya, UTTAR PRADESH-224001, India	Sports				
Product Specification for Unbranded Polyester Blended With Viscose Woven Track Suits – Sports						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
UTILITY	UTILITY	Unisex				
COMPONENTS	Components	Complete Set consisting of Upper and Lower				
MATERIAL	Fabric (Composition)	Polyester Blended With Viscose				
	Percentage of Blending (in case of Blended Fabric)	Polyester 50 % and Viscose 50 %				
	Mass (gram per square mtrs)	260 gram				
	Fabric Construction	Woven				
	Weave (In case of Woven Fabric)	Plain				
	Any other weave as per buyer's requirements (in case weave is other than already mentioned above)	NOT APPLICABLE				
	Knitting (In case of knitted Fabric)	Plain (Single Jersey) Knitted,				
	Ends per dm	NA				
	Picks per dm	NA				
	Courses per dm	NA				
	Wales per dm	NA				
	Count of knitting yarn	NA				
	Raising at inner side of Main Fabric	Yes				
	Upper Lining	Yes				
	Lower Lining	Yes				
	Lining Material	Not Applicable				
	Mass of Lining (Gram per Square Meter)	65				
	Netting mesh No of holes on base & bias within 625 Square millimeter	155				
	Technical Requirements of Slide Fastener for Upper Closing	Medium special duty Open End as per IS 14181 Latest				
	Technical Requirements of Slide Fastener for Pocket Closing (For Pockets with Slide Fastner for closing)	Medium special duty Open End as per IS 14181 Latest				
	Slide Fastners are BIS Marked	Not Applicable				
	Width of Tape Elastic at Waist of Trouser	5 cm				
	Width of Tape Elastic at Bottom of Upper	5 cm				
	Technical Requirements of Waist Band	Waist band as per IS 9686- 1980 latest				
	Waist Draw Cord	Polypropylene Cord of 4mm dia				
	Draw Cord Ends	Fused				
	Breaking Strength of Draw Cord	340 N minimum				
	Sleeve Ends (Cuff)	Rib Knitted Fabric				
	Upper provided with Piping	Yes				
	Lower provided with Piping	Yes				
	Piping Fabric- Composition	100 percent Polyester				
	Piping Fabric- Any other material as per buyer's requirements (Other than mentioned above)	NA				
	Piping Fabric Mass (gram per square mtrs)	90				
	Embroidery Thread	Not Applicable				
SIZE	Size	Extra Large (XL)				
DIMENSIONS OF UPPER	Width Across Chest 25 mm below under arm	57.5 cm (Extra Large)				
	Width Across Bottom Opening (relaxed)	50 cm (Extra Large)				
	Length at front from top of collar to bottom	70 cm (Extra Large)				
	Sleeve length (from center of back to bottom of sleeve	89.5 cm (Extra Large)				
	Sleeve opening relaxed (Cuff) Width	12.5 centimeter				
	Front Neck Drop	10 centimeter				

	Back Neck Drop	2.5 centimeter
	Length of Slide Fastener	68 cm (Extra Large)
DIMENSIONS OF LOWER	Side Seam Length	109.5 cm (Extra Large)
	Waist relaxed (Width Across)	47 cm (Extra Large)
	Waist stretched (Width Across)	57.5 cm (Extra Large)
	Seat/ Hip (15 cm below waist band)	57.5 cm (Extra Large)
	Thigh (at Crotch) (Width Across)	38 cm (Extra Large)
	Bottom Opening (Width Across)	26 centimeter
	Front rise including waist band	30 cm (Extra Large)
	Back rise including waist band	40 cm (Extra Large)
	Length of Waist Tying Cord	170 centimeter
	Bottom Fold (Hem) with full turn in(cm)	2.0
POCKETS	Number of Pockets (Upper)	2 Side Pockets
	Size of Side Pockets-Upper (Length X Width) (cm)	18 X 20 cm
	Size of Inside Pocket at Chest- Upper	11 cm X 15 cm
	Side Pocket opening - Upper	15.0 cm
	Side Pocket Closure with Slide Fastener -Upper	Yes
	Number of Pockets (Lower)	Without Pockets
	Size of Side Pockets - Lower (Length X Width) (cm)	18 cm X 20 cm
	Side Pocket Opening- Lower	15 centimeter
	Pocket Closure with Slide Fastener - Lower	Side Pockets with Slide Fastener
	Material of Pockets	Main Basic Fabric
COLLAR	Collar Type	Stand and Fall Type, Made of two layers of self material
	Collar Reinforcement	With Canvas Reinforcement
SLEEVE	Sleeve Type	Reglan Sleeve
PIPING	Position and Dimensions of Piping on Upper	NA
	Position and Dimensions of Piping on Lower	NA
STITCHING	Sewing Thread	125 d tex X 3, Polyester
	Raw edges, if any shall be bound by overlock stitching	Yes
	Waist band stitching of Upper	Stitched in single rows with chain stitch on the elastic
	Sleeve Bottom (Cuff) Stitching	Stitched in single rows with chain stitch on the elastic
	Waist band stitching of Lower	Stitched in single rows with chain stitch on the elastic
	Lining seams	Not Applicable
	Bartack Stitching (Reinforcement Stitching) at stress bearing areas	Pocket opening, Centre of Waist Band Seam and bottom hem and other stress bearing areas
	Tunnel at Waist Band for Lower	Two holes stitched to allow the draw cord with insertion free movement
	Stitches per dm (min)	36
COLOUR/ PRINT	Colour	Multicolour/ Contrasting Pannels / Any other colour as per buyer's requirements
	Multicolour/ Contrasting Pannels / Any other colour as per buyer's requirements	NA
	Sublimation Printing (for 100 % polyester only)	Sublimation Print as per buyer's requirements
	Sublimation Print as per buyer's requirements	NA
	Colourfastness to Light (IS 2454)	5
	Colourfastness to Washing (IS/ ISO 105-C10, Test- C (3))	Change in Colour- 4; Staining of Adjacent Fabric- 3-4
	Colourfastness to Rubbing (IS 766)	Dry- 4 / Wet- 3
	Colourfastness to perspiration (IS 971)	4
	Colour of Mesh Lining	Not Applicable
	Any other colour of Mesh Lining as per buyer's requirements	NA

	Colourfastness to Washing (IS/ISO 105-C10, Test- C (3))- Mesh Lining	Not Applicable
	Colourfastness to perspiration (IS 971)- Mesh Lining	Not Applicable
	Colour of Piping Material	Any other colour as per buyer's requirements
	Any other colour as per buyer's requirements	NA
OTHER REQUIREMENTS	Pilling Resistant [after 5 hours Test as per IS 10971 (Part 1)], min	4
	Dimensional stability to washing, Shrinkage or Elongation Percentage, max (IS 2977 latest), in lengthwise and widthwise direction	1
LOGO AND MARKING	Logo/ Totem Marking	As per buyer's requirements
	Type of Logo	Printed
	Number of Logos on Upper	2
	Number of Logos on Lower	1
	Size, Design and Location of Logo as per buyer's requirement	NA
TEST REPORT	Availability of Test Report from designated AHSP/ NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification	Yes
	Test Report No	APPLICABLE TEXT
	Test Report Date	APPLICABLE TEXT
	Name of the Lab	NABL
	Address of the Lab	LUDHIANA
	Test reports to be furnished to buyer on demand, if claimed to be available	Not applicable
ADVANCE SAMPLE	Agree to provide Advance Sample(s) for buyer's approval before commencement of supply	No
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>ईपीबीजी विवरण ePBG Detail</p>		
NA		
<p>नियम और शर्तें Terms and Conditions</p>		
<p>1. General Terms and Conditions-</p> <p>1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.</p> <p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p>		
<p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p> <p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p>		