

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687715068903

अनुबंध तिथि | Generated Date : 06-Feb-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2023/B/4159270](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्रकार Type : Central PSU मंत्रालय Ministry : Ministry of Communications विभाग Department : Department of Telecommunications (DOT) संगठन का नाम Organisation Name : ITI Limited कार्यालय क्षेत्र Office Zone: RAEBARELI	पद Designation : EPD संपर्क नंबर Contact No. : 2287-287113- ईमेल आईडी Email ID : buyer25.il.up@gembuyer.in जीएसटीआईएन GSTIN : - पता Address : ITI LTD, Sultanpur Road, Raebareli, RAEBARELI, UTTAR PRADESH-229010, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: AM-FINANCE वित्तीय अनुमोदन का पदनाम Designation of Financial Approval: FINANCE DEPARTMENT	Role: PAO भुगतान का तरीका Payment Mode: Offline पद Designation : Paying Authority ईमेल आईडी Email ID : pao1.il.up@gembuyer.in जीएसटीआईएन GSTIN : - पता Address: ITI LTD, Sultanpur Road, Raebareli, Raebareli, UTTAR PRADESH-229010, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : 524D180000094287 कंपनी का नाम Company Name : ACTION CONSTRUCTION EQUIPMENT LIMITED संपर्क नंबर Contact No. : 09811157929 ईमेल आईडी Email ID : incometax@ace-cranes.com पता Address : DHUDHOLA LINK ROAD, VILLAGE DUDHOLA, PALWAL, HARYANA-121102, - एमआईआई स्थिति MII Status : True एमएसएमई सत्यापित MSME verified : No एमएसएमई पंजीकरण संख्या MSME Registration number : - जीएसटीआईएन GSTIN: 06AAACA6189P1Z5

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : 100% UPTO 07.03.2024.

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : ACE Diesel Engine Operated Automatic Forklifts ब्रांड Brand : ACE ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Forklifts (V2) as per IS 6765:2003 and IS 10517 (Q2) मॉडल Model: ACE AF30D, ATT, 3M STD, SD, SOLID एचएसएन कोड HSN Code: 8427	2	pieces	1,047,486	NA	2,094,972
कुल ऑर्डर मूल्य Total Order Value (in INR)						2,094,972

परोक्षी विवरण Consignee Detail						
क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दैनिक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : - ईमेल आईडी Email ID : con8.il.up@gembuyer.in संपर्क Contact : -	ACE Diesel Engine Operated Automatic	-	2	06-Feb-2024	06-May-2024

जीएसटीआईएन | GSTIN : -
पता | Address : ITI LTD, Sultanpur Road, Raebareli,
RAEBARELI, UTTAR PRADESH-229010, India

Forklifts

Product Specification for ACE Diesel Engine Operated Automatic Forklifts

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
CERTIFICATION	Type Approval Certificate	ARAI / ICAT
	Certificate Number of ARAI / ICAT	AAQN 0281
	Conformity to Stability Testing	As per IS 4357 (latest)
	Conformity to Acceptance Criteria	As per IS 10517 (latest)
	Conformity to Traction Battery	NA for Diesel Operated
	Conformity to Indian Standard	IS: 6765 (latest)
	Conformity to Fork Arm for Fork Lift Truck	IS 6876 (latest)
	Conformity to Mounting Dimensions for Attachment	IS 7525 (latest)
	Diesel Engine shall conforming to IS 10000 (1 to 12) latest and IS 10002 latest	Yes
GENERIC	Make and Model of offered fork lift	ACE AF30D, ATT, 3M STD, SD, SOLID
	Operating Mode	Diesel Engine Operated
	Battery Type	NA
	Tonnage Capacity (ton)	3
	Standard Load Centre Distance	DH/DV for Forklift up to 4000 Kg 500/500mm
	Transmission	Automatic
	Type of Drive	Single(two tyres in the front)
	Rating of Traction Battery (KW/H)	NA for Diesel Engine Operated
CONSTRUCTIONAL	Type of Motor	NA for Engine Operated
	Max Engine HP Range at Rated RPM (hp)	<=50
	Maximum Engine HP at Rated RPM (Exact Value) (hp@rpm)	48
	Max Engine Torque at Rated RPM (Nm)	<200
	Maximum Engine Torque (Exact Value) (Nm@rpm)	200
	"No of Cylinders	4
	Engine Cubic Capacity/Displacement (CC)	3300
	Engine Cooling System	Liquid Cooled
	Minimum Ambient Temperature upto which Engine shall be able to start without the aid of cold starting device (°C)	5
	Specific Fuel Consumption (g/kwh)	230
	Number of Forward Speed Gears	1
	Number of Reverse Speed Gears	1
	Forklift Gradeability (%)	<=21
	Forklift Gradeability (Exact Value) (%)	18.5
	Number of Traction Motors	NA for Diesel Operated
	AC Traction Motor Capacity (Kw)	NA for Diesel Operated
	AC Traction Motor Capacity (Exact Value) (Kw)	0
	Capacity for AC Motor Pump, (Kw)	NA for Diesel Operated
Capacity for AC Motor Pump (Exact Value), (Kw)	0	
AC motor Operating Voltage	NA for Engine Operated	

	Brake System	Hydraulic
	Tyre Type	Solid
	Forklifts Instrument Panel	NA for Diesel Engine Operated
	Instrument Panel for Diesel Operated Forklift	Fitted with Engine oil pressure gauge, Coolant temperature gauge, Engine hour-meter & fuel level gauge and switch key for starting
	Standard Accessories	Head Light two numbers, Rear Light one number and Signal Lights, Light Reflectors, Electric Horn, Parking Brake, Rear View Mirror, Rear Towing Hook/Towing Arrangement, Adjustable cushioned driver seat and driver overhead guard with steel reinforcement at the top for Safety of driver, Standard Tool Kit
	Suitable Battery Charger for Traction Batteries	NA for Diesel Engine Operated
Dimensions	Minimum Ground Clearance (mm)	125
	Lifting Stages	2
	Lift Height (metres)	3 to 3.8 meters
	Max Fork Spread (mm)	1090 millimeter
	Fork Size (mm)	1070 millimeter
	Overall Length (mm)	3810 millimeter
	Overall Width (mm)	1220 millimeter
	Overall Height Raised (mm)	4280 millimeter
	Collapsed Height (mm)	2070 millimeter
	Free Lift Height (mm)	150 millimeter
	Wheel Base (mm)	1700 millimeter
	Mast Tilt Forward (in degrees)	6
	Mast Tilt Backward (in degrees)	12
	Unladen Weight of Forklift Truck (Kg)	4410 kilogram
Optional Attachments	Fork Extension Pair	No
	Length of Fork Extension Pair (mm)	NA
	Fork Mounted Crane Attachment	No
	Carriage Mounted Crane Attachment	No
	Hydraulic Side Shifter Attachment	No
	Parrot Beak Attachment	No
	Type of Parrot Beak Attachment	NA
	Paper Roll Clamp Attachment upto 1300mm	No
	Seat Belt with Interlocking	No
	Operators Presence Switch (OPS)	No
WARRANTY	Warranty Period (* As per Standard Warranty Clause of OEM)	1 Year or 2000 working hours whichever is earlier
	Battery Warranty for Diesel Engine Operated Forklifts (in months) (* As per Standard Warranty Clause of OEM)	12
	Traction Battery Warranty (in months) (* As per Standard Warranty Clause of OEM)	NA for Engine Operated

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for ACE Diesel Engine Operated Automatic Forklifts

विनिर्देश Specification	मूल्य Value
Load Centre, Engine	500 mm, Diesel a) Rated Output at RPM (hp/rpm) - 48/2000 (or better) b) Electrically Started with Battery & Alternator c) Make of Engine : Tata/Ashok Leyland / Kirloskar/ Simpson/ Yanmar/Mahindra/OEM make
Transmission, Tyres, Forks Length, Forks Spread, Fork Capacity, Load Back Rest, Travel Speed (With Load), Gradeability (With Load)	No. of speeds Forward/Reverse – 2/2 or Fully Step less Automatic Transmission, Solid, 1000mm (minimum), Adjustable up to 900mm (Minimum), 3000Kg, Required, 17Km/hr (Minimum), 17% to 28%
Mast, Service Brake, Parking Brake	a) 2 Stage Clear View Mast, b) Capacity – 3000 Kg, c) Maximum Fork Height – 2500 mm (minimum), d) Free Lift – Approx. 110 mm, Hydraulic, Mechanical/Hydraulic
Standard Equipment includes:	Head & Tail Light, Signal Lights, Reverse Alarm, Rear View Mirror & Retractable Seat Belt, 4- Cylinder, Water Cooled Engine, Hydrostatic Power Steering, Steady and rugged driver's overhead guard

Spares/ Consumables required with each FLT	a) Coolant (10 Ltr) b) Engine oil (15 Ltr) c) Break Oil (05 Ltr) d) Oil Filter (02 set as spare)
--	--

शुद्धिपत्र | Corrigendum

1. तक बढ़ाया गया | Extended Upto : 2023-12-02 12:00:00
2. तक बढ़ाया गया | Extended Upto : 2023-12-13 16:00:00

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	State Bank of India
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	3.00

बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा | The bidder shall furnish ePBG as applicable as per bid's terms and conditions

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file](#).

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.