

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687746851748

अनुबंध तिथि | Generated Date : 06-Feb-2024

संगठन विवरण | Organisation Details

प्ररूप | Type : Central Autonomous
मंत्रालय | Ministry : Ministry of Science and Technology
विभाग | Department : Department of Scientific and Industrial Research (DSIR)
संगठन का नाम | Organisation Name : Council of Scientific and Industrial Research (CSIR)
कार्यालय क्षेत्र | Office Zone : CSIR NEERI NAGPUR

खरीदार विवरण | Buyer Details

पद | Designation : ASO
संपर्क नंबर | Contact No. : 0712-2249885-386
ईमेल आईडी | Email ID : pg_kelapure@neeri.res.in
जीएसटीआईएन | GSTIN : 27AAATC2716R2ZE
पता | Address : CSIR- NEERI Nehru Marg,
NAGPUR, MAHARASHTRA-440020, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No
प्रशासनिक अनुमोदन का पदनाम |
Designation of Administrative : DIRECTOR NEERI
Approval:
वित्तीय अनुमोदन का पदनाम | DISPENSARY, Dr.Prashanti Mahatme, P-99102/P-1
Designation of Financial Approval : 125103

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: PAO
भुगतान का तरीका | Internet Banking
Payment Mode:
पद | Designation : Finance and Account Officer
ईमेल आईडी | Email ID : sg.gajbhiye.neeri@nic.in
जीएसटीआईएन | GSTIN : -
पता | Address: CSIR- NEERI Nehru Marg,
NAGPUR CITY, MAHARASHTRA-440020, India

विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : 3150180000664263
कंपनी का नाम | Company Name : AKSHYASH EQUIPMENTS & SERVICES (OPC) PRIVATE LIMITED
संपर्क नंबर | Contact No. : 09823088761
ईमेल आईडी | Email ID : contact@akshyashequipments.com
पता | Address : flat B302,Aarambh building,IVY Estate road,Wagholi,
Pune, MAHARASHTRA-412207, -
एमएसएमई पंजीकरण संख्या | MSME Registration number : UDYAM-MH-26-0152690
एमएसई सामाजिक श्रेणी | MSE Social Category : General
एमएसई लिंग श्रेणी | MSE Gender : Female
जीएसटीआईएन | GSTIN: 27AAOCA2343M1ZD

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : AS PER REQUIREMENT

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Life Care Systems Shortwave Diathermy Machine (Continuous and pulsed) 400 microsecond ब्रांड Brand : Life Care Systems ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Shortwave Diathermy Machine (Continuous and Pulsed) (Q2) मॉडल Model: LCS103D एचएसएन कोड HSN Code: 90191090	1	pieces	80,000	NA	80,000
कुल ऑर्डर मूल्य Total Order Value (in INR)						80,000

परेषिती विवरण | Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : ASO2 ईमेल आईडी Email ID : sh.kale.neeri@nic.in संपर्क Contact : -	Life Care Systems Shortwave Diathermy				

1	जीएसटीआईएन GSTIN : - पता Address : CSIR- NEERI Nehru Marg, NAGPUR, MAHARASHTRA-440020, India	Machine (Continuous and pulsed) 400 microsecond	-	1	06-Feb-2024	21-Feb-2024
Product Specification for Life Care Systems Shortwave Diathermy Machine (Continuous and pulsed) 400 microsecond						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
GENERAL FEATURES	Product description	Shortwave Diathermy Machine (Continuous and pulsed)				
	Clinical purpose	To give relief to the patient from muscular skeletal pain and injuries, and pelvic inflammatory disease and commonly used in muscle relaxation, and to induce deep heating in tissue for therapeutic purposes.				
	Application	Effective in Inflammation of shoulder joint, Elbow joint, Cervical spondylosis, chronic arthritis, Osteoarthritis, Ligament sprain in knee joints, Low back ache, muscle spasms, myositis, neuralgia, sprains and strains, tenosynovitis, tendonitis, bone injuries, bursitis, Sinusitis and wound healing etc.,				
	Technology	Microprocessor controlled solid state				
	Types of diathermy applicator	Induction field				
	Touch Screen	No				
	Type of display monitor	LED				
	Screen saver facility after certain time selectable of inactivity	Yes				
	Should have two outlets so that two electrodes can be used simultaneously with independent adjustment of peak power and pulse width	Yes				
	Should have maximum of 100 free memory to save personal protocols	Yes				
	Pulse frequency adjustable	Yes				
	Special inductive electrode, inclusive	No				
	Adjustable electrode arm	Yes				
	HF cut-off switch in case of overload provided	Yes				
	Patient safety swich provided	Yes				
	Flexible pads: Metal electrodes encased in rubber and produce an electrostatic field	Yes				
	Space plates: Consists of rigid metal electrode encased in a perplex cover of electrostatic field	No				
	Coil or cable electrode consists of a wire with plug at either end creates electromagnetic field	No				
	Mono mode: The flat rigid coil encased in plastic cover generates electromagnetic field	No				
	The diplode or drum electrode consists of a flat coil electrode encased in a perspex cover with two wings generates electromagnetic field	Yes				
	Safety instructions of usage lable pasted on the machine	Yes				
	Do's and Dont's must be displayed on the machine with "Warning" instructions	Yes				
	Additional precautions if any must be displayed on the machine lable	Yes				
	The machine is mounted on castors with stoppers	Yes				
	Size (HxWxL) (mmxmmxmm)	905x370x475				
	Weight (Kg)	31 to 50				
	RF Power source	RF Generator solid state				
	RF Indicator	Available				
	Input power supply	220+/-10% V, 50/60 Hz, AC Single phase				
	Power consumption (Watt)	500				
	Power output (Continuous mode)(Watt)	500 Watt				
	Power output (Pulsed mode) (Watt)	1000 Watt				
	Adjustable Output power settings	5 steps				

OPERATIONAL & TECHNICAL REQUIREMENTS	Average power (Watt)	250 Watt
	Peak power (Min) (Watt)	500 Watt
	Output frequency (MHz)	27.12
	Wave length (mtr)	11.062
	Wave shape	Mono Phasic
	Pulse rate or pulse repetition frequency in increments of 10 Hz, (Hz)	10 Hertz
	Adjustable Pulse duration or Pulse width in increments of 20 micro seconds, (micro second)	400 microsecond
	Treatment duration timer	Manual & Pre-programmable
	Treatment duration selectable Timer, manual (minute)	1 to 30
	Treatment duration programmable digital timer (minute)	1 to 99
	Pre-programmable settings to user protocols (Minimum)	20
	Tuning control to adjust the radio frequency to maximum out put	Yes
	Automatic tuning of power between the electrodes and patient	Yes
	Testing tube filament to check the output of the machine provided	Yes
	Fuse 6 Amp	Yes
STANDARD ACCESSORIES	Minimum Disc electrodes or space plates (No)	2
	Minimum Rubber electrodes (Set)	2
	Mono-polar inductive electrodes (No)	2
	Diplode or drum electrodes (No)	2
	Flat Coil electrodes (No)	2
	High frequency cables (No)	2
	Flexible cable to connect rubber electrode (No)	2
	Felt spacers (No)	2
PACKING MODE	The product is packed individually in a wooden box including all the accessories in such a way that there will be no transit damage during transportation	Yes
ENVIRONMENTAL CONSIDERATIONS	Storage conditions	Temperature 0 deg C to 50 deg C, RH 10% to 90%
	Work or usage environment	Temperature 10 deg C to 50 deg C, RH 10% to 90%
CERTIFICATIONS & REPORTS	Submission of Test Report from Central Govt/NABL/ILAC accredited Lab to prove the conformity to declared specification at the time of supply	YES
	Should have safety certificate from a competent authority viz EU-CE/US-FDA/STQC/ERTL	Yes
	Certificate No	CE-3591
	Certificate Date	11-09-2018
	Product certification	ISO
	Four digit number of notified body If product is EU-CE certified	3591
	Product Certificate No	3591
	Product Certificate Date	11-09-2018
	Certificate issuing authority	UKCERT
	Certification, performance and safety standards specific to the device	IEC 60601-1:2012, IEC 60601-2:2014
	Submission of all the certifications and test reports to the buyer along with supplies on demand	Yes
	Supplier to perform on site installation, safety and	

INSTALLATION & TRAINING	operation checks before handover	Yes
	Training of users in operation and basic maintenance shall be provided	Yes
WARRANTY & MAINTENANCE	Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	1
	User technical and maintenance manual detailing complete maintaining schedule with routine maintenance should be provided	Yes
	Contact details of manufacturer, supplier and local service agent to be provided	Yes

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:2 effective from 21-10-2022

- 1.1
- All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by *Central Drugs Standard Control Organisation (CDSCO)*, Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
 - The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
 - The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.
 - Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
 - Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
 - Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
 - Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
 - Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
 - Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
 - Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
 - Software: All software updates should be provided free of cost during warranty period.
 - Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

2. General Terms and Conditions-

- This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.