

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687708379932

मूल अनुबंध क्रमांक | Original Contract No : GEMC-511687715943600

अनुबंध तिथि | Generated Date : 06-Feb-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2023/B/4350554](#)

| संगठन विवरण   Organisation Details  | खरीदार विवरण   Buyer Details   |
|---|--|
| प्ररूप   Type : State Government<br>मंत्रालय   Ministry : -<br>विभाग   Department : School Education Department Uttarakhand<br>संगठन का नाम   Organisation Name : State School Education Portal<br>कार्यालय क्षेत्र   Office Zone : GOPESHWAR | पद   Designation : Chief Assistant<br>संपर्क नंबर   Contact No. : 99972-38560-<br>ईमेल आईडी   Email ID : buycon1.ssep.ua@gembuyer.in<br>जीएसटीआईएन   GSTIN : 05MRTF00153G1DX<br>पता   Address : Shiksha Sankul Bhawan Chief Education Office Chamoli<br>Gopeshwar,<br>CHAMOLI, UTTARAKHAND-246401, India |

| वित्तीय स्वीकृति विवरण   Financial Approval Detail   | भुगतान प्राधिकरण विवरण   Paying Authority Details  |
|--|--|
| आईएफडी सहमति   IFD Concurrence : No<br>प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative : CEO Chamoli<br>अनुमोदन : Approval:<br>वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval : Director, School Education Uttarakhand, Dehra dun | Role: BUYER<br>भुगतान का तरीका   Payment Mode: Offline<br>पद   Designation : Chief Assistant<br>ईमेल आईडी   Email ID : buycon1.ssep.ua@gembuyer.in<br>जीएसटीआईएन   GSTIN : 05MRTF00153G1DX<br>पता   Address : Shiksha Sankul Bhawan Chief Education Office Chamoli<br>Gopeshwar,<br>Chamoli, UTTARAKHAND-246401, India |

| विक्रेता विवरण   Seller Details   |
|---|
| जेम विक्रेता आईडी   GeM Seller ID : BB97180000685314<br>कंपनी का नाम   Company Name : M/S SHRI MAHARAM ENTERPRISES<br>संपर्क नंबर   Contact No. : 09675990009<br>ईमेल आईडी   Email ID : SHRIMAHARAMENTERPRISES@GMAIL.COM<br>पता   Address : 535 A SAINIK COLONY ROORKEE, NEAR PRATAP NURSHING HOME,<br>Haridwar, UTTARAKHAND-247667, -<br>एमएसएमई पंजीकरण संख्या   MSME Registration number : UDYAM-UK-06-0007276<br>एमएसई सामाजिक श्रेणी   MSE Social Category : OBC<br>एमएसई लिंग श्रेणी   MSE Gender : Male<br>जीएसटीआईएन   GSTIN: 05AWLPJ5047P1Z0 |

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : null

| उत्पाद विवरण   Product Details |   |                               |             |                                     |   |   |
|--------------------------------|---|-------------------------------|-------------|-------------------------------------|---|---|
| #                              | आइटम विवरण   Item Description   | आइटम विवरण   Ordered Quantity | इकाई   Unit | इकाई मूल्य (INR)   Unit Price (INR) | कर विभाजन (INR)   Tax Bifurcation (INR) | मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR) |
| 1                              | उत्पाद का नाम   Product Name : AGARWAL CHAIRS Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum Classroom Chairs, Warranty 1 Years<br>ब्रांड   Brand : AGARWAL CHAIRS<br>ब्रांड प्रकार   Brand Type : Registered Brand<br>कैटलॉग की स्थिति   Catalogue Status: Catalogue not verified by OEM<br>कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM<br>श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Classroom Chairs (Q3)<br>मॉडल   Model: classroom chair<br>एचएसएन कोड   HSN Code: HSN not specified by seller   | 208                           | pieces      | 925                                 | NA                                      | 192,400   |
| 2                              | उत्पाद का नाम   Product Name : MERAKI FURNITURE PRIVATE LIMITED Rectangular Only two leg members widthwise and one leg member to adjoining each other - with 100 mm ground clearance Classroom Tables<br>ब्रांड   Brand : MERAKI FURNITURE PRIVATE LIMITED<br>ब्रांड प्रकार   Brand Type : Registered Brand<br>कैटलॉग की स्थिति   Catalogue Status: Catalogue not verified by OEM<br>कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM<br>श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Classroom Tables (Q3)<br>मॉडल   Model: Classroom Tables<br>एचएसएन कोड   HSN Code: HSN not specified by seller | 208                           | pieces      | 924                                 | NA                                      | 192,192   |

कुल ऑर्डर मूल्य | Total Order Value (in INR)

384,592

परोषिती विवरण | Consignee Detail

| क्र.सं.   S.No | परोषिती   Consignee   | वस्तु   Item   | लॉट नंबर   Lot No. | मात्रा   Quantity | दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After | वितरण पूरा कब तक करना है   Delivery To Be Completed By |
|----------------|---|--|--------------------|-------------------|---|--|
| 1              | पद   Designation :-<br>ईमेल आईडी   Email ID : buycon1.ssep.ua@gembuyer.in<br>संपर्क   Contact : 99972-38560-<br>जीएसटीआईएन   GSTIN : 05MRTF00153G1DX<br>पता   Address : Shiksha Sankul Bhawan Chief Education Office Chamoli Gopeshwar,<br>CHAMOLI, UTTARAKHAND-246401, India | AGARWAL CHAIRS Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum Classroom Chairs, Warranty 1 Years  | -                  | 208               | 06-Feb-2024   | 22-Mar-2024  |
|                |   | MERAKI FURNITURE PRIVATE LIMITED Rectangular Only two leg members widthwise and one leg member to adjoining each other - with 100 mm ground clearance Classroom Tables | -                  | 208               | 06-Feb-2024   | 22-Mar-2024  |

Product Specification for AGARWAL CHAIRS Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum Classroom Chairs, Warranty 1 Years

| विनिर्देश   Specification | उप-विनिर्देश   Sub-Spec                                   | मूल्य   Value   |
|---------------------------|---|---|
| GENERIC                   | Chair Type  | Without Arms  |
|                           | Type of Seat and Backrest                                 | 18 mm thick prelaminate Particle Board                              |
|                           | Depth of Seat in mm (+/- 10 mm)                           | 400   |
|                           | Height of Seat in mm (+/- 10 mm)                          | 460   |
|                           | Width of Seat in mm (+/- 10 mm)                           | 460   |
|                           | Overall Chair Height in mm (+/- 10 mm)                    | 900   |
| Seat Details              | Thickness of Cushion Used in Seat in mm (+/- 2 mm)        | No Cushion  |
|                           | Density of Cushion Used in Seat (Kg/Cubic Metre)          | No Cushion  |
|                           | Material of Fabric of Seat Cover                          | No Cushion No Cover   |
| Backrest Details          | Density of Cushion Used in Backrest (Kg/Cubic Metre)      | No Cushion  |
|                           | Thickness of Cushion in Backrest in mm (+/- 2 mm)         | No Cushion  |
|                           | Material of Fabric of Backrest Cover                      | No cushion no cover   |
|                           | Width of Backrest (mm)                                    | 450 millimeter  |
|                           | Height of Backrest (mm)                                   | 200 millimeter  |
| SUPPORT / UNDER STRUCTURE | Frame Material  | Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum |
|                           | Under Storage provided below the Seat                     | NO  |
|                           | Material of under storage - write NA if not applicable    | NA  |
|                           | Length of Under Storage (mm) - write NA if not applicable | NA  |
|                           | Width of Under Storage (mm) - write NA if not applicable  | NA  |
|                           | DEPTH of Under Storage (mm) - write NA if not applicable  | NA  |
| Writing Pad Details       | Writing Pad Material                                      | N.A   |
|                           | Writing Pad Size (Length X Width in mm)                   | NA  |
| MISC                      | Colour of Fabric for Seat and Backrest                    | As per buyer's choice   |
|                           | Finishing of Structure                                    | Powder coated   |
| Warranty                  | Warranty period in number of years                        | 1   |
| Certification             | Test reports to be furnished to buyer on demand           | NO  |
|                           | Product having BIFMA certification                        | YES   |
|                           | OEM of offered product is ISO 9001:2015 certified         | YES   |
|                           | OEM of offered product is ISO 14001:2015 certified        | YES   |

**टिप्पणी | Note:** Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

**खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for AGARWAL CHAIRS Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum Classroom Chairs, Warranty 1 Years**

| विनिर्देश   Specification  | मूल्य   Value  |
|--|--|
| student Chair Size - 36" X 18 " X 16" , MS Square Pipe steel -1" , 18 gauge, | Sheet and Back - 18 MS Play, ISI Mark with sunmica, weight -7.5 kg |

**Product Specification for MERAKI FURNITURE PRIVATE LIMITED Rectangular Only two leg members widthwise and one leg member to adjoining each other - with 100 mm ground clearance Classroom Tables**

| विनिर्देश   Specification | उप-विनिर्देश   Sub-Spec                           | मूल्य   Value  |
|---------------------------|---|--|
| GENERIC                   | Mode of supply                                    | Assembled ready to use   |
|                           | Shape of the table                                | Rectangular  |
|                           | Style of table                                    | Supported by set of Legs   |
|                           | Design of table                                   | With four legs and Foot rest in rectangular shape  |
|                           | Loading capacity of table top in KG ( ±5 Kg)      | 100 kg   |
|                           | Foot Rest Provided                                | YES  |
|                           | Approval of Advance sample (in respect of design) | Yes  |
| MATERIAL                  | Table Top Material                                | Prelaminated Particle Board  |
|                           | All side Beeding on edges of table top            | 1.5 mm thick PVC tape with the help of hot melt glue   |
|                           | Shoes Material                                    | PVC  |
|                           | Padestal (Under structure)                        | N.A  |
|                           | Foot Rest Material                                | MS square pipe of 25 mm with wall thickness of 1.2 mm (18 gauge)   |
|                           | Frame material                                    | MS square pipe of 25 mm with wall thickness of 1.2 mm (18 gauge)   |
|                           | Leg material                                      | MS square pipe of 25 mm with wall thickness of 1.2 mm (18 gauge)   |
| DIMENSION                 | Table Top Length ±10(mm)                          | 600 mm   |
|                           | Table Top Width ±10(mm)                           | 600 mm   |
|                           | Table Height ±10(mm)                              | 762 mm   |
|                           | Table top thickness                               | 18 mm  |
| MISCELLANEOUS             | Connecting of leg                                 | Only two leg members widthwise and one leg member to adjoining each other - with 100 mm ground clearance       |
|                           | Number of buffers                                 | No buffers   |
|                           | Welding Joint                                     | To be smooth finished - Sharp edges to be removed -Free from objectionable projection or irregularities        |
|                           | Top to be fitted                                  | By Round head nut and bolt inside the Laminate - Tightend fully and ends of the bolts to be neatly burred over |
|                           | Number of Bolt                                    | 2 bolt in length side and 1 bolt in width side   |
|                           | Size of Bolt                                      | 6 mm dia   |
|                           | Placements of Nut and Bolt                        | 37.5 mm inside from each side edges  |
|                           | Iron parts  | To be without joint in length  |
|                           | Table placed on even surface                      | Not to wobble  |
|                           | Distance between legs                             | Length of table top (minus 75 mm) x Width of table top (minus 75 mm)   |
| COLOUR & FINISH           | Table top finish                                  | Top pasted with 1 mm thick Laminate / Mica   |
|                           | Paint / Polish                                    | As per Buyer's choice  |
|                           | Colour of Paint                                   | black  |
|                           | Test reports to be furnished to buyer on demand   | NO   |
|                           | BIFMA certification                               | NO   |

|               |   |        |
|---------------|---|--------|
| CERTIFICATION | OEM of offered product is ISO 9001:2015 certified             | NO     |
|               | OEM of offered product is ISO 14001:2015 certified            | NO     |
|               | OEM of offered product is ISO 18001:2007/45001:2018 certified | NO     |
|               | Green guard certification                                     | NO     |
| WARRANTY      | WARRANTY PERIOD   | 1-year |

**टिप्पणी | Note:** Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

**खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for MERAKI FURNITURE PRIVATE LIMITED Rectangular Only two leg members widthwise and one leg member to adjoining each other - with 100 mm ground clearance Classroom Tables**

| विनिर्देश   Specification   | मूल्य   Value  |
|---|--|
| Student Table size - 30" x 24" X 16" Frame - 1 Inch MS steel Square Pipe MS Steel - 18 Gauge, | 18 mm ISI Mark with Ply sunmica top book shelf - 22"x11" 12mm ply with polish weight- 9.350 Kg |

#### ईपीबीजी विवरण | ePBG Detail

|   |                     |
|---|---------------------|
| सलाहकार बैंक   Advisory Bank :            | State Bank of India |
| ईपीबीजी प्रतिशत (%)   ePBG Percentage(%): | 2.00                |

बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा | The bidder shall furnish ePBG as applicable as per bid's terms and conditions

#### नियम और शर्तें | Terms and Conditions

##### 1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

##### 2. Buyer Added Bid Specific Terms and Conditions-

###### 2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

###### 2.2 Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

###### 2.3 Generic

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 3 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

###### 2.4 Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

###### 2.5 Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

Consignee address Uploaded (Uploaded ATC Document)

.  
.
   
.
   
.
   
.

###### 2.6 Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

###### 2.7 Generic

Experience Criteria: The Bidder or its OEM (themselves or through reseller(s)) should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

###### 2.8 Generic

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

**2.9 Scope of Supply:**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

**2.10 Turnover:**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

**2.11 Turnover:**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

**2.12 Service & Support:**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

**2.13 Service & Support:**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

**2.14 Service & Support:**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

**2.15 Inspection:**

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance: Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

Post Receipt Inspection at consignee site before acceptance of stores:  
shall be done at actual delivery

**2.16 Warranty:**

Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

**2.17 Warranty:**

Warranty period of the supplied products shall be 3 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

**2.18 Warranty:**

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

**2.19 Sample Clause:**

After award of contract - Successful Bidder shall have to get advance sample approved from buyer before bulk manufacturing / starting bulk supplies. Successful Bidder shall submit

1 samples for Buyer's approval, within 5 days of award of contract. Buyer shall, as per contract specifications framework, either approve the advance sample or will provide complete list of modification required in the sample within 5 days of receipt of advance sample. Seller shall be required to ensure supply as per approved sample with modifications as communicated by Buyer. If there is delay from buyer side in approval of advance sample - the delivery period shall be refixed without LD for the period of delay in sample approval. In case, the sample is found to have major deviations / not conforming to the Contract specifications, the buyer at its discretion may call for fresh samples for approval before allowing bulk supplies or may terminate the contract after notifying the deviations to the seller.

Unless otherwise provided in the contract, all samples required for test shall be supplied by the contractor free of cost. Where under the contract, the contractor is required to submit an advance sample, any expenses incurred by the contractor on or in connection with the production of stores in bulk, before the sample has been approved unconditionally shall be borne by the Seller and he shall not claim any compensation in the event of such sample being found unacceptable by the Buyer / Consignee.

**2.20 Buyer Added Bid Specific ATC:**

Buyer Added text based ATC clauses

- 1- To be eligible for award of contract, Bidder / OEM must possess following Certificates on the date of bid opening (to be uploaded with bid): ISO 9001:2015, ISO 14001:2015,
- 2-The Damaged or defected items should be replaced by the seller at the place of delivery within 10 days failing which a penalty of 0.5% of unit price of the product shall be charged for each day of delay from the seller which will not exceed 10% of the total contract value. 8 / 11
- 3- Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with the bid.
- 4- All The Quality Certificates of the supplied material as per norms given in the document specifications attached, must be uploaded with the bid documents
- 5- Upload Manufacturer authorization: Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.

6- Dedicated /toll Free Telephone No. Or Other Number for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No./Any 24\*7 functional number for Service Support.

7-Bid ATC Compliance Undertaking must be uploaded with bid document.

8- Installation of the product in the respective schools by the bidder shall be included in the offered price by the bidder.

9- **IF the bidder has been awarded any bid from any buyer of Uttarakhand then self declaration of satisfactory supply or satisfactory compliance certificate from the buyer for the same order must be uploaded with the bid document.**

10-All specifications for required furniture set should be as per attached departmental specification or higher.

**11-MSME or Start up certificate for the relevant category only would be considered. If the bidder is not the OEM of the product then EMD must be uploaded with the bid.**

12-Legal Jurisdiction will be of Gopeshwar Chamoli Court

2.21 *Buyer Added Bid Specific ATC:*

Buyer uploaded ATC document [Click here to view the file.](#)

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.