

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687749742223

अनुबंध तिथि | Generated Date : 06-Feb-2024

संगठन विवरण | Organisation Details

प्रकार | Type : State Autonomous
मंत्रालय | Ministry : -
विभाग | Department : Department of Panchayat Raj
संगठन का नाम | Organisation Name : KOLHAPUR District Panchayats
कार्यालय क्षेत्र | Office Zone: Grampanchayat AMBAP

खरीदार विवरण | Buyer Details

पद | Designation : GRAMSEVAK
संपर्क नंबर | Contact No. : 0231-1234567-
ईमेल आईडी | Email ID : gpambap-mh@panchayat.gov.in
जीएसटीआईएन | GSTIN : 27KLP05163E1DZ
पता | Address : A/P- AMBAP TAL- HATKANANGLE, DIST-KOLHAPUR 416112,
KOLHAPUR, MAHARASHTRA-416112, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No
प्रशासनिक अनुमोदन का पदनाम | Designation of Administrative Approval: Sarpanch
वित्तीय अनुमोदन का पदनाम | Designation of Financial Approval : Sarpanch

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: BUYER
भुगतान का तरीका | Payment Mode: MOPR
पद | Designation : GRAMSEVAK
ईमेल आईडी | Email ID : gpambap-mh@panchayat.gov.in
जीएसटीआईएन | GSTIN : 27KLP05163E1DZ
पता | Address: A/P- AMBAP TAL- HATKANANGLE, DIST-KOLHAPUR 416112,
Kolhapur, MAHARASHTRA-416112, India

विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : FGZ7230010233106
कंपनी का नाम | Company Name : SHIVANSH ENTERPRISES
संपर्क नंबर | Contact No. : 07522912769
ईमेल आईडी | Email ID : bolavejayshri@gmail.com
पता | Address : 490, Tirpan, Panhala,
Kolhapur, MAHARASHTRA-416230, -
एमएसएमई पंजीकरण संख्या | MSME Registration number : UDYAM-MH-15-0061544
एमएसई सामाजिक श्रेणी | MSE Social Category : General
एमएसई लिंग श्रेणी | MSE Gender : Female
जीएसटीआईएन | GSTIN: 27EXWPB4715A1Z

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Impact By Honeywell 4MP BULLET CAMERA ब्रांड Brand : Impact By Honeywell ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Camera for CCTV System (Q2) मॉडल Model: BULLET 4MP IP CCTV एचएसएन कोड HSN Code: HSN not specified by seller	14	pieces	7,140	NA	99,960
कुल ऑर्डर मूल्य Total Order Value (in INR)						99,960

परोक्ष विवरण | Consignee Detail

क्र.सं. S.No	परोषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : GRAMSEVAK ईमेल आईडी Email ID : gpambap-mh@panchayat.gov.in संपर्क Contact : 0231-1234567- जीएसटीआईएन GSTIN : 27KLPG05163E1DZ पता Address : A/P- AMBAP TAL- HATKANANGLE, DIST-KOLHAPUR 416112, KOLHAPUR, MAHARASHTRA-416112, India	Impact By Honeywell 4MP BULLET CAMERA	-	14	06-Feb-2024	21-Feb-2024
Product Specification for Impact By Honeywell 4MP BULLET CAMERA						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
IMAGE SENSOR	Image Sensor Type	CMOS				
	Image Sensor Size	0.34 inch				
	Camera Image Sensing capacity (Picture Mode)	4MP				
	Resolution	D1 (704 x 480 Pixel), HD (1280 x 720 Pixel), Full HD (1920 x 1080 Pixel), 4MP(2560x1440), 3MP(2304x1296)				
	Day/Night Capable	Yes				
	IR illumination Range(mtr)	50				
CAMERA TYPE	Type of Camera Housing	BULLET CAMERA				
	IP Camera	Yes				
	PTZ Camera	No				
OPTICS	Lens Type	Fixed				
	Focal Length(mm)	3.6				
	Iris Control	Yes				
	Focus Mode	Auto, Zooming, One Push, Manual, NA, Auto back Focus				
VIDEO	Frame Rate (fps)	25,30				
	Video Compression	H.264, H.265, H.265+				
	Video Streaming	Dual compressed stream				
PAN / TILT / ZOOM	Panning Range	NA				
	Pan Speed (deg/sec)	NA				
	Tilt Range below horizontal (deg)	NA				
	Tilt Range above horizontal (deg)	NA				
	Tilt Speed (deg/sec)	NA				
	Optical Zoom	NA				
	Digital Zoom	NA				
Audio	Audio Support	Yes				
	Audio Compression	G.726, G.722.1, G.711, A-Law, U-Law, MP2L2, AAC, NA, G711 ulaw, G711 alaw, PCM, G.722				
	Audio					

AUDIO	Streaming	One-Way
	Number of Audio Input Channel	1
	Number of Audio Output Channel	1
	External Microphone Support	No
ALARM	Alarm Support	No
	Number of Alarm Digital Input	NA
	Number of Alarm Relay Output	NA
	Pre/Post Alarm Buffer	No
SECURITY	Multi Level User ID/Password	Yes
	IP Address Filtering	Yes
	Encrypted Data Transmission	HTTPS (SSL/TSL)
PERFORMANCE	Minimum Illumination for Capturing Color Image	0.002 lux
	Electronic Shutter Speed(sec)	1 to 1/100,000
	WDR (Wide Dynamic Range)	DWDR
	SNR (Signal to Noise Ratio)	50-60
	Auto Exposure	Auto Level Control,Electronic Level Control
FEATURES	White Balance (Indoor/Outdoor/Manual Selectable)	Yes
	Auto Gain Control (On/Off selectable)	Yes
	Back Light Compensation	Yes
	Remote Administration (Remote configuration and status using web based tool)	Yes
	Remote System Update Over Network	Yes
	PC Client (PC application client with a channel recording feature support)	Yes

	Web Client (Viewer through HTTP system configuration)	Yes	
	On Screen Display in English	Yes	
	ONVIF Support	Yes	
	Presets	0	
	Group Touring	0	
	Privacy Zones	4	
NETWORK AND INTERFACE	Supported Protocols	UDP,SNMP,IGMP,DHCP,RTP,RSTP,HTTP,SMTP,FTP,ICMP,HTTPS,DNS,DDNS,RTSP,RTCP,NTP,UPnP,QoS,TCP/IP,NA,PPPoE,Multicast,IPv4,ARP,SSH,RTSP	
	IP Support	Static,Dynamic,NA	
	Signal Processing	Digital Signal Process	
	IPv6 ready	No	
	Wireless	No	
	Simultaneous Connections	7	
STORAGE	On Board SD Card Support	No	
	SD Card Memory(GB)	NA	
HOUSING	Installation Type	Indoor,Outdoor	
	Material of the Housing construction	Alluminium	
	Protection	IP67	
	Vandal Resistant Housing	No	
	If Yes, IK rating	NA	
	Mounting bracket	Wall Mounted	
	Weight	350 gram	
	Dimensions (mm x mm x mm)	208x81x81mm	
POWER SUPPLY	Power Input	24 V DC,12 V DC,PoE,24 VAC	
	Power Consumption	6 Watt	
	Suitable Adapter Shall be Supplied to Make the Equipment Work on 230 V (+/- 10 %), 50 Hz	Yes	
OPERATING CONDITIONS	Operating Temperature Range	- 30 to +60 deg C	
	Relative Humidity Non Condensing (%)	95	
	Warranty	2 year	
	Time for Replacement of Defective Product During	24 hour	

WARRANTY / SERVICES	Warranty Period	
	Supply of Compatible drivers and software included	Yes
ENVIRONMENTAL / CERTIFICATION	Availability of facility & infrastructure for verification of all parameters, features, and capability with Seller	Yes
	Availability of facility to test signal to noise ratio of camera at 0-01 lux	Yes
	Conformity to Dry Heat test at 55 degree C for 16 hours as per IS :9000 latest	Yes
	Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest	Yes
	Conformity to Cold test at -10 / -20 degree C for 4 hours as per IS: 9000 latest, as applicable	Yes
	BIS Registration for safety general requirements as per IS 13252 (Part 1):latest	Yes
	Availability of Type Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	Yes
	Test Report Number and Date	MTL/2K22/0204
	Name and Address of Test Lab	Matrix Test Labs
	Certification	BIS,CE,FCC,RoHS

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.