

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687755865630

अनुबंध तिथि | Generated Date : 07-Feb-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details	
प्ररूप Type :	State Government	पद Designation :	DSDO Kheda
मंत्रालय Ministry :	-	संपर्क नंबर Contact No. :	111-1111111-
विभाग Department :	Sports Youth and Cultural Activities Department Gujarat	ईमेल आईडी Email ID :	con6.sycadg.gj@gembuyer.in
संगठन का नाम Organisation Name :	N/A	जीएसटीआईएन GSTIN :	-
कार्यालय क्षेत्र Office Zone:	sports authority of Gujarat	पता Address :	District Sports Coaching Center, Sports Hostel Complex, Mrida Bhagod, Nr. Bhairavnath Mandir, Nadiad, Khetda - 387411, KHEDA, GUJARAT-387411, India

वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details	
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO
प्रशासनिक अनुमोदन का पदनाम	DSDO	भुगतान का तरीका	Offline
Designation of Administrative Approval:		Payment Mode:	
वित्तीय अनुमोदन का पदनाम	DSDO	पद Designation :	Accounts Officer
Designation of Financial Approval :		ईमेल आईडी Email ID :	pao3.sycadg.gj@gembuyer.in
		जीएसटीआईएन GSTIN :	-
		पता Address:	Administrative Building, Sector 13-B, Near Kh-3 Circle, Near Vavol Railway Crossing, Beside EVM warehouse, Gandhinagar - 382016, Gandhi Nagar, GUJARAT-382016, India

विक्रेता विवरण Seller Details	
जेम विक्रेता आईडी GeM Seller ID :	6315180000550419
कंपनी का नाम Company Name :	SUN SHINE SPORTS
संपर्क नंबर Contact No. :	09374628883
ईमेल आईडी Email ID :	sunshinesportsguj@gmail.com
पता Address :	PLOT NO.E 180,Sector 26,GIDC,Gandhinagar, GandhiNagar, GUJARAT-382026, -
एमएसएमई पंजीकरण संख्या MSME Registration number :	-
जीएसटीआईएन GSTIN:	24AHIPR7014G1ZE

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश Delivery Instructions : NA	
उत्पाद विवरण Product Details	

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुक्र और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded Mercerised Combed Cotton Knitted Track Suits - Sports ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्भासा Category Name & Quadrant : Track Suit - Sports (Q3) मॉडल Model: HIND एचएसएन कोड HSN Code: HSN not specified by seller	52	pieces	800	NA	41,600
कुल ऑर्डर मूल्य Total Order Value (in INR)						41,600

परेष्टी विवरण Consignee Detail					
क्र.सं. S.No	परेष्टी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After
	पद Designation : Chief Coach ईमेल आईडी Email ID : admin-sag@gujarat.gov.in				दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After

1	<p>संपर्क Contact :- जीएसटीआर्टिएस GSTIN :- पता Address : Administrative Building, Sector 13-B, Near Kh-3 Circle, Near Navol Railway Crossing, Beside EVM warehouse, Gandhinagar - 382016, GANDHI NAGAR, GUJARAT-382016, India</p>	Unbranded Mercerised Combed Cotton Knitted Track Suits - Sports	-	52	07-Feb-2024	22-Feb-2024
Product Specification for Unbranded Mercerised Combed Cotton Knitted Track Suits - Sports						
विवरण Specification		उप-विवरण Sub-Spec	मूल्य Value			
UTILITY		UTILITY	Unisex			
COMPONENTS		Components	Complete Set consisting of Upper and Lower			
MATERIAL	Fabric (Composition)		Mercerised Combed Cotton			
	Percentage of Blending (in case of Blended Fabric)		Polyester 65 % and Cotton 35 %			
	Mass (gram per square mtrs)		120 gram			
	Fabric Construction		Knitted			
	Weave (In case of Woven Fabric)		Plain			
	Any other weave as per buyer's requirements (in case weave is other than already mentioned above)		AS PER BUYER			
	Knitting (In case of knitted Fabric)		Plain (Single Jersey) Knitted,			
	Ends per dm		50			
	Picks per dm		50			
	Courses per dm		50			
	Wales per dm		50			
	Count of knitting yarn		50			
	Raising at inner side of Main Fabric		Yes			
	Upper Lining		Yes			
	Lower Lining		Yes			
	Lining Material		Not Applicable			
	Mass of Lining (Gram per Square Meter)		Not Applicable			
	Netting mesh No of holes on base & bias within 625 Square millimeter		Not Applicable			
	Technical Requirements of Slide Fastener for Upper Closing		Medium special duty Open End as per IS 14181 Latest			
	Technical Requirements of Slide Fastener for Pocket Closing (For Pockets with Slide Fastner for closing)		Medium special duty Open End as per IS 14181 Latest			
	Slide Fastners are BIS Marked		Not Applicable			
	Width of Tape Elastic at Waist of Trouser		3.5 cm			
	Width of Tape Elastic at Bottom of Upper		3.5 cm			
	Technical Requirements of Waist Band		No			
	Waist Draw Cord		Polypropylene Cord of 4mm dia			
	Draw Cord Ends		Fused			
	Breaking Strength of Draw Cord		340 N minimum			
	Sleeve Ends (Cuff)		Elastic Tape			
	Upper provided with Piping		Yes			
	Lower provided with Piping		Yes			
	Piping Fabric- Composition		Any other material as per buyer's requirements			
	Piping Fabric- Any other material as per buyer's requirements (Other than mentioned above)		as per buyer			
	Piping Fabric Mass (gram per square mtrs)		90			
	Embroidery Thread		Polyester			
SIZE	Size		Large (L)			
	Width Across Chest 25 mm below under arm		55.0 cm (Large)			
	Width Across Bottom Opening (relaxed)		48 cm (Large)			
	Length at front from top of collar to bottom		68 cm (Large)			

DIMENSIONS OF UPPER	Sleeve length (from center of back to bottom of sleeve)	87 cm (Large)
	Sleeve opening relaxed (Cuff) Width	12 centimeter
	Front Neck Drop	10 centimeter
	Back Neck Drop	2 centimeter
	Length of Slide Fastener	66 cm(Large)
DIMENSIONS OF LOWER	Side Seam Length	107 cm (Large)
	Waist relaxed (Width Across)	45.5 cm (Large)
	Waist stretched (Width Across)	55 cm (Large)
	Seat/ Hip (15 cm below waist band)	55 cm (Large)
	Thigh (at Crotch) (Width Across)	37 cm (Large)
	Bottom Opening (Width Across)	26 centimeter
	Front rise including waist band	29 cm (Large)
	Back rise including waist band	39 cm (Large)
	Length of Waist Tying Cord	170 centimeter
POCKETS	Bottom Fold (Hem) with full turn in(cm)	1.5
	Number of Pockets (Upper)	2 Side Pockets
	Size of Side Pockets-Upper (Length X Width) (cm)	17 cm X 18 cm
	Size of Inside Pocket at Chest- Upper	11 cm X 15 cm
	Side Pocket opening - Upper	15.0 cm
	Side Pocket Closure with Slide Fastener -Upper	Yes
	Number of Pockets (Lower)	2 Side Pockets
	Size of Side Pockets - Lower (Length X Width) (cm)	17 cm X 18 cm
	Side Pocket Opening- Lower	15 centimeter
	Pocket Closure with Slide Fastener - Lower	Side Pockets with Slide Fastener
COLLAR	Material of Pockets	Main Basic Fabric
	Collar Type	Stand and Fall Type, Made of two layers of self material
SLEEVE	Collar Reinforcement	Without Reinforcement
	Sleeve Type	Set In Sleeve
PIPING	Position and Dimensions of Piping on Upper	as per buyer
	Position and Dimensions of Piping on Lower	as per buyer
STITCHING	Sewing Thread	145 d tex X 3, Polyester
	Raw edges, if any shall be bound by overlock stitching	Yes
	Waist band stitching of Upper	Stitched in single rows with chain stitch on the elastic
	Sleeve Bottom (Cuff) Stitching	Stitched in single rows with chain stitch on the elastic
	Waist band stitching of Lower	Stitched in single rows with chain stitch on the elastic
	Lining seams	Inverted
	Bartack Stitching (Reinforcement Stitching) at stress bearing areas	Pocket opening, Centre of Waist Band Seam and bottom hem and other stress bearing areas
	Tunnel at Waist Band for Lower	Two holes stitched to allow the draw cord with insertion free movement
	Stitches per dm (min)	36
COLOUR/ PRINT	Colour	Multicolour/ Contrasting Pannels / Any other colour as per buyer's requirements
	Multicolour/ Contrasting Pannels / Any other colour as per buyer's requirements	as per buyer
	Sublimation Printing (for 100 % polyester only)	Sublimation Print as per buyer's requirements
	Sublimation Print as per buyer's requirements	as per buyer
	Colourfastness to Light (IS 2454)	5
	Colourfastness to Washing (IS/ ISO 105-C10, Test- C (3))	Change in Colour- 4; Staining of Adjacent Fabric- 3-4
	Colourfastness to Rubbing (IS 766)	Dry- 4 / Wet- 3
	Colourfastness to perspiration (IS 971)	4

Colour of Mesh Lining	Same as colour of the base fabric	
Any other colour of Mesh Lining as per buyer's requirements	as per buyer	
Colourfastness to Washing (IS/ISO 105-C10, Test- C (3))- Mesh Lining	Change in Colour- 4; Staining of Adjacent Fabric- 3-4	
Colourfastness to perspiration (IS 971)- Mesh Lining	4	
Colour of Piping Material	Any other colour as per buyer's requirements	
Any other colour as per buyer's requirements	as per buyer	
OTHER REQUIREMENTS	Pilling Resistant [after 5 hours Test as per IS 10971 (Part 1)], min	
	Dimensional stability to washing, Shrinkage or Elongation Percentage, max (IS 2977 latest), in lengthwise and widthwise direction	
LOGO AND MARKING	Logo/ Totem Marking	No
	Type of Logo	Embroidery
	Number of Logos on Upper	1
	Number of Logos on Lower	Not Applicable
	Size, Design and Location of Logo as per buyer's requirement	as per buyer
TEST REPORT	Availability of Test Report from designated AHSP/ NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification	No
	Test Report No	NOT APPLICABLE
	Test Report Date	NOT APPLICABLE
	Name of the Lab	NOT APPLICABLE
	Address of the Lab	NOT APPLICABLE
	Test reports to be furnished to buyer on demand, if claimed to be available	Not applicable
ADVANCE SAMPLE	Agree to provide Advance Sample(s) for buyer's approval before commencement of supply	Yes

टिप्पणी| Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें| Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.